



# ***DUCATI***



**SUPERLIGHT  
900 desmodue**

Spare parts catalogue for  
***U.S.A. Versions***



**SUPERSPORT  
900 desmodue  
900 CR  
900 SP - HT**

## GENERAL INFORMATION

The present spare parts list enables one to order exactly the right spare parts.

When ordering specify:

- 1) *the part's code number followed by its description;*
- 2) *the motorcycle's serial number, stamped on the steering head.*

Reference to right and left apply to the vehicle in terms of its direction of movement.

## LIST

|                   |                                      |
|-------------------|--------------------------------------|
| <b>f.m.</b>       | Up to frame number                   |
| <b>d.m.</b>       | From frame number                    |
| <b>f.m.m.</b>     | Up to engine number                  |
| <b>d.m.m.</b>     | From engine number                   |
| <b>SL Version</b> | For <b>900 Superlight</b> version    |
| <b>900 SL</b>     | For <b>900 Superlight</b> version    |
| <b>SP Version</b> | For <b>900 Supersport SP</b> version |
| <b>900 SS SP</b>  | For <b>900 Supersport SP</b> version |
| <b>HT Version</b> | For <b>900 Supersport HT</b> version |
| <b>900 SS HT</b>  | For <b>900 Supersport HT</b> version |
| <b>CR Version</b> | For <b>900 Supersport CR</b> version |
| <b>900 SS CR</b>  | For <b>900 Supersport CR</b> version |

Issued: **02 - 97**

CATALOGUE No.: **91510151E**


**DUCATI** Motor  
Ufficio Commerciale Amministrativo:  
BOLOGNA - VIA A. CAVALIERI DUCATI n. 3  
Tel. 051/405049 - Telex 510492 DUCMEC  
Telefax 051/406580

*All data are subject to modification without prior notice.*



| DRAWING | DESCRIPTION                       | VALIDITY      | PAG. |
|---------|-----------------------------------|---------------|------|
| 1       | WORKSHOP SPECIAL TOOLS            |               | 3    |
| 2       | GEARCHANGE                        |               | 5    |
| 3       | GEAR-BOX                          |               | 7    |
| 4       | CLUTCH                            |               | 9    |
| 5       | CLUTCH COVER                      |               | 11   |
| 6       | CRANKSHAFT                        |               | 13   |
| 7       | CYLINDERS-PISTONS                 |               | 15   |
| 8       | TIMING                            |               | 17   |
| 9       | FILTERS AND OIL PUMP              |               | 19   |
| 9.SP    | FILTERS AND OIL PUMP              | SP Version    | 21   |
| 10      | HALF CRANKCASES                   |               | 23   |
| 11      | ALTERNATOR COVER (350 W)          | d.m.m. 007089 | 25   |
| 11.a    | ALTERNATOR COVER (300 W)          | f.m.m. 006908 | 27   |
| 12      | ELECTRIC STARTER AND IGNITION     |               | 29   |
| 13      | HEAD: TIMING                      |               | 31   |
| 14      | HORIZONTAL HEAD                   |               | 33   |
| 15      | INLET DUCT                        |               | 35   |
| 16      | CARBURETTOR                       |               | 37   |
| 16.1    | CARBURETTOR                       |               | 39   |
| 16.a    | CARBURETTOR FLOAT CHAMBER HEATING |               | 41   |
| 17      | ELECTRIC SYSTEM                   | d.m. 021406   | 43   |
| 17.a    | ELECTRIC SYSTEM                   | f.m. 021405   | 45   |
| 17.1    | ELECTRIC SYSTEM                   | d.m. 021406   | 47   |
| 17.1a   | ELECTRIC SYSTEM                   | f.m. 021405   | 49   |
| 18      | IGNITION SYSTEM                   |               | 51   |
| 19      | EXHAUST SYSTEM                    |               | 53   |
| 19.SL   | EXHAUST SYSTEM                    | SL Version    | 55   |
| 20      | DASHBOARD                         |               | 57   |
| 20 SP   | DASHBOARD                         | SP Version    | 59   |
| 21      | FRONT HEADLIGHT                   |               | 61   |
| 22      | ADJUSTABLE FRONT FORK             |               | 63   |
| 22.a    | FRONT FORK                        | CR Version    | 65   |

| DRAWING | DESCRIPTION                       | VALIDITY      | PAG. |
|---------|-----------------------------------|---------------|------|
| 22.b    | FRONT FORK                        | CR Version    | 67   |
| 23      | FRONT AND REAR WHEELS             | d.m. 021406   | 69   |
| 23.a    | FRONT AND REAR WHEELS             | f.m. 021405   | 71   |
| 24      | HANDLEBAR AND CONTROLS            |               | 73   |
| 24.SP   | HANDLEBAR AND CONTROLS            | SP Version    | 75   |
| 25      | FRONT HYDRAULIC BRAKE             |               | 77   |
| 25.SP   | FRONT HYDRAULIC BRAKE             | SP Version    | 79   |
| 26      | REAR HYDRAULIC BRAKE              | d.m. 002306   | 81   |
| 26.a    | REAR HYDRAULIC BRAKE              | f.m. 002305   | 83   |
| 26.SL   | REAR HYDRAULIC BRAKE              | SL/SP Version | 85   |
| 27      | FRAME                             | d.m. 012263   | 87   |
| 27.a    | FRAME                             | f.m. 012262   | 89   |
| 28      | GEARCHANGE LEVER-FOOT REST        | d.m. 002306   | 91   |
| 28.a    | GEARCHANGE LEVER-FOOT REST        | f.m. 002305   | 93   |
| 28.SL   | GEARCHANGE LEVER-FOOT REST        | SL Version    | 95   |
| 29      | REAR SUSPENSION-CHAIN-CHAIN COVER |               | 97   |
| 29.a    | REAR SUSPENSION-CHAIN-CHAIN COVER | CR Version    | 99   |
| 29.1    | "SHOWA" REAR SUSPENSION           |               | 101  |
| 29.1a   | "BOGE" REAR SUSPENSION            | CR Version    | 103  |
| 30      | AIR INDUCTION - OIL VENT          |               | 105  |
| 31      | RADIATOR                          |               | 107  |
| 32      | FUEL TANK                         |               | 109  |
| 33      | SEAT                              | d.m. 012263   | 111  |
| 33.a    | SEAT                              | f.m. 012262   | 113  |
| 33.SL   | SINGLE SEAT                       | SL Version    | 115  |
| 34      | HALF FAIRING                      |               | 117  |
| 34.1    | FAIRING                           |               | 119  |
| 34.1a   | FAIRING                           |               | 121  |
| 34.SL   | FAIRING                           | SL Version    | 123  |
| 35      | FUEL FEED                         | California    | 125  |
| 36      | MARKING PLATES                    |               | 127  |



| CODE NO. | DESCRIPTION                                                         | VALIDITY | O.T.Y | NOTES | POS.<br>r; | CODE NO.                          | DESCRIPTION | VALIDITY | O.T.Y |
|----------|---------------------------------------------------------------------|----------|-------|-------|------------|-----------------------------------|-------------|----------|-------|
| 1        | 88713 0146 Clutchdrumholderwrench                                   |          | 1     |       | 28         | 88765.1058 Valvelittgauge         |             |          | 1     |
| 2        | 33713 0120 Rocker shattextractor                                    |          | 1     |       | 29         | 88713.1213 Toolforassemblingchain |             |          | 1     |
| 3        | 88713 0748 Torque wrenchfor timingbelt                              |          | 1     |       |            |                                   |             |          |       |
| 4        | 88713 1139 Headnuts holderwrench                                    |          | 1     |       |            |                                   |             |          |       |
| 5        | 88713 0710 Alternatorholderwrenchfortighteningnut                   |          | 1     |       |            |                                   |             |          |       |
| 6        | 88713 0137 Crankshaftgear holderwrenchfor tightening nut            |          | 1     |       |            |                                   |             |          |       |
| 7        | 88713 0143 Toolfor assemblingclosing rocker and spring              |          | 1     |       |            |                                   |             |          |       |
| 8        | 98112 0002 Degree wheel                                             |          | 1     |       |            |                                   |             |          |       |
| 9        | 88713 0123 Degree wheelholdertool for ignitionadvance check         |          | 1     |       |            |                                   |             |          |       |
| 10       | 83713 0114 Toolfor removingpins from Molexconnectors                |          | 1     |       |            |                                   |             |          |       |
| 11       | 83700.5665 Sleeve for installingclutchbellgear                      |          | 1     |       |            |                                   |             |          |       |
| 12       | 88712 0144 Extractor for removalof chain/generatocover              |          | 1     |       |            |                                   |             |          |       |
| 13       | 86:130262 Pin for assemblingrocker arms                             |          | 1     |       |            |                                   |             |          |       |
| 14       | 88700 5644 Timingbelt rollersholderwrench                           |          | 1     |       |            |                                   |             |          |       |
| 15       | 0000 44119 Spacerfor checkinglowervalveshim                         |          | 1     |       |            |                                   |             |          |       |
| 16       | 0000.44120 Spacertor checkingf.owervalveshim                        |          | 1     |       |            |                                   |             |          |       |
| 17       | 0675.03 210 Wrenchfor removingoil filtercartridge                   |          | 1     |       |            |                                   |             |          |       |
| 18       | 88765.1000 Forkfeeler gauge0.1 mm                                   |          | 1     |       |            |                                   |             |          |       |
| —        | 88765 1005 Forkfeeler gauge0.2 mm                                   |          | 1     |       |            |                                   |             |          |       |
| —        | 88765.1006 Forkfeeler gauge0.3 mm                                   |          | 1     |       |            |                                   |             |          |       |
| 19       | 88713.0960 Toolfor overhaulingSHOWAforks assemblingseal ring        |          | 1     |       |            |                                   |             |          |       |
| 20       | 88713 0957 Tool for holdingSHOWAforkspacer                          |          | 1     |       |            |                                   |             |          |       |
| 21       | 88713.0959 Tool for holdingSHOWAfork outer tube                     |          | 1     |       |            |                                   |             |          |       |
| 22       | 88713 0958 Drawbar for SHOWAforks overhauling                       |          | 1     |       |            |                                   |             |          |       |
| 23       | 88713 1040 Frame/engine mount                                       |          | 1     |       |            |                                   |             |          |       |
| 24       | 88713 1153 Tool for overhauling MARZOCCHI forks assemblingseal ring |          | 1     |       |            |                                   |             |          |       |
| 25       | 88713.1152 Tool for MARZOCCHI fork outertube protection             |          | 1     |       |            |                                   |             |          |       |
| 26       | 88700 5749 Crankcases assemblingcap                                 |          | 1     |       |            |                                   |             |          |       |
| 27       | 88713 1178 Extractorfor primary drivegear                           |          | 1     |       |            |                                   |             |          |       |






| NOTES | POS. N. | CODE NO.     | DESCRIPTION                                  | VALIDITY | Q.TY |
|-------|---------|--------------|----------------------------------------------|----------|------|
|       | 1       | 60N102509    | Screw                                        |          | 1    |
|       | 2       | 462.3.003.8A | Washer                                       |          | 1    |
|       | 3       | 771.5.122.2B | Screw                                        |          | 1    |
|       | 4       | 462.3.003.7A | Washer                                       |          | 1    |
|       | 5       | 821.1.001.1A | Pin with gearchange lever                    |          | 1    |
|       | 6       | 750.5.001.1A | Nut                                          |          | 1    |
|       | 7       | 0214.07.350  | Ring                                         |          | 1    |
|       | 8       | 0400.09.050  | Washer                                       |          | 1    |
|       | 9       | 0660.13.165  | Gearchange lever pin                         |          | 1    |
|       | 10      | 799.1.025.1A | Fork return spring                           |          | 1    |
|       | 11      | 180.1.008.1A | Gearbox drum control fork                    |          | 1    |
|       | 12      | 826.1.009.1A | Stopper plate                                |          | 1    |
|       | 13      | 0400.29.126  | Shim th. 0.5                                 |          | 1    |
|       | 14      | 73500.1542   | Circlip                                      |          | 1    |
|       | 15      | 0799.13.110  | Gearchange lever return spring               |          | 1    |
|       | 16      | 881.1.012.1A | Centering ring                               |          | 1    |
|       | 17      | 0660.13.133  | Push rod holder                              |          | 1    |
|       | 18      | 0660.13.060  | Shim th. 1                                   |          | 1    |
|       | —       | 0660.13.061  | Shim th. 0.2                                 |          | 1    |
|       | —       | 0660.13.062  | Shim th. 0.3                                 |          | 1    |
|       | 19      | 182.2.001.2A | Complete gearbox drum                        |          | 1    |
|       | 20      | 882.1.006.1A | Needle retaining ring (square cross-section) |          | 1    |
|       | —       | 0660.13.057  | Needle retaining ring (round cross-section)  |          | 1    |
|       | 21      | 821.1.070.1A | Special roller (square cross-section)        |          | 6    |
|       | —       | 0660.13.050  | Special roller (round cross-section)         |          | 6    |
|       | 22      | 0660.13.045  | Neutral light operating pin                  |          | 1    |
|       | 23      | 852.1.005.1A | Shim th. 1                                   |          | 1    |
|       | —       | 852.1.006.1A | Shim th. 0.2                                 |          | 2    |
|       | —       | 852.1.007.1A | Shim th. 0.3                                 |          | 1    |
|       | 24      | 0660.13.070  | Fork pin                                     |          | 2    |
|       | 25      | 180.1.001.1A | 1st,4th-2nd,3rd gear selector fork           |          | 2    |
|       | 26      | 180.1.002.1A | 5th,6th gear selector fork                   |          | 1    |
|       | 27      | 420.2.000.8A | Copper gasket                                |          | 1    |
|       | —       | 0504.03.085  | Gasket                                       |          | 1    |

| NOTES | POS. N. | CODE NO.     | DESCRIPTION          | VALIDITY | Q.TY |
|-------|---------|--------------|----------------------|----------|------|
|       | —       | 0150.92.280  | Gasket               |          | 1    |
|       | 28      | 539.1.007.1A | Switch               |          | 1    |
|       | 29      | 76835.1134   | Ball                 |          | 1    |
|       | 30      | 0660.13.143  | Gear selector spring |          | 1    |
|       | 31      | 0272.91.090  | Gasket               |          | 1    |








| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION              | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION         | VALIDITY | Q.TY |
|-------|------------|--------------|--------------------------|----------|------|-------|------------|--------------|---------------------|----------|------|
|       | 1          | 0150.16.030  | Shim th. 0.5             |          | 1    |       | 25         | 149.1.003.1A | Gearbox lay shaft   |          | 1    |
|       | —          | 0251.47.050  | Shim th. 1               |          | 1    |       | 26         | 0670.16.170  | Shim th. 0.8        |          | 1    |
|       | —          | 0504.47.050  | Shim th. 0.2             |          | 1    |       | —          | 0670.16.171  | Shim th. 1          |          | 1    |
|       | —          | 0504.47.060  | Shim th. 0.3             |          | 1    |       | —          | 0670.16.172  | Shim th. 1.2        |          | 1    |
|       | —          | 852.1.081.1A | Shim th. 0.4             |          | 1    |       | 27         | 150.2.005.1A | Complete main shaft |          | 1    |
|       | 2          | 150.2.006.1A | Gearbox main shaft       |          | 1    |       | 28         | 150.2.003.1A | Complete lay shaft  |          | 1    |
|       | 3          | 0670.16.150  | Shim th. 0.5             |          | 2    |       | 29         | 734005N01    | Spring washer       |          | 2    |
|       | 4          | 701.2.001.1A | Cut needle bearing       |          | 5    |       | 30         | 93783.0812   | Seal ring           |          | 1    |
|       | 5          | 172.1.004.1A | Driving gear 5th sp.     |          | 1    |       | 31         | 76270.0827   | Needle bearing      |          | 1    |
|       | 6          | 856.1.001.1A | Grooved washer th. 0.5   |          | 6    |       |            |              |                     |          |      |
|       | —          | 856.1.031.1A | Grooved washer th. 0.5   |          | s.n. |       |            |              |                     |          |      |
|       | 7          | 0670.16.145  | Snap ring                |          | 6    |       |            |              |                     |          |      |
|       | 8          | 172.1.003.1A | Driving gear 3rd/4th sp. |          | 1    |       |            |              |                     |          |      |
|       | 9          | 172.1.005.1A | Driving gear 6th sp.     |          | 1    |       |            |              |                     |          |      |
|       | 10         | 172.1.002.1B | Driving gear 2nd sp.     |          | 1    |       |            |              |                     |          |      |
|       | 11         | 713.1.014.1A | Shim th. 1.5             |          | 1    |       |            |              |                     |          |      |
|       | —          | 0670.16.163  | Shim th. 1.8             |          | 1    |       |            |              |                     |          |      |
|       | —          | 0670.16.164  | Shim th. 2               |          | 1    |       |            |              |                     |          |      |
|       | —          | 0670.16.165  | Shim th. 2.2             |          | 1    |       |            |              |                     |          |      |
|       | 12         | 449.1.003.1A | Chain sprocket Z=15      |          | 1    |       |            |              |                     |          |      |
|       | 13         | 0670.16.105  | Sprocket keep plate      |          | 1    |       |            |              |                     |          |      |
|       | 14         | 771.5.040.0C | Screw                    |          | 2    |       |            |              |                     |          |      |
|       | 15         | 0670.16.183  | Shim th. 0.8             |          | 1    |       |            |              |                     |          |      |
|       | —          | 0670.16.184  | Shim th. 1               |          | 1    |       |            |              |                     |          |      |
|       | —          | 0670.16.185  | Shim th. 1.2             |          | 1    |       |            |              |                     |          |      |
|       | 16         | 713.1.011.1A | Spacer th. 2.3           |          | 1    |       |            |              |                     |          |      |
|       | 17         | 75402.0002   | Needle bearing           |          | 1    |       |            |              |                     |          |      |
|       | 18         | 172.1.006.1B | Driven gear 1st sp.      |          | 1    |       |            |              |                     |          |      |
|       | 19         | 0670.16.155  | Shim th. 1               |          | 1    |       |            |              |                     |          |      |
|       | 20         | 172.1.010.1A | Driven gear 5th sp.      |          | 1    |       |            |              |                     |          |      |
|       | 21         | 172.1.009.1A | Driven gear 4th sp.      |          | 1    |       |            |              |                     |          |      |
|       | 22         | 172.1.008.1A | Driven gear 3rd sp.      |          | 1    |       |            |              |                     |          |      |
|       | 23         | 172.1.011.1A | Driven gear 6th sp.      |          | 1    |       |            |              |                     |          |      |
|       | 24         | 172.1.007.1B | Driven gear 2nd sp.      |          | 1    |       |            |              |                     |          |      |









| NOTES | POS. N. | CODE NO.     | DESCRIPTION                  | VALIDITY      | Q.TY |
|-------|---------|--------------|------------------------------|---------------|------|
|       | 1       | 0659.16.558  | Clutch spring                |               | 6    |
|       | 2       | 841.1.002.2A | Retainer                     |               | 6    |
|       | 3       | 818.2.009.1A | Clutch control pin           |               | 1    |
|       | 4       | 771.5.043.2B | Screw                        |               | 6    |
|       | 5       | 672.1.006.1A | Rod protection cover         |               | 1    |
|       | 6       | 420.2.001.0A | Copper gasket                |               | 2    |
|       | 7       | 779.1.020.1A | Filler                       | f.m.m. 002312 | 1    |
|       | —       | 779.1.082.1A | Filler                       | d.m.m. 002313 | 1    |
|       | 8       | 190.2.001.3A | Clutch plates set            |               | 1    |
|       | 9       | 851.1.001.1B | Lock washer                  |               | 1    |
|       | 10      | 196.1.001.1B | Clutch drum                  |               | 1    |
|       | 11      | 70610.8120   | Screw                        |               | 8    |
|       | 12      | 194.2.001.1A | Pressure plate               |               | 1    |
|       | 13      | 198.1.001.1A | Clutch housing               |               | 1    |
|       | 14      | 75166.1238   | Bearing                      |               | 1    |
|       | 15      | 463.2.053.7A | O-ring                       |               | 1    |
|       | 16      | 463.4.026.9A | Seal ring                    |               | 1    |
|       | 17      | 170.2.005.2B | Clutch/crankshaft gears pair |               | 1    |
|       | 18      | 75113.2566   | Bearing                      |               | 1    |
|       | 19      | 881.2.001.1A | Circlip - spacer             |               | 1    |
|       | 20      | 463.7.022.6A | Bearing                      |               | 1    |
|       | 21      | 0660.16.145  | Spacer                       |               | 1    |
|       | 22      | 195.2.002.1B | Piston assembly              |               | 1    |
|       | 23      | 93785.0822   | Seal ring                    |               | 1    |
|       | 24      | 930.4.009.1A | Seal ring                    |               | 1    |
|       | 25      | 799.1.012.1A | Spring                       |               | 1    |
|       | 26      | 236.1.001.2A | Clutch cap                   | f.m.m. 002312 | 1    |
|       | —       | 236.1.010.2A | Clutch cap                   | d.m.m. 002313 | 1    |
|       | 27      | 0661.16.490  | Bleed                        | f.m.m. 002312 | 1    |
|       | —       | 0000.33552   | Bleed                        | d.m.m. 002313 | 1    |
|       | 28      | 60N107335    | Screw                        |               | 3    |
|       | 29      | 117.1.001.1A | Clutch control rod           |               | 1    |
|       | 30      | 93823.2018   | O-ring                       |               | 2    |
|       | 31      | 713.1.012.1B | Spacer                       |               | 1    |

| NOTES | POS. N. | CODE NO.     | DESCRIPTION      | VALIDITY | Q.TY |
|-------|---------|--------------|------------------|----------|------|
|       | 32      | 93823.0128   | O-ring           |          | 1    |
|       | 33      | 710.1.002.1A | Bush             |          | 1    |
|       | 34      | 74224.0570   | Pin              |          | 1    |
|       | 35      | 750.1.002.1B | Nut              |          | 1    |
|       | 36      | 764.1.003.1B | Rubber pad       |          | 12   |
|       | 37      | 162.1.001.1B | Plate holder hub |          | 1    |
|       | 38      | 851.4.001.1A | Lock washer      |          | 1    |
|       | 39      | 0400.17.030  | O-ring           |          | 1    |




## CLUTCH COVER

DRAWING

5


SUPERSPORT  
900 U.S.A.

| POS<br>N. | CODE NO.      | DESCRIPTION               | VALIDITY              | QTY | NOTES | POS<br>N. | CODE NO. | DESCRIPTION | VALIDITY | QTY |
|-----------|---------------|---------------------------|-----------------------|-----|-------|-----------|----------|-------------|----------|-----|
| 1         | 243 1 003 1B  | Clutch protection cover   |                       | 1   |       |           |          |             |          |     |
|           | 243 1 025 1AA | Clutch protection cover   |                       | 1   |       |           |          |             |          |     |
|           | 243 1 003 1BA | Clutch protection cover   | 900 SS S <sup>o</sup> | 1   |       |           |          |             |          |     |
|           | 243 1 008 2A  | Clutch protection cover   | 900 SL                | 1   |       |           |          |             |          |     |
| 2         | 60N102509     | Screw                     |                       | 2   |       |           |          |             |          |     |
| 3         | 417 6 075 9A  | Screw                     |                       | 3   |       |           |          |             |          |     |
| 4         | 254 4 001 1A  | Oil level inspection cap  |                       | 1   |       |           |          |             |          |     |
| 5         | 60N102510     | Screw                     |                       | 4   |       |           |          |             |          |     |
| 6         | 243 2 002 1AB | Cover clutch side (GREY)  |                       | 1   |       |           |          |             |          |     |
|           | 243 2 002 1A  | Cover clutch side (BLACK) |                       | 1   |       |           |          |             |          |     |
| 7         | 94247.0012    | Fluid sealant             |                       | 1   |       |           |          |             |          |     |
| 8         | 0665 49.680   | Bush                      |                       | 1   |       |           |          |             |          |     |
| 9         | 93784.2030    | Seal ring                 |                       | 1   |       |           |          |             |          |     |
| 10        | 852.1.008.1A  | Shim th. 0.5              |                       | 1   |       |           |          |             |          |     |
| 11        | 73503.3075    | Circlip                   |                       | 1   |       |           |          |             |          |     |
| 12        | 93823.2037    | O-ring                    | f.m.m. 031918         | 1   |       |           |          |             |          |     |
|           | 93827.0114    | O-ring                    | d.m.m. 031919         | 1   |       |           |          |             |          |     |
| 13        | 0400.49.240   | Locating bush             |                       | 1   |       |           |          |             |          |     |
| 14        | 93823.2082    | O-ring                    |                       | 1   |       |           |          |             |          |     |
| 15        | 0661.49.170   | Oil filler cap            |                       | 1   |       |           |          |             |          |     |
| 16        | 734306N01     | Washer                    |                       | 2   |       |           |          |             |          |     |
| 17        | 0150.70.120   | Gasket                    |                       | 1   |       |           |          |             |          |     |
| 18        | 463 4.047 7A  | Ring                      |                       | 1   |       |           |          |             |          |     |
| 19        | 829.1.073 2A  | Holder                    |                       | 1   |       |           |          |             |          |     |
| 20        | 771 5 078 2B  | Screw                     |                       | 1   |       |           |          |             |          |     |
| 21        | 433.1.028.1A  | Oil level plate           |                       | 1   |       |           |          |             |          |     |
| 22        | 699 2.078.1A  | Pressure switch           |                       | 1   |       |           |          |             |          |     |
| 23        | 771 5 072.2B  | Screw                     |                       | 2   |       |           |          |             |          |     |
| 24        | 0675 49 540   | Spacer                    |                       | 2   |       |           |          |             |          |     |
| 25        | 0675 49.530   | Clamp                     |                       | 1   |       |           |          |             |          |     |
| 26        | 788.1.052.1A  | Cover gasket              |                       | 1   |       |           |          |             |          |     |
| 27        | 699 2 079.1A  | Spare cap                 |                       | 1   |       |           |          |             |          |     |






| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                           | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|---------------------------------------|---------------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 146.2.035.1A  | Crankshaft (items 2-3-4 included)     | d.m.m. 007089 | 1    |       |            |          |             |          |      |
|       | —          | 146.2.005.1A  | Crankshaft (items 2-3-4 included)     | f.m.m. 006908 | 1    |       |            |          |             |          |      |
|       | 2          | 779.1.109.1A  | Special screw                         |               | 1    |       |            |          |             |          |      |
|       | 3          | 895.1.004.1A  | Cap                                   |               | 1    |       |            |          |             |          |      |
|       | 4          | 72121.2106    | Threaded dowel                        |               | 2    |       |            |          |             |          |      |
|       | 5          | 158.2.002.1A  | Connecting rods pair (6-7-8 included) |               | 1    |       |            |          |             |          |      |
|       | 6          | 711.1.007.1A  | Bush                                  |               | 1    |       |            |          |             |          |      |
|       | 7          | 74224 0570    | Pin                                   |               | 2    |       |            |          |             |          |      |
|       | 8          | 779.1.007.2A  | Special screw                         |               | 2    |       |            |          |             |          |      |
|       | 9          | 112.1.001.1A  | Standard half-bearing                 |               | 4    |       |            |          |             |          |      |
|       | —          | 112.1.001.1AB | Undersize half-bearing 0.25           |               | 4    |       |            |          |             |          |      |
|       | —          | 112.1.001.1AC | Undersize half-bearing 0.50           |               | 4    |       |            |          |             |          |      |
|       | 10         | 0619.47.050   | Feather                               |               | 1    |       |            |          |             |          |      |
|       | 11         | 0755.47.060   | Shim th. 0.3                          |               | 2    |       |            |          |             |          |      |
|       | —          | 852.1.076.1A  | Shim th. 0.35                         |               | 1    |       |            |          |             |          |      |
|       | —          | 852.1.077.1A  | Shim th. 0.4                          |               | 1    |       |            |          |             |          |      |
|       | —          | 0755.47.070   | Shim th. 0.5                          |               | 1    |       |            |          |             |          |      |
|       | —          | 852.1.078.1A  | Shim th. 0.6                          |               | 1    |       |            |          |             |          |      |
|       | 12         | 0619.47.030   | Lock washer                           |               | 1    |       |            |          |             |          |      |
|       | 13         | 0660.47.040   | Nut                                   |               | 1    |       |            |          |             |          |      |
|       | 14         | 74101.0770    | Straight key                          |               | 1    |       |            |          |             |          |      |
|       | 15         | 0759.29.190   | Feather                               |               | 1    |       |            |          |             |          |      |
|       | 16         | 799.5.001.1A  | Spring washer                         | d.m.m. 007089 | 1    |       |            |          |             |          |      |
|       | 17         | 748.1.013.1A  | Hexagon nut                           | d.m.m. 007089 | 1    |       |            |          |             |          |      |
|       | —          | 748.1.018.1A  | Nut                                   | f.m.m. 006908 | 1    |       |            |          |             |          |      |
|       | 18         | 145.2.025.1A  | Complete connecting rods assembly     | d.m.m. 007089 | 1    |       |            |          |             |          |      |
|       | —          | 145.2.095.1A  | Complete connecting rods assembly     | f.m.m. 006908 | 1    |       |            |          |             |          |      |





| POS<br>N | CODE NO.     | DESCRIPTION                         | VALIDITY | Q.TY |
|----------|--------------|-------------------------------------|----------|------|
| 1        | 0450.17.030  | O-ring                              |          | 2    |
| 2        | 463.2.019.6A | O-ring                              |          | 3    |
| 3        | 121.1.005.1A | Piston pin                          |          | 2    |
| 4        | 120.2.014.1B | Vertical cylinder-piston fit        |          | 1    |
| 5        | 93823.2037   | O-ring                              |          | 1    |
| 6        | 786.1.003.1A | Vertical cylinder-crankcase gasket  |          | 1    |
| 7        | 0805.17.125  | Bush                                |          | 2    |
| 8        | 93823.2087   | O-ring                              |          | 2    |
| 9        | 70780.6516   | Screw                               |          | 6    |
| 10       | 2 1.017.1A   | Cover                               |          | 2    |
| 11       | 791.2.003.1A | Head-cylinder gaskets set           |          | 1    |
| 12       | 781.1.003.2A | Special screw                       |          | 4    |
| 13       | 420.2.001.0A | Copper gasket                       |          | 8    |
| 14       | 933.1.001.2B | Vertical cylinder oil return pipe   |          | 1    |
| 15       | 933.1.002.2B | Horizontal cylinder oil return pipe |          | 1    |
| 16       | 786.1.039.1A | Cylinder-crankcase gasket th. 0.4   |          | 1    |
| —        | 786.1.040.1A | Cylinder-crankcase gasket th. 0.3   |          | 1    |
| 17       | 120.2.015.1B | Horizontal cylinder-piston fit      |          | 1    |
| 18       | 121.1.006.1A | Piston pin circlip                  |          | 4    |
| 19       | 121.2.001.1B | Piston rings set                    |          | 2    |
| 20       | 122.2.008.1A | Complete piston                     |          | 2    |



| NOTES | POS. N. | CODE NO.      | DESCRIPTION                               | VALIDITY      | Q.TY | NOTES | POS. N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|---------|---------------|-------------------------------------------|---------------|------|-------|---------|----------|-------------|----------|------|
|       | 1       | 245.1.007.1AB | Vertical timing belt cover (GREY)         |               | 1    |       |         |          |             |          |      |
|       | —       | 245.1.007.1A  | Vertical timing belt cover (BLACK)        |               | 1    |       |         |          |             |          |      |
|       | 2       | 60N102505     | Screw                                     |               | 4    |       |         |          |             |          |      |
|       | 3       | 60N102509     | Screw                                     |               | 5    |       |         |          |             |          |      |
|       | 4       | 245.1.008.1AB | Horizontal timing belt cover (GREY)       |               | 1    |       |         |          |             |          |      |
|       | —       | 245.1.008.1A  | Horizontal timing belt cover (BLACK)      |               | 1    |       |         |          |             |          |      |
|       | 5       | 771.5.040.2B  | Screw                                     |               | 4    |       |         |          |             |          |      |
|       | 6       | 245.1.006.1AB | Central cover (GREY)                      |               | 1    |       |         |          |             |          |      |
|       | —       | 245.1.006.1A  | Central cover (BLACK)                     |               | 1    |       |         |          |             |          |      |
|       | 7       | 245.1.010.1AB | Horizontal tensioner roller cover (GREY)  |               | 1    |       |         |          |             |          |      |
|       | —       | 245.1.010.1A  | Horizontal tensioner roller cover (BLACK) |               | 1    |       |         |          |             |          |      |
|       | 8       | 245.1.009.1AB | Vertical tensioner roller cover (GREY)    |               | 1    |       |         |          |             |          |      |
|       | —       | 245.1.009.1A  | Vertical tensioner roller cover (BLACK)   |               | 1    |       |         |          |             |          |      |
|       | 9       | 147.1.002.1A  | Timing lay shaft                          |               | 1    |       |         |          |             |          |      |
|       | 10      | 171.2.008.1B  | Timing gears pair                         | d.m.m. 007089 | 1    |       |         |          |             |          |      |
|       | —       | 171.2.008.1A  | Timing gears pair                         | f.m.m. 006908 | 1    |       |         |          |             |          |      |
|       | 11      | 0400.29.040   | Lock washer                               |               | 1    |       |         |          |             |          |      |
|       | 12      | 0124.40.060   | Hexagon nut                               |               | 1    |       |         |          |             |          |      |
|       | 13      | 74172.1008    | Woodruff key                              |               | 2    |       |         |          |             |          |      |
|       | 14      | 882.1.003.1A  | Snap ring                                 |               | 1    |       |         |          |             |          |      |
|       | 15      | 255.1.001.1B  | Timing belt roller                        |               | 2    |       |         |          |             |          |      |
|       | 16      | 856.1.002.1A  | Belt roller separating washer             |               | 1    |       |         |          |             |          |      |
|       | 17      | 0797.69.040   | Washer                                    |               | 1    |       |         |          |             |          |      |
|       | 18      | 72944.1542    | Elastic-stop ring nut                     |               | 1    |       |         |          |             |          |      |
|       | 19      | 737.4.002.1A  | Timing drive toothed belt                 |               | 2    |       |         |          |             |          |      |
|       | 20      | 0370.29.350   | Fixed tensioner assembly                  |               | 2    |       |         |          |             |          |      |
|       | 21      | 0755.29.025   | Woodruff key                              |               | 1    |       |         |          |             |          |      |
|       | 22      | 462.3.003.7A  | Washer                                    |               | 4    |       |         |          |             |          |      |
|       | 23      | 451.2.001.1A  | Complete movable tensioner roller         |               | 2    |       |         |          |             |          |      |
|       | 24      | 451.1.005.1A  | Bare tensioner roller                     |               | 2    |       |         |          |             |          |      |
|       | 25      | 75166.1238    | Bearing                                   |               | 4    |       |         |          |             |          |      |
|       | 26      | 0214.07.350   | Ring                                      |               | 2    |       |         |          |             |          |      |
|       | 27      | 771.5.122.2B  | Screw                                     |               | 4    |       |         |          |             |          |      |
|       | 28      | 462.3.003.8A  | Washer                                    |               | 1    |       |         |          |             |          |      |





WIDGALL

FILTERS AND OIL PUMP

DRAWING




9

**SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|----------------------------|---------------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 249.2.002.1A | Complete oil pump          |               | 1    |       |            |          |             |          |      |
|       | 2          | 0660.70.110  | Pump cover                 |               | 1    |       |            |          |             |          |      |
|       | 3          | 174.1.002.1A | Pump driving gear          |               | 1    |       |            |          |             |          |      |
|       | 4          | 0660.70.065  | Pump driven gear           |               | 1    |       |            |          |             |          |      |
|       | 5          | 250.1.002.1A | Pump body                  |               | 1    |       |            |          |             |          |      |
|       | 6          | 60N102509    | Screw                      |               | 6    |       |            |          |             |          |      |
|       | 7          | 680.1.001.1B | Woodruff key               |               | 1    |       |            |          |             |          |      |
|       | 8          | 771.5.129.2B | Screw                      |               | 2    |       |            |          |             |          |      |
|       | 9          | 462.4.037.8A | Spring washer              |               | 2    |       |            |          |             |          |      |
|       | 10         | 60N102511    | Screw                      |               | 1    |       |            |          |             |          |      |
|       | 11         | 462.4.037.6A | Spring washer              |               | 1    |       |            |          |             |          |      |
|       | 12         | 174.1.004.1A | Pump drive gear            |               | 1    |       |            |          |             |          |      |
|       | 13         | 710.1.001.1A | Bush                       |               | 1    |       |            |          |             |          |      |
|       | 14         | 799.1.039.1A | Cooler bypass spring       | f.m.m. 031918 | 1    |       |            |          |             |          |      |
|       | —          | 799.1.054.1A | Cooler bypass spring       | d.m.m. 031919 | 1    |       |            |          |             |          |      |
|       | 15         | 0759.49.280  | Locating bush              |               | 2    |       |            |          |             |          |      |
|       | 16         | 220.3.208.3A | Gasket                     |               | 1    |       |            |          |             |          |      |
|       | 17         | 0660.49.053  | Oil drain plug with magnet |               | 1    |       |            |          |             |          |      |
|       | 18         | 220.3.205.5A | Gasket                     |               | 1    |       |            |          |             |          |      |
|       | 19         | 0660.49.800  | Oil filter                 |               | 1    |       |            |          |             |          |      |
|       | 20         | 0905.49.960  | Oil filter cartridge       |               | 1    |       |            |          |             |          |      |
|       | 21         | 0670.49.910  | Nipple                     |               | 1    |       |            |          |             |          |      |
|       | 22         | 93823.2037   | O-ring                     | f.m.m. 031918 | 2    |       |            |          |             |          |      |
|       | —          | 93827.0114   | O-ring                     | d.m.m. 031919 | 2    |       |            |          |             |          |      |
|       | 23         | 0660.49.355  | Screw                      |               | 1    |       |            |          |             |          |      |
|       | 24         | 76267.0012   | Snap ring                  |               | 1    |       |            |          |             |          |      |
|       | 25         | 73500.1237   | Circlip                    |               | 2    |       |            |          |             |          |      |
|       | 26         | 0670.49.310  | Reduction bush             |               | 1    |       |            |          |             |          |      |
|       | 27         | 779.1.017.1A | Cap                        | f.m.m. 031918 | 1    |       |            |          |             |          |      |
|       | —          | 779.1.162.1A | Cap                        | d.m.m. 031919 | 1    |       |            |          |             |          |      |
|       | 28         | 0150.70.120  | Gasket                     | d.m.m. 031919 | 1    |       |            |          |             |          |      |

**HT Version**

**SP Version**




**DUCATI****FILTERS AND OIL PUMP****HT - SP Version**

DRAWING


**9.SP****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|----------------------------|---------------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 249.2.002.1A | Complete oil pump          |               |      |       |            |          |             |          |      |
|       | 2          | 0660.70.110  | Pump cover                 |               |      |       |            |          |             |          |      |
|       | 3          | 174.1.002.1A | Pump driving gear          |               |      |       |            |          |             |          |      |
|       | 4          | 0660.70.065  | Pump driven gear           |               | 1    |       |            |          |             |          |      |
|       | 5          | 250.1.002.1A | Pump body                  |               | 1    |       |            |          |             |          |      |
|       | 6          | 60N102509    | Screw                      |               | 6    |       |            |          |             |          |      |
|       | 7          | 680.1.001.1B | Woodruff key               |               |      |       |            |          |             |          |      |
|       | 8          | 771.5.129.2B | Screw                      |               | 2    |       |            |          |             |          |      |
|       | 9          | 462.4.037.8A | Spring washer              |               | 2    |       |            |          |             |          |      |
|       | 0          | 60N102511    | Screw                      |               |      |       |            |          |             |          |      |
|       | 1          | 462.4.037.6A | Spring washer              |               |      |       |            |          |             |          |      |
|       | 2          | 174.1.004.1A | Pump drive gear            |               |      |       |            |          |             |          |      |
|       | 3          | 710.1.001.1A | Bush                       |               |      |       |            |          |             |          |      |
|       | 4          | 799.1.039.1A | Cooler bypass spring       | f.m.m. 031918 |      |       |            |          |             |          |      |
|       |            | 799.1.054.1A | Cooler bypass spring       | d.m.m. 031919 |      |       |            |          |             |          |      |
|       | 5          | 0759.49.280  | Locating bush              |               | 2    |       |            |          |             |          |      |
|       | 6          | 220.3.208.3A | Gasket                     |               |      |       |            |          |             |          |      |
|       | 7          | 0660.49.053  | Oil drain plug with magnet |               |      |       |            |          |             |          |      |
|       | 8          | 220.3.205.5A | Gasket                     |               |      |       |            |          |             |          |      |
|       | 9          | 894.2.003.1A | Oil net filter             | d.m. 021406   |      |       |            |          |             |          |      |
|       |            | 0660.49.800  | Oil filter                 | f.m. 021405   |      |       |            |          |             |          |      |
|       | 20         | 0905.49.960  | Oil filter cartridge       |               |      |       |            |          |             |          |      |
|       | 21         | 0670.49.910  | Nipple                     |               | 1    |       |            |          |             |          |      |
|       | 22         | 93823.2037   | O-ring                     | f.m.m. 031918 | 2    |       |            |          |             |          |      |
|       |            | 93827.0114   | O-ring                     | d.m.m. 031919 | 2    |       |            |          |             |          |      |
|       | 23         | 0660.49.355  | Screw                      |               |      |       |            |          |             |          |      |
|       | 24         | 76267.0012   | Snap ring                  |               | 1    |       |            |          |             |          |      |
|       | 25         | 73500.1237   | Circlip                    |               | 2    |       |            |          |             |          |      |
|       | 26         | 0670.49.310  | Reduction bush             |               |      |       |            |          |             |          |      |
|       | 27         | 779.1.017.1A | Cap                        | f.m.m. 031918 |      |       |            |          |             |          |      |
|       |            | 776.1.001.1A | Special screw              | d.m.m. 031919 |      |       |            |          |             |          |      |
|       | 28         | 0370.93.180  | Thermistor                 | d.m. 021406   |      |       |            |          |             |          |      |
|       | 29         | 420.2.001.0A | Copper gasket              | d.m. 021406   |      |       |            |          |             |          |      |
|       | 30         | 0150.70.120  | Gasket                     | d.m.m. 031919 |      |       |            |          |             |          |      |



| POS.<br>N. | CODE NO.     | DESCRIPTION                           | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION      | VALIDITY      | Q.TY |
|------------|--------------|---------------------------------------|---------------|------|-------|------------|--------------|------------------|---------------|------|
| 1          | 225 2.006.2A | Complete half-crankcases pair         | f.m.m. 031918 | 1    |       | 32         | 75143.3380   | Bearing          |               | 1    |
| —          | 225 2.006.4A | Complete half-crankcases pair         | d.m.m. 031919 | 1    |       | 33         | 73503.3380   | Circlip          |               | 1    |
| 2          | 77499.3421   | Gearbox pin bush                      |               | 1    |       | 34         | 93785.1830   | Seal ring        |               | 1    |
| 3          | 0660.49.240  | Bearing holder bush                   |               | 1    |       | 35         | 0660.49.920  | Gasket           |               | 1    |
| 4          | 75191.3380   | Bearing                               |               | 1    |       | 36         | 593.1.003.1A | Breather valve   |               | 1    |
| 5          | 72094.1616   | Screw                                 |               | 2    |       | 37         | 0370.49.250  | Washer           |               | 1    |
| 6          | 826 1.003.1A | Keep plate                            |               | 1    |       | 38         | 417.6.082.9A | Screw            | d.m.m. 031919 | 4    |
| 7          | 75130.2566   | Bearing                               |               | 2    |       | 39         | 420.2.006.2A | Aluminium gasket | d.m.m. 031919 | 1    |
| 8          | 93783.2552   | Seal ring                             |               | 1    |       |            |              |                  |               |      |
| 9          | 75791.1747   | Bearing                               |               | 2    |       |            |              |                  |               |      |
| 10         | 711.1.006.1A | Bush                                  |               | 2    |       |            |              |                  |               |      |
| 11         | 779.1.026.1A | Screw                                 | d.m.m. 031919 | 1    |       |            |              |                  |               |      |
| 12         | 75110.2054   | Bearing                               |               | 1    |       |            |              |                  |               |      |
| 13         | 73503.3804   | Circlip                               |               | 1    |       |            |              |                  |               |      |
| 14         | 94247.0012   | Fluid sealant                         |               | 1    |       |            |              |                  |               |      |
| 15         | 771.5.136.2B | Screw                                 | f.m.m. 031918 | 7    |       |            |              |                  |               |      |
| —          | 771.5.136.2B | Screw                                 | d.m.m. 031919 | 3    |       |            |              |                  |               |      |
| 16         | 771.5.077.2B | Screw                                 | f.m.m. 031918 | 1    |       |            |              |                  |               |      |
| —          | 771.5.080.2B | Screw                                 | d.m.m. 031919 | 2    |       |            |              |                  |               |      |
| 17         | 0560.49.000  | Bypass valve                          |               | 1    |       |            |              |                  |               |      |
| 18         | 0619.49.178  | Bypass spring                         |               | 1    |       |            |              |                  |               |      |
| 19         | 0660.49.010  | Bypass cap                            |               | 1    |       |            |              |                  |               |      |
| 20         | 771.5.072.2B | Screw                                 |               | 7    |       |            |              |                  |               |      |
| 21         | 0011.52.010  | Locating dowel                        |               | 2    |       |            |              |                  |               |      |
| 22         | 766.1.001.2B | Stud bolt for fastening head cylinder |               | 8    |       |            |              |                  |               |      |
| 23         | 856.1.024.1A | Special washer                        |               | 8    |       |            |              |                  |               |      |
| 24         | 0670.92.010  | Nut                                   |               | 8    |       |            |              |                  |               |      |
| 25         | 76266.2668   | Snap ring                             |               | 2    |       |            |              |                  |               |      |
| 26         | 76400.0004   | Needle bearing                        |               | 4    |       |            |              |                  |               |      |
| 27         | 0755.49.265  | Seal ring                             |               | 4    |       |            |              |                  |               |      |
| 28         | 0000.17718   | Spacer                                |               | 2    |       |            |              |                  |               |      |
| 29         | 60N101079    | Screw                                 |               | 2    |       |            |              |                  |               |      |
| 30         | 75794.1542   | Bearing                               |               | 1    |       |            |              |                  |               |      |
| 31         | 710.1.005.1A | Bearing holder bush                   |               | 1    |       |            |              |                  |               |      |






| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                      | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|----------------------------------|---------------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 264.4.012.2A  | Generator                        | d.m.m. 022370 | 1    |       |            |          |             |          |      |
|       | —          | 264.4.004.1A  | Generator                        | f.m.m. 022369 | 1    |       |            |          |             |          |      |
|       | 4          | 702.5.008.1A  | Bearing                          |               | 1    |       |            |          |             |          |      |
|       | 5          | 779.5.009.1A  | Screw                            |               | 2    |       |            |          |             |          |      |
|       | 6          | 0400.49.240   | Locating bush                    |               | 2    |       |            |          |             |          |      |
|       | 7          | 60N102511     | Screw                            |               | 3    |       |            |          |             |          |      |
|       | 8          | 220.3.208.3A  | Gasket                           |               | 1    |       |            |          |             |          |      |
|       | 9          | 0670.46.040   | Fairlead ring nut cap            |               | 1    |       |            |          |             |          |      |
|       | 10         | 0670.46.030   | Fairlead rubber ring             |               | 1    |       |            |          |             |          |      |
|       | 11         | 0670.46.050   | Fairlead ring nut                |               | 1    |       |            |          |             |          |      |
|       | 12         | 771.5.064.2B  | Screw                            |               | 2    |       |            |          |             |          |      |
|       | 13         | 247.1.083.1AB | Sprocket cover (GREY)            |               | 1    |       |            |          |             |          |      |
|       | —          | 247.1.011.2A  | Sprocket cover                   |               | 1    |       |            |          |             |          |      |
|       | 14         | 0400.49.030   | Screw                            |               | 2    |       |            |          |             |          |      |
|       | 15         | 254.1.001.1A  | Ignition inspection cap          |               | 1    |       |            |          |             |          |      |
|       | 16         | 94247.0012    | Fluid sealant                    |               | 1    |       |            |          |             |          |      |
|       | 17         | 77499.3421    | Gearbox pin bush                 |               | 1    |       |            |          |             |          |      |
|       | 18         | 93783.1524    | Seal ring                        |               | 1    |       |            |          |             |          |      |
|       | 19         | 60N102509     | Screw                            |               | 2    |       |            |          |             |          |      |
|       | 20         | 0801.03.785   | Spacer                           |               | 1    |       |            |          |             |          |      |
|       | 21         | 242.2.013.1BA | Complete generator cover (GREY)  |               | 1    |       |            |          |             |          |      |
|       | —          | 242.2.013.1B  | Complete generator cover (BLACK) |               | 1    |       |            |          |             |          |      |
|       | 22         | 93823.2131    | O-ring                           |               | 1    |       |            |          |             |          |      |
|       | 23         | 247.1.002.1B  | Cover                            |               | 1    |       |            |          |             |          |      |
|       | 24         | 60N102510     | Screw                            |               | 8    |       |            |          |             |          |      |
|       | 25         | 0675.49.540   | Spacer                           |               | 1    |       |            |          |             |          |      |
|       | 26         | 0675.49.530   | Clamp                            |               | 1    |       |            |          |             |          |      |
|       | 27         | 771.5.072.2B  | Screw                            |               | 1    |       |            |          |             |          |      |
|       | 28         | 734306N01     | Washer                           |               | 1    |       |            |          |             |          |      |



| POS. N. | CODE NO.     | DESCRIPTION                      | VALIDITY | Q.TY | NOTES | POS. N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|---------|--------------|----------------------------------|----------|------|-------|---------|----------|-------------|----------|------|
| 1       | 264.4.003.1A | Generator                        |          | 1    |       |         |          |             |          |      |
| 4       | 702.5.008.1A | Bearing                          |          | 1    |       |         |          |             |          |      |
| 5       | 779.5.009.1A | Screw                            |          | 2    |       |         |          |             |          |      |
| 6       | 0400.49.240  | Locating bush                    |          | 2    |       |         |          |             |          |      |
| 7       | 60N102511    | Screw                            |          | 2    |       |         |          |             |          |      |
| 8       | 220.3.208.3A | Gasket                           |          | 1    |       |         |          |             |          |      |
| 9       | 0670.46.050  | Fairlead ring nut                |          | 1    |       |         |          |             |          |      |
| 10      | 0670.46.030  | Fairlead rubber ring             |          | 1    |       |         |          |             |          |      |
| 11      | 0670.46.040  | Fairlead ring nut cap            |          | 1    |       |         |          |             |          |      |
| 12      | 70620.5212   | Screw                            |          | 4    |       |         |          |             |          |      |
| 13      | 734005N01    | Spring washer                    |          | 4    |       |         |          |             |          |      |
| 14      | 827.1.005.1A | Cover                            |          | 2    |       |         |          |             |          |      |
| 15      | 93823.2056   | O-ring                           |          | 2    |       |         |          |             |          |      |
| 16      | 254.1.001.1A | Ignition inspection cap          |          | 1    |       |         |          |             |          |      |
| 17      | 77499.3421   | Gearbox pin bush                 |          | 1    |       |         |          |             |          |      |
| 18      | 93783.1524   | Seal ring                        |          | 1    |       |         |          |             |          |      |
| 19      | 60N102510    | Screw                            |          | 11   |       |         |          |             |          |      |
| 20      | 779.1.026.1A | Screw                            |          | 1    |       |         |          |             |          |      |
| 21      | 420.2.006.2A | Aluminium gasket                 |          | 1    |       |         |          |             |          |      |
| 22      | 93823.2131   | O-ring                           |          | 1    |       |         |          |             |          |      |
| 23      | 247.1.002.1B | Cover                            |          | 1    |       |         |          |             |          |      |
| 24      | 0400.49.030  | Screw                            |          | 2    |       |         |          |             |          |      |
| 25      | 0675.49.540  | Spacer                           |          | 1    |       |         |          |             |          |      |
| 26      | 734306N01    | Washer                           |          | 1    |       |         |          |             |          |      |
| 27      | 0675.49.530  | Clamp                            |          | 1    |       |         |          |             |          |      |
| 28      | 771.5.072.2B | Screw                            |          | 1    |       |         |          |             |          |      |
| 29      | 94247.0012   | Fluid sealant                    |          | 1    |       |         |          |             |          |      |
| 30      | 242.2.004.1B | Complete generator cover (BLACK) |          | 1    |       |         |          |             |          |      |
| 31      | 247.1.011.2A | Sprocket cover                   |          | 1    |       |         |          |             |          |      |
| 32      | 771.5.064.2B | Screw                            |          | 2    |       |         |          |             |          |      |




PARTI DI RICAMBIO  
PER IL MOTORINO  
AVVIAMENTO:

|                                               |                                   |
|-----------------------------------------------|-----------------------------------|
|                                               | Serie spazziole per mo-<br>torino |
| N. CODICE<br>CODE No.<br>Nr. CODE<br>CODE Nr. | Brush set for<br>start motor      |
| 067050815                                     | Serie brosses pour<br>moteur      |
|                                               | Kohlbürstensatz für<br>Anlasser   |

f.m.m.006908

| NOTES | POS. N. | CODE NO.     | DESCRIPTION                           | VALIDITY      | Q.TY. | NOTES | POS. N. | CODE NO.     | DESCRIPTION    | VALIDITY | Q.TY. |
|-------|---------|--------------|---------------------------------------|---------------|-------|-------|---------|--------------|----------------|----------|-------|
|       | 1       | 734006N01    | Spring washer                         |               | 1     |       | 31      | 766.4.004.1A | Stud bolt      |          | 2     |
|       | 2       | 417.9.050.6A | Nut                                   |               | 1     |       | 32      | 0755.49.310  | Washer         |          | 2     |
|       | 3       | 270.4.001.1A | Complete starter motor (8-9 included) |               | 1     |       | 33      | 0369.46.270  | Pick-up holder |          | 1     |
|       | 4       | 0670.50.035  | Starter motor gasket                  |               | 1     |       | 34      | 750.5.001.1A | Nut            |          | 2     |
|       | 5       | 0369.46.290  | Connector                             |               | 2     |       | 35      | 260.1.001.1A | Sensor         |          | 1     |
|       | 6       | 60N102510    | Screw                                 |               | 3     |       | 36      | 60N102463    | Screw          |          | 5     |
|       | 7       | 0369.38.530  | Coupling                              |               | 4     |       | 37      | 734005N01    | Spring washer  |          | 5     |
|       | 8       | 176.1.001.1A | Starter motor sprocket                |               | 1     |       | 38      | 734305N01    | Washer         |          | 5     |
|       | 9       | 73500.1237   | Circlip                               |               | 1     |       |         |              |                |          |       |
|       | 10      | 0670.46.040  | Fairlead ring nut cap                 |               | 1     |       |         |              |                |          |       |
|       | 11      | 220.3.208.3A | Gasket                                |               | 1     |       |         |              |                |          |       |
|       | 12      | 0660.50.020  | Intermediate gear pin                 |               | 1     |       |         |              |                |          |       |
|       | 13      | 0124.40.050  | Washer                                |               | 2     |       |         |              |                |          |       |
|       | 14      | 176.1.002.1A | Intermediate gear assembly            |               | 1     |       |         |              |                |          |       |
|       | 15      | 73500.1440   | Circlip                               |               | 1     |       |         |              |                |          |       |
|       | 16      | 771.5.078.2B | Screw                                 |               | 1     |       |         |              |                |          |       |
|       | 17      | 0670.46.050  | Fairlead ring nut                     |               | 1     |       |         |              |                |          |       |
|       | 18      | 0670.46.030  | Fairlead rubber ring                  |               | 1     |       |         |              |                |          |       |
|       | 19      | 0619.50.065  | Washer                                |               | 1     |       |         |              |                |          |       |
|       | 20      | 881.1.010.1A | Inner ring                            | d.m.m. 007089 | 1     |       |         |              |                |          |       |
|       | —       | 0660.47.070  | Inner ring                            | f.m.m. 006908 | 1     |       |         |              |                |          |       |
|       | 21      | 701.4.003.1A | Needle bearing                        | d.m.m. 007089 | 1     |       |         |              |                |          |       |
|       | —       | 0619.50.075  | Needle bearing                        | f.m.m. 006908 | 2     |       |         |              |                |          |       |
|       | 22      | 173.1.004.1A | Electric starter driven gear          | d.m.m. 007089 | 1     |       |         |              |                |          |       |
|       | —       | 173.1.001.1A | Electric starter driven gear          | f.m.m. 006908 | 1     |       |         |              |                |          |       |
|       | 23      | 882.4.001.1A | Snap ring                             |               | 1     |       |         |              |                |          |       |
|       | 24      | 701.4.001.1A | Starter clutch                        |               | 1     |       |         |              |                |          |       |
|       | 25      | 771.4.001.1A | Screw                                 |               | 7     |       |         |              |                |          |       |
|       | 26      | 160.1.010.2A | Flywheel connection flange            | d.m.m. 007089 | 1     |       |         |              |                |          |       |
|       | —       | 160.1.003.2A | Flywheel connection flange            | f.m.m. 006908 | 1     |       |         |              |                |          |       |
|       | 27      | 0647.29.040  | Check ring                            |               | 1     |       |         |              |                |          |       |
|       | 28      | 863.1.002.1A | Locating pin                          |               | 1     |       |         |              |                |          |       |
|       | 29      | 276.1.001.2A | Ignition flywheel                     |               | 1     |       |         |              |                |          |       |
|       | 30      | 0369.46.285  | Plate                                 |               | 1     |       |         |              |                |          |       |






| ES | POS.<br>N. | CODE NO.     | DESCRIPTION                   | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|----|------------|--------------|-------------------------------|---------------|------|-------|------------|----------|-------------|----------|------|
|    | 1          | 148.1.011.1A | Vertical head camshaft        |               | 1    |       |            |          |             |          |      |
|    | 2          | 74172.1008   | Woodruff key                  |               | 2    |       |            |          |             |          |      |
|    | 3          | 235.1.007.2A | Vertical rubber cap           |               | 1    |       |            |          |             |          |      |
|    | 4          | 0660.29.030  | Spacer                        |               | 1    |       |            |          |             |          |      |
|    | 5          | 60N107335    | Screw                         |               | 4    |       |            |          |             |          |      |
|    | 6          | 72944.1542   | Elastic-stop ring nut         |               | 2    |       |            |          |             |          |      |
|    | 7          | 0797.69.040  | Washer                        |               | 2    |       |            |          |             |          |      |
|    | 8          | 255.1.004.1A | Timing belt roller            |               | 2    |       |            |          |             |          |      |
|    | 9          | 856.1.002.1A | Belt roller separating washer |               | 2    |       |            |          |             |          |      |
|    | 10         | 235.1.008.1A | Horizontal rubber cap         |               | 1    |       |            |          |             |          |      |
|    | 11         | 713.1.006.1A | Belt roller spacer            |               | 2    |       |            |          |             |          |      |
|    | 12         | 0204.70.105  | Seal ring                     |               | 2    |       |            |          |             |          |      |
|    | 13         | 0660.92.160  | Tachometer gears pair         |               | 1    |       |            |          |             |          |      |
|    | 14         | 75110.1747   | Bearing                       |               | 2    |       |            |          |             |          |      |
|    | 15         | 0647.92.170  | O-ring                        |               | 1    |       |            |          |             |          |      |
|    | 16         | 0660.92.150  | Tachometer bush               |               | 1    |       |            |          |             |          |      |
|    | 17         | 93783.0812   | Seal ring                     |               | 1    |       |            |          |             |          |      |
|    | 18         | 60N102505    | Screw                         |               | 1    |       |            |          |             |          |      |
|    | 19         | 75110.2054   | Bearing                       |               | 2    |       |            |          |             |          |      |
|    | 20         | 0400.16.190  | Washer                        |               | 2    |       |            |          |             |          |      |
|    | 21         | 148.1.012.1A | Horizontal head camshaft      |               | 1    |       |            |          |             |          |      |
|    | 22         | 0400.29.126  | Shim th. 0.5                  |               | s.n. |       |            |          |             |          |      |
|    | 23         | 0660.92.310  | Cap gasket                    |               | 2    |       |            |          |             |          |      |
|    | 24         | 75173.1542   | Bearing                       |               | 2    |       |            |          |             |          |      |
|    | 25         | 235.2.015.1A | Cap with bearing              | d.m.m. 015211 | 2    |       |            |          |             |          |      |
|    | —          | 0375.92.640  | Cap with bearing              | f.m.m. 014626 | 2    |       |            |          |             |          |      |
|    | 26         | 60N102509    | Screw                         |               | 8    |       |            |          |             |          |      |
|    | 27         | 0670.17.395  | Vibration damper pad          |               | 39   |       |            |          |             |          |      |

13 • Scodellino ritorno  
Return cap  
Coupelle retour  
Einstellhülse

|                  |                  |
|------------------|------------------|
| 0727.92.050—5    | 0727.92.077—7,70 |
| 0727.92.150—5,05 | 0727.92.177—7,75 |
| 0727.92.051—5,10 | 0727.92.078—7,8  |
| 0727.92.151—5,15 | 0727.92.178—7,85 |
| 0727.92.052—5,2  | 0727.92.079—7,90 |
| 0727.92.152—5,25 | 0727.92.179—7,95 |
| 0727.92.053—5,30 | 0727.92.080—8    |
| 0727.92.153—5,35 | 0727.92.180—8,05 |
| 0727.92.054—5,4  | 0727.92.081—8,10 |
| 0727.92.154—5,45 | 0727.92.181—8,15 |
| 0727.92.055—5,50 | 0727.92.082—8,2  |
| 0727.92.155—5,55 | 0727.92.182—8,25 |
| 0727.92.056—5,6  | 0727.92.083—8,3  |
| 0727.92.156—5,65 | 0727.92.183—8,35 |
| 0727.92.057—5,70 | 0727.92.084—8,4  |
| 0727.92.157—5,75 | 0727.92.184—8,45 |
| 0727.92.058—5,8  | 0727.92.085—8,5  |
| 0727.92.158—5,85 | 0727.92.185—8,55 |
| 0727.92.059—5,90 | 0727.92.086—8,6  |
| 0727.92.159—5,95 | 0727.92.186—8,65 |
| 0727.92.060—6    | 0727.92.087—8,7  |
| 0727.92.160—6,05 | 0727.92.187—8,75 |
| 0727.92.061—6,10 | 0727.92.088—8,8  |
| 0727.92.161—6,15 | 0727.92.188—8,85 |
| 0727.92.062—6,2  | 0727.92.089—8,9  |
| 0727.92.162—6,25 | 0727.92.189—8,95 |
| 0727.92.063—6,30 | 0727.92.090—9    |
| 0727.92.163—6,35 | 0727.92.092—9,2  |
| 0727.92.064—6,4  | 0727.92.094—9,4  |
| 0727.92.164—6,45 | 0727.92.096—9,6  |
| 0727.92.065—6,50 |                  |
| 0727.92.165—6,55 |                  |
| 0727.92.066—6,6  |                  |
| 0727.92.166—6,65 |                  |
| 0727.92.067—6,70 |                  |
| 0727.92.167—6,75 |                  |
| 0727.92.068—6,8  |                  |
| 0727.92.168—6,85 |                  |
| 0727.92.069—6,90 |                  |
| 0727.92.169—6,95 |                  |
| 0727.92.070—7    |                  |
| 0727.92.170—7,05 |                  |
| 0727.92.071—7,10 |                  |
| 0727.92.171—7,15 |                  |
| 0727.92.072—7,2  |                  |
| 0727.92.172—7,25 |                  |
| 0727.92.073—7,30 |                  |
| 0727.92.173—7,35 |                  |
| 0727.92.074—7,4  |                  |
| 0727.92.174—7,45 |                  |
| 0727.92.075—7,50 |                  |
| 0727.92.175—7,55 |                  |
| 0727.92.076—7,6  |                  |
| 0727.92.176—7,65 |                  |



15 \* Registro bilanciere  
Adjustment  
Réglage  
Ventilkäppchen


|                  |                  |
|------------------|------------------|
| 0723.92.500—2    | 0723.92.513—3.3  |
| 0723.92.535—2.05 | 0723.92.675—3.35 |
| 0723.92.501—2.1  | 0723.92.514—3.4  |
| 0723.92.545—2.15 | 0723.92.685—3.45 |
| 0723.92.502—2.2  | 0723.92.515—3.5  |
| 0723.92.555—2.25 | 0723.92.695—3.55 |
| 0723.92.503—2.3  | 0723.92.516—3.6  |
| 0723.92.565—2.35 | 0723.92.705—3.65 |
| 0723.92.504—2.4  | 0723.92.517—3.7  |
| 0723.92.575—2.45 | 0723.92.715—3.75 |
| 0723.92.505—2.5  | 0723.92.518—3.8  |
| 0723.92.585—2.55 | 0723.92.725—3.85 |
| 0723.92.506—2.6  | 0723.92.519—3.9  |
| 0723.92.595—2.65 | 0723.92.735—3.95 |
| 0723.92.507—2.7  | 0723.92.520—4    |
| 0723.92.605—2.75 | 0723.92.745—4.05 |
| 0723.92.508—2.8  | 0723.92.521—4.1  |
| 0723.92.615—2.85 | 0723.92.522—4.2  |
| 0723.92.509—2.9  | 0723.92.523—4.3  |
| 0723.92.625—2.95 | 0723.92.524—4.4  |
| 0723.92.510—3    | 0723.92.525—4.5  |
| 0723.92.635—3.05 | 0723.92.526—4.6  |
| 0723.92.511—3.1  | 0723.92.527—4.7  |
| 0723.92.645—3.15 | 0723.92.528—4.8  |
| 0723.92.512—3.2  | 0723.92.529—4.9  |
| 0723.92.655—3.25 | 0723.92.530—5    |

|           |     |
|-----------|-----|
| 87310201A | Ø20 |
| 87310051A | Ø18 |
| 87310011A | Ø16 |
| 87310021A | Ø10 |




**LOCTITE 510**

| POS.<br>N. | CODE NO.      | DESCRIPTION                        | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION        | VALIDITY      | Q.TY |
|------------|---------------|------------------------------------|---------------|------|-------|------------|---------------|--------------------|---------------|------|
| 1          | 301.2.018.1BA | Vertical head (2,3,6,7 included)   | d.m.m. 015211 | 1    |       | 16         | 0647.70.010   | Shim               |               | 8    |
| —          | 301.2.018.1B  | Vertical head (2,3,6,7 included)   | f.m.m. 014626 | 1    |       | 17         | 0375.92.210   | Spring             |               | 4    |
| —          | 301.2.019.1BA | Horizontal head (2,3,6,7 included) | d.m.m. 015211 | 1    |       | 18         | 0375.92.170   | Opening rocker     |               | 4    |
| —          | 301.2.019.1B  | Horizontal head (2,3,6,7 included) | f.m.m. 014626 | 1    |       | 19         | 0370.92.050   | Stud bolt          |               | 4    |
| 2          | 303.1.003.1A  | Intake valve cast iron guide       |               | 2    |       | 20         | 70556.2125    | Stud bolt          |               | 4    |
| —          | 303.1.003.1AB | Oversize valve guide 0.03          |               | 2    |       | 21         | 788.1.032.1A  | Valve cover gasket |               | 4    |
| —          | 303.1.003.1AC | Oversize valve guide 0.06          |               | 2    |       | 22         | 240.1.010.1AA | Valve cover        | d.m.m. 015211 | 3    |
| —          | 303.1.003.1AD | Oversize valve guide 0.09          |               | 2    |       | —          | 240.1.010.1A  | Valve cover        | f.m.m. 014626 | 3    |
| 3          | 304.1.005.2A  | Intake valve seat                  |               | 2    |       | 23         | 771.5.066.2B  | Screw              |               | 16   |
| —          | 304.1.005.2AB | Oversize intake valve seat 0.03    |               | 2    |       | 24         | 240.1.008.1AA | Valve cover        | d.m.m. 015211 | 1    |
| —          | 304.1.005.2AC | Oversize intake valve seat 0.06    |               | 2    |       | —          | 240.1.008.1A  | Valve cover        | f.m.m. 014626 | 1    |
| 4          | 210.1.003.4A  | Intake valve                       |               | 2    |       | 25         | 764.1.009.1A  | Valve seal         |               | 2    |
| 5          | 211.1.003.4A  | Exhaust valve                      |               | 2    |       |            |               |                    |               |      |
| 6          | 304.1.006.2A  | Exhaust valve seat                 |               | 2    |       |            |               |                    |               |      |
| —          | 304.1.006.2AB | Oversize exhaust valve seat 0.03   |               | 2    |       |            |               |                    |               |      |
| —          | 304.1.006.2AC | Oversize exhaust valve seat 0.06   |               | 2    |       |            |               |                    |               |      |
| 7          | 303.2.004.1C  | Exhaust valve bronze guide         |               | 2    |       |            |               |                    |               |      |
| —          | 303.2.004.1CB | Oversize valve guide 0.03          |               | 2    |       |            |               |                    |               |      |
| —          | 303.2.004.1CC | Oversize valve guide 0.06          |               | 2    |       |            |               |                    |               |      |
| —          | 303.2.004.1CD | Oversize valve guide 0.09          |               | 2    |       |            |               |                    |               |      |
| 8          | 764.1.013.1A  | Valve seal                         |               | 2    |       |            |               |                    |               |      |
| 9          | 0670.92.190   | Shim th. 2                         |               | s.n. |       |            |               |                    |               |      |
| —          | 0765.92.185   | Shim th. 1                         |               | s.n. |       |            |               |                    |               |      |
| —          | 0765.92.190   | Shim th. 0.5                       |               | s.n. |       |            |               |                    |               |      |
| —          | 0765.92.195   | Shim th. 0.1                       |               | s.n. |       |            |               |                    |               |      |
| —          | 0765.92.205   | Shim th. 0.2                       |               | s.n. |       |            |               |                    |               |      |
| —          | 0619.92.180   | Shim th. 0.3                       |               | s.n. |       |            |               |                    |               |      |
| 10         | 0660.92.183   | Closing rocker                     |               | 4    |       |            |               |                    |               |      |
| 11         | 799.1.061.1A  | Closing rocker spring              |               | 4    |       |            |               |                    |               |      |
| 12         | 0660.92.240   | Rocker shaft                       |               | 8    |       |            |               |                    |               |      |
| —          | 0660.92.245   | Oversize rocker shaft 0.02         |               | 8    |       |            |               |                    |               |      |
| 13         |               | See table                          |               | s.n. |       |            |               |                    |               |      |
| 14         | 669.1.003.1A  | Split rings                        |               | 8    |       |            |               |                    |               |      |
| 15         |               | See table                          |               | s.n. |       |            |               |                    |               |      |




| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION      | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 137.1.008.1A | Intake manifold  |          | 2    |       |            |          |             |          |      |
|       | 2          | 741.4.042.1A | Clamp            |          | 4    |       |            |          |             |          |      |
|       | 3          | 801.1.010.1A | Rubber hose      |          | 2    |       |            |          |             |          |      |
|       | 4          | 729908FN1    | Nut              |          | 4    |       |            |          |             |          |      |
|       | 5          | 0370.98.755  | Gasket           |          | 2    |       |            |          |             |          |      |
|       | 6          | 776.5.032.2A | Screw            |          | 2    |       |            |          |             |          |      |
|       | 7          | 0250.70.223  | Aluminium gasket |          | 2    |       |            |          |             |          |      |
|       | 8          | 590.1.047.1A | Tube             |          | 1    |       |            |          |             |          |      |
|       | 9          | 741.4.038.1A | Clamp            |          | 4    |       |            |          |             |          |      |
|       | 10         | 427.4.003.1A | Filter           |          | 2    |       |            |          |             |          |      |
|       | 11         | 0370.54.985  | Spring           |          | 1    |       |            |          |             |          |      |
|       | 12         | 0000.62726   | Screw            |          | 1    |       |            |          |             |          |      |
|       | 13         | 585.1.010.1A | Air box          |          | 1    |       |            |          |             |          |      |
|       | 14         | 872.4.009.1A | Cap              |          | 1    |       |            |          |             |          |      |
|       | 15         | 585.1.009.1A | Breather tank    |          | 1    |       |            |          |             |          |      |
|       | 16         | 0603.07.160  | Spacer           |          | 1    |       |            |          |             |          |      |
|       | 17         | 799.1.080.1A | Spring           |          | 2    |       |            |          |             |          |      |






| POS. N. | CODE NO.     | DESCRIPTION     | VALIDITY | Q.TY | NOTES | POS. N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|---------|--------------|-----------------|----------|------|-------|---------|----------|-------------|----------|------|
| 1       | 134.4.009.1B | Chamber         |          | 1    |       |         |          |             |          |      |
| 2       | 134.4.003.1A | Gasket          |          | 2    |       |         |          |             |          |      |
| 3       | 134.4.010.1A | Holder          |          | 2    |       |         |          |             |          |      |
| 4       | 134.4.011.1A | Gasket          |          | 2    |       |         |          |             |          |      |
| 5       | 134.4.012.1A | Gasket          |          | 2    |       |         |          |             |          |      |
| 6       | 132.4.002.1A | Main jet 140    |          | 2    |       |         |          |             |          |      |
| 7       | 132.4.006.1A | Starter jet 70  |          | 2    |       |         |          |             |          |      |
| 8       | 132.4.003.1B | Idling jet 37.5 |          | 2    |       |         |          |             |          |      |
| 9       | 134.4.013.1A | Filter          |          | 2    |       |         |          |             |          |      |
| 10      | 134.4.014.1A | Gasket          |          | 4    |       |         |          |             |          |      |
| 11      | 134.4.015.1A | O-ring          |          | 2    |       |         |          |             |          |      |
| 12      | 134.4.016.1A | Washer          |          | 2    |       |         |          |             |          |      |
| 13      | 134.4.017.1A | Spring          |          | 2    |       |         |          |             |          |      |
| 14      | 134.4.018.1A | Adjusting screw |          | 2    |       |         |          |             |          |      |
| 15      | 134.4.019.1A | O-ring          |          | 2    |       |         |          |             |          |      |
| 16      | 134.2.020.1A | Float assembly  |          | 2    |       |         |          |             |          |      |
| 17      | 872.4.011.1A | Cap             |          | 2    |       |         |          |             |          |      |
| 18      | 872.4.012.1A | Cap             |          | 4    |       |         |          |             |          |      |
| 19      | 131.4.012.1A | Carburetor      |          | 1    |       |         |          |             |          |      |



| NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | O.TY |
|-------|------------|----------|-------------|----------|------|
|       |            |          |             |          |      |




**DUCATI****CARBURETOR FLOAT CHAMBER HEATING**

OPTIONAL

DRAWING


**16.a****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION   | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|---------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 588.4.006.1A | Cock          |          | 1    |       |            |          |             |          |      |
|       | 2          | 933.1.008.1A | Tube          |          | 1    |       |            |          |             |          |      |
|       | 3          | 933.1.007.1A | Tube          |          | 1    |       |            |          |             |          |      |
|       | 4          | 779.1.015.1A | Filler        |          | 1    |       |            |          |             |          |      |
|       | 5          | 781.1.005.1A | Filler        |          | 4    |       |            |          |             |          |      |
|       | 6          | 815.1.011.1A | Union         |          | 1    |       |            |          |             |          |      |
|       | 7          | 420.2.000.8A | Copper gasket |          | 2    |       |            |          |             |          |      |
|       | 8          | 420.2.001.0A | Copper gasket |          | 8    |       |            |          |             |          |      |
|       | 9          | 0504.83.060  | Gasket        |          | 2    |       |            |          |             |          |      |
|       | 10         | 933.1.006.1A | Tube          |          | 1    |       |            |          |             |          |      |
|       | 11         | 815.1.014.1A | Union         |          | 1    |       |            |          |             |          |      |




| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION               | VALIDITY  | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|---------------------------|-----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 0000.34656   | Headlight cover           |           | 1    |       |            |          |             |          |      |
|       | 2          | 0000.66527   | End section               |           | 4    |       |            |          |             |          |      |
|       | 3          | 0000.66526   | Connector                 |           | 1    |       |            |          |             |          |      |
|       | 4          | 433.1.106.1A | Sticker "schema fusibili" |           | 1    |       |            |          |             |          |      |
|       | 5          | 246.1.049.1A | Case cover                |           | 1    |       |            |          |             |          |      |
|       | 6          | 0670.38.485  | Fuse 7.5A                 |           | 3    |       |            |          |             |          |      |
|       | 7          | 0370.38.484  | Fuse 15A                  |           | 3    |       |            |          |             |          |      |
|       | 8          | 389.4.010.1A | Fuse 30A                  |           | 2    |       |            |          |             |          |      |
|       | 9          | 779.1.116.1A | Screw                     |           | 2    |       |            |          |             |          |      |
|       | 10         | 60N102482    | Screw                     |           | 2    |       |            |          |             |          |      |
|       | 11         | 0000.41511   | Nut                       |           | 2    |       |            |          |             |          |      |
|       | 12         | 510.1.086.1A | Electric wiring           | 900 SS SP | 1    |       |            |          |             |          |      |
|       | —          | 510.1.040.1C | Electric wiring           | 900 SS CR | 1    |       |            |          |             |          |      |
|       | 13         | 0000.55701   | Vibration damper holder   |           | 1    |       |            |          |             |          |      |
|       | 14         | 246.1.047.1A | Cover                     |           | 1    |       |            |          |             |          |      |
|       | 15         | 287.4.014.1A | Relay                     |           | 1    |       |            |          |             |          |      |
|       | 16         | 538.4.005.1A | Flashing device           |           | 1    |       |            |          |             |          |      |
|       | 17         | 246.1.048.1B | Cover                     |           | 1    |       |            |          |             |          |      |
|       | 18         | 850.4.003.1A | Quick fastening           |           | 2    |       |            |          |             |          |      |
|       | 19         | 734006N01    | Spring washer             |           | 1    |       |            |          |             |          |      |
|       | 20         | 60N102504    | Screw                     |           | 1    |       |            |          |             |          |      |
|       | 21         | 829.1.127.1A | Holder                    |           | 1    |       |            |          |             |          |      |
|       | 22         | 0370.99.005  | Gasket                    |           | 2    |       |            |          |             |          |      |
|       | 23         | 850.4.022.1A | Threaded insert           |           | 2    |       |            |          |             |          |      |







| NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | QTY |
|-------|------------|----------|-------------|----------|-----|
|       |            |          |             |          |     |



| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                          | VALIDITY    | Q.TY | NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|--------------------------------------|-------------|------|-------|------------|--------------|-------------|----------|------|
|       | 1          | 389.4.005.1A  | Fuse 30A                             |             | 1    |       | 32         | 741.4.038.1A | Clamp       |          | 25   |
|       | 2          | 827.1.011.1A  | Plate                                |             | 1    |       | 33         | 417.9.050.6A | Nut         |          | 1    |
|       | 3          | 540.4.008.1A  | Regulator                            |             | 1    |       | 34         | 829.1.114.1A | Holder      |          | 1    |
|       | 4          | 0000.62728    | Screw                                |             | 2    |       |            |              |             |          |      |
|       | 5          | 772.5.008.1A  | Screw                                |             | 2    |       |            |              |             |          |      |
|       | 6          | 516.4.001.1A  | Horn                                 |             | 1    |       |            |              |             |          |      |
|       | —          | 516.4.001.1AB | Horn (BLACK)                         |             | 1    |       |            |              |             |          |      |
|       | 7          | 0797.41.090   | Fairlead rubber ring                 |             | 1    |       |            |              |             |          |      |
|       | 8          | 0377.38.460   | Guide ring                           |             | 1    |       |            |              |             |          |      |
|       | 9          | 417.9.050.6A  | Nut                                  |             | 2    |       |            |              |             |          |      |
|       | 10         | 462.4.037.6A  | Spring washer                        |             | 2    |       |            |              |             |          |      |
|       | 11         | 829.1.020.1A  | Holder                               |             | 1    |       |            |              |             |          |      |
|       | 12         | 7340G6N01     | Spring washer                        |             | 2    |       |            |              |             |          |      |
|       | 13         | 779.5.004.1A  | Screw                                |             | 2    |       |            |              |             |          |      |
|       | 14         | 397.4.001.1A  | Remote switch                        |             | 1    |       |            |              |             |          |      |
|       | 15         | 0000.56803    | Connector                            |             | 1    |       |            |              |             |          |      |
|       | 16         | 514.1.018.1A  | Solenoid starter-starter motor cable |             | 1    |       |            |              |             |          |      |
|       | 17         | 770.5.118.2B  | Screw                                |             | 1    |       |            |              |             |          |      |
|       | 18         | 513.1.011.1A  | Frame-engine grounding cable         |             | 1    |       |            |              |             |          |      |
|       | 19         | 0670.77.070   | Washer                               |             | 1    |       |            |              |             |          |      |
|       | 20         | 791.1.001.2A  | Battery gasket                       |             | 1    |       |            |              |             |          |      |
|       | 21         | 510.1.041.1A  | Electric wiring                      |             | 1    |       |            |              |             |          |      |
|       | 22         | 514.1.020.1A  | Battery branch cable                 |             | 1    |       |            |              |             |          |      |
|       | 23         | 877.1.054.1A  | Battery breather pipe                |             | 1    |       |            |              |             |          |      |
|       | 24         | 513.1.014.1A  | Battery-frame grounding cable        |             | 1    |       |            |              |             |          |      |
|       | 25         | 510.1.085.1A  | Main wiring                          | d.m. 021406 | 1    |       |            |              |             |          |      |
|       |            |               |                                      | 900 SS SP   |      |       |            |              |             |          |      |
|       | 25         | 510.1.038.1D  | Main wiring                          | 900 SS CR   | 1    |       |            |              |             |          |      |
|       | 26         | 514.1.019.1A  | Solenoid starter branch cable        |             | 1    |       |            |              |             |          |      |
|       | 27         | 672.1.002.1A  | Terminal cap                         |             | 1    |       |            |              |             |          |      |
|       | 28         | 395.4.001.1A  | Battery                              |             | 1    |       |            |              |             |          |      |
|       | 29         | 759.1.006.1A  | Spring hook                          |             | 2    |       |            |              |             |          |      |
|       | 30         | 672.1.015.1A  | Terminal cap                         |             | 1    |       |            |              |             |          |      |
|       | 31         | 0691.91.030   | Clamp                                |             | 42   |       |            |              |             |          |      |



| POS. N. | CODE NO.      | DESCRIPTION                          | VALIDITY    | Q.TY | NOTES | POS. N. | CODE NO.    | DESCRIPTION | VALIDITY    | Q.TY |
|---------|---------------|--------------------------------------|-------------|------|-------|---------|-------------|-------------|-------------|------|
| 1       | 0670.77.070   | Washer                               |             | 1    |       | 31      | 0691.91.030 | Clamp       | d.m. 006739 | 42   |
| 2       | 827.1.011.1A  | Plate                                |             | 1    |       | —       | 0691.91.030 | Clamp       | f.m. 006738 | 12   |
| 3       | 540.4.008.1A  | Regulator                            |             | 1    |       |         |             |             |             |      |
| 4       | 0000.62728    | Screw                                |             | 2    |       |         |             |             |             |      |
| 5       | 772.5.008.1A  | Screw                                |             | 2    |       |         |             |             |             |      |
| 6       | 516.4.001.1A  | Horn                                 |             | 1    |       |         |             |             |             |      |
| —       | 516.4.001.1AB | Horn (BLACK)                         |             | 1    |       |         |             |             |             |      |
| 7       | 0797.41.090   | Fairlead rubber ring                 |             | 1    |       |         |             |             |             |      |
| 8       | 0377.38.460   | Guide ring                           |             | 1    |       |         |             |             |             |      |
| 9       | 417.9.050.6A  | Nut                                  |             | 2    |       |         |             |             |             |      |
| 10      | 462.4.037.6A  | Spring washer                        |             | 2    |       |         |             |             |             |      |
| 11      | 829.1.020.1A  | Holder                               |             | 1    |       |         |             |             |             |      |
| 12      | 734006N01     | Spring washer                        |             | 2    |       |         |             |             |             |      |
| 13      | 779.5.004.1A  | Screw                                |             | 2    |       |         |             |             |             |      |
| 14      | 397.4.001.1A  | Remote switch                        |             | 1    |       |         |             |             |             |      |
| 15      | 0000.56803    | Connector                            |             | 1    |       |         |             |             |             |      |
| 16      | 514.1.013.1A  | Solenoid starter-starter motor cable |             | 1    |       |         |             |             |             |      |
| 17      | 770.5.118.2B  | Screw                                |             | 1    |       |         |             |             |             |      |
| 18      | 513.1.011.1A  | Frame-engine grounding cable         |             | 1    |       |         |             |             |             |      |
| 19      | 741.4.038.1A  | Clamp                                |             | 25   |       |         |             |             |             |      |
| 20      | 791.1.001.2A  | Battery gasket                       |             | 1    |       |         |             |             |             |      |
| 21      | 510.1.041.1A  | Electric wiring                      |             | 1    |       |         |             |             |             |      |
| 22      | 741.4.028.1A  | Clamp                                | f.m. 006738 | 30   |       |         |             |             |             |      |
| 23      | 877.1.054.1A  | Battery breather pipe                |             | 1    |       |         |             |             |             |      |
| 24      | 513.1.010.1A  | Battery-frame grounding cable        |             | 1    |       |         |             |             |             |      |
| 25      | 510.1.038.1C  | Main wiring                          | d.m. 012263 | 1    |       |         |             |             |             |      |
| —       | 510.1.038.1B  | Main wiring                          | d.m. 002306 | 1    |       |         |             |             |             |      |
|         |               |                                      | f.m. 012262 |      |       |         |             |             |             |      |
| 25      | 510.1.038.1A  | Electric wiring                      | f.m. 002305 | 1    |       |         |             |             |             |      |
| 26      | 514.1.014.1A  | Battery-solenoid starter cable       |             | 1    |       |         |             |             |             |      |
| 27      | 672.1.004.1A  | Cap —                                |             | 1    |       |         |             |             |             |      |
| 28      | 395.4.001.1A  | Battery                              |             | 1    |       |         |             |             |             |      |
| 29      | 759.1.006.1A  | Spring hook                          |             | 2    |       |         |             |             |             |      |
| 30      | 0670.38.930   | + terminal cap                       |             | 1    |       |         |             |             |             |      |






**DUCATI****IGNITION SYSTEM**

DRAWING

**18****SUPERSPORT  
900 U.S.A.**

| *NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION           | VALIDITY | Q.TY | *NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|--------|------------|--------------|-----------------------|----------|------|--------|------------|----------|-------------|----------|------|
|        | 1          | 510.1.021.1A | Electric wiring       |          | 1    |        |            |          |             |          |      |
|        | 2          | 0369.38.530  | Coupling              |          | 6    |        |            |          |             |          |      |
|        | 3          | 0369.38.540  | Connector             |          | 2    |        |            |          |             |          |      |
|        | 4          | 0369.38.610  | Ignition control unit |          | 2    |        |            |          |             |          |      |
|        | 5          | 829.1.045.2A | Bracket               |          | 1    |        |            |          |             |          |      |
|        | 6          | 779.5.004.1A | Screw                 |          | 2    |        |            |          |             |          |      |
|        | 7          | 734006N01    | Spring washer         |          | 2    |        |            |          |             |          |      |
|        | 8          | 772.5.004.1A | Screw                 |          | 4    |        |            |          |             |          |      |
|        | 9          | 460593       | Coil                  |          | 2    |        |            |          |             |          |      |
|        | 10         | 672.1.013.1A | Spare cap             |          | 2    |        |            |          |             |          |      |
|        | 11         | 670.4.008.1A | Spark plug            |          | 2    |        |            |          |             |          |      |
|        | 12         | 0000.41039   | Rubber pad            |          | 2    |        |            |          |             |          |      |




**DUCATI****EXHAUST SYSTEM**

DRAWING

**19****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                  | VALIDITY  | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|------------------------------|-----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 0370.84.005   | Exhaust gasket               |           | 2    |       |            |          |             |          |      |
|       | 2          | 575.1.001.1AB | Exhaust ring nut             |           | 2    |       |            |          |             |          |      |
| —     |            | 575.1.001.1A  | Exhaust ring nut (BLACK)     |           | 2    |       |            |          |             |          |      |
|       | 3          | 0619.84.015   | Half bushes                  |           | 4    |       |            |          |             |          |      |
|       | 4          | 0404.02.3C3   | Nut                          |           | 4    |       |            |          |             |          |      |
|       | 5          | 570.1.007.1A  | Horizontal head exhaust pipe |           | 1    |       |            |          |             |          |      |
|       | 6          | 571.1.007.1A  | Vertical head exhaust pipe   |           | 1    |       |            |          |             |          |      |
| —     |            | 574.1.036.3A  | L.H. silencer (REMUS)        |           | 1    |       |            |          |             |          |      |
|       | 7          | 574.1.036.2A  | L.H. silencer                |           | 1    |       |            |          |             |          |      |
|       | 8          | 573.1.036.3A  | R.H. silencer (REMUS)        |           | 1    |       |            |          |             |          |      |
| —     |            | 573.1.036.2A  | R.H. silencer                |           | 1    |       |            |          |             |          |      |
|       | 9          | 741.1.003.1A  | Ciamp                        |           | 1    |       |            |          |             |          |      |
|       | 10         | 780.1.009.1A  | Cap                          |           | 1    |       |            |          |             |          |      |
|       | 11         | 80A0.016059   | Washer                       |           | 2    |       |            |          |             |          |      |
|       | 12         | 713.1.C60.1A  | Spacer                       |           | 2    |       |            |          |             |          |      |
| —     |            | 713.1.092.1A  | Spacer                       | 900 SS CR | 2    |       |            |          |             |          |      |
|       | 13         | 0000.44240    | Nut                          |           | 2    |       |            |          |             |          |      |
|       | 14         | 779.5.009.1A  | Screw                        |           | 2    |       |            |          |             |          |      |
| —     |            | 779.5.013.1A  | Screw                        | 900 SS CR | 2    |       |            |          |             |          |      |
|       | 15         | 711.1.003.1A  | Bush                         |           | 2    |       |            |          |             |          |      |
| —     |            | 711.1.078.1A  | Bush                         | 900 SS CR | 2    |       |            |          |             |          |      |
|       | 16         | 0370.84.180   | Vibration damper pad         |           | 2    |       |            |          |             |          |      |
|       | 17         | 73270.8C01    | Washer                       |           | 4    |       |            |          |             |          |      |
|       | 18         | 70914.2121    | Screw                        |           | 4    |       |            |          |             |          |      |
|       | 19         | 576.1.004.1A  | Bracket                      |           | 2    |       |            |          |             |          |      |




**DUCATI****EXHAUST SYSTEM**

DRAWING

**19.SL****SUPERLIGHT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                  | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|------------------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 0370.84.005   | Exhaust gasket               |          | 2    |       |            |          |             |          |      |
|       | 2          | 575.1.001.1AB | Exhaust ring nut             |          | 2    |       |            |          |             |          |      |
|       | —          | 575.1.001.1A  | Exhaust ring nut (BLACK)     |          | 2    |       |            |          |             |          |      |
|       | 3          | 0619.84.015   | Half bushes                  |          | 4    |       |            |          |             |          |      |
|       | 4          | 0404.02.390   | Nut                          |          | 4    |       |            |          |             |          |      |
|       | 5          | 570.1.007.1A  | Horizontal head exhaust pipe |          | 1    |       |            |          |             |          |      |
|       | 6          | 571.1.007.1A  | Vertical head exhaust pipe   |          | 1    |       |            |          |             |          |      |
|       | 7          | 574.1.030.1A  | L.H. silencer                |          | 1    |       |            |          |             |          |      |
|       | 8          | 573.1.030.1A  | R.H. silencer                |          | 1    |       |            |          |             |          |      |
|       | 9          | 741.1.003.1A  | Clamp                        |          | 1    |       |            |          |             |          |      |
|       | 10         | 780.1.009.1A  | Cap                          |          | 1    |       |            |          |             |          |      |
|       | 11         | 80A0.016059   | Washer                       |          | 2    |       |            |          |             |          |      |
|       | 12         | 764.1.001.1A  | Rubber pad                   |          | 4    |       |            |          |             |          |      |
|       | 13         | 0000.44240    | Nut                          |          | 2    |       |            |          |             |          |      |
|       | 14         | 779.5.009.1A  | Screw                        |          | 2    |       |            |          |             |          |      |
|       | 15         | 711.1.046.1B  | Bush                         |          | 2    |       |            |          |             |          |      |




**DUCATI****DASHBOARD**

DRAWING

**20****SUPERS PORT  
900 U. S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                                        | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|----------------------------------------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 407.2.003.1A | Instrument panel body                              |          | 1    |       |            |          |             |          |      |
|       | 2          | 408.1.004.1A | Vibration damper sponge                            |          | 1    |       |            |          |             |          |      |
|       | 3          | 0670.38.675  | Cover                                              |          | 1    |       |            |          |             |          |      |
|       | 4          | 408.1.005.1A | Printed circuit                                    |          | 1    |       |            |          |             |          |      |
|       | 5          | 0670.38.660  | Lamp holder                                        |          | 7    |       |            |          |             |          |      |
|       | 6          | 390.4.002.1A | Warning lamp bulb 12V-1.2W                         |          | 7    |       |            |          |             |          |      |
|       | 7          | 72237.0659   | Self-tapping screw                                 |          | 2    |       |            |          |             |          |      |
|       | 8          | 0000.41582   | Rubber pad                                         |          | 3    |       |            |          |             |          |      |
|       | 9          | 852.4.003.1A | Washer                                             |          | 3    |       |            |          |             |          |      |
|       | 10         | 763006N01    | El-stop nut                                        |          | 3    |       |            |          |             |          |      |
|       | 11         | 0000.16133   | Spacer tube                                        |          | 4    |       |            |          |             |          |      |
|       | 12         | 0000.43152   | Vibration damper pad                               |          | 4    |       |            |          |             |          |      |
|       | 13         | 60N115548    | Washer                                             |          | 4    |       |            |          |             |          |      |
|       | 14         | 0000.56443   | Nut                                                |          | 4    |       |            |          |             |          |      |
|       | 15         | 0670.38.620  | Speedometer (miles)                                |          | 1    |       |            |          |             |          |      |
|       | 16         | 402.4.003.1A | Tachometer                                         |          | 1    |       |            |          |             |          |      |
|       | 17         | 0000.43141   | Angle relay unit                                   |          | 2    |       |            |          |             |          |      |
|       | 18         | 0000.43142   | Plate                                              |          | 2    |       |            |          |             |          |      |
|       | 19         | 0010.61.660  | Washer                                             |          | 4    |       |            |          |             |          |      |
|       | 20         | 0404.46.065  | Screw                                              |          | 4    |       |            |          |             |          |      |
|       | 21         | 403.1.004.1A | Speedometer (km) cable                             |          | 1    |       |            |          |             |          |      |
|       | 22         | 0670.38.720  | Tachometer cable                                   |          | 1    |       |            |          |             |          |      |
|       | 23         | 652.1.602.1A | Key-operated switch                                |          | 1    |       |            |          |             |          |      |
|       | 24         | 779.4.004.1A | Screw                                              |          | 2    |       |            |          |             |          |      |
|       | 25         | 406.10.06.1A | Complete instrument panel<br>(speedometer - miles) |          | 1    |       |            |          |             |          |      |
|       | 26         | 734008N01    | Spring washer                                      |          | 2    |       |            |          |             |          |      |
|       | 27         | 391.1.001.1A | Lamp holder                                        |          | 1    |       |            |          |             |          |      |
|       | 28         | 0000.65318   | Bulb                                               |          | 1    |       |            |          |             |          |      |
|       | 29         | 0670.20.005  | Warning lamp symbols plate                         |          | 1    |       |            |          |             |          |      |
|       | 30         | 598.4.011.1A | Wrench                                             |          | 1    |       |            |          |             |          |      |

**SP Version**






**DUCATI****DASHBOARD****HT - SP Version**

d.m. 021406

DRAWING

**20.SP****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                                        | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO.    | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|----------------------------------------------------|----------|------|-------|------------|-------------|-------------|----------|------|
|       | 1          | 407.2.001.3B | Instrument panel body                              |          | 1    |       | 34         | 0010.54.140 | Nut         |          | 1    |
|       | 2          | 408.1.006.1A | Vibration damper sponge                            |          | 1    |       |            |             |             |          |      |
|       | 3          | 0670.38.675  | Cover                                              |          | 1    |       |            |             |             |          |      |
|       | 4          | 408.1.007.1A | Printed circuit                                    |          | 1    |       |            |             |             |          |      |
|       | 5          | 0670.38.660  | Lamp holder                                        |          | 7    |       |            |             |             |          |      |
|       | 6          | 390.4.002.1A | Warning lamp bulb12V-1.2W                          |          | 7    |       |            |             |             |          |      |
|       | 7          | 72237.0659   | Self-tapping screw                                 |          | 2    |       |            |             |             |          |      |
|       | 8          | 0000.41582   | Rubber pad                                         |          | 3    |       |            |             |             |          |      |
|       | 9          | 852.4.003.1A | Washer                                             |          | 3    |       |            |             |             |          |      |
|       | 10         | 763006N01    | El-stop nut                                        |          | 3    |       |            |             |             |          |      |
|       | 11         | 0000.16133   | Spacer tube                                        |          | 5    |       |            |             |             |          |      |
|       | 12         | 0000.43152   | Vibration damper pad                               |          | 4    |       |            |             |             |          |      |
|       | 13         | 60N115548    | Washer                                             |          | 4    |       |            |             |             |          |      |
|       | 14         | C000.56443   | Nut                                                |          | 4    |       |            |             |             |          |      |
|       | 15         | 0670.38.620  | Speedometer (miles)                                |          | 1    |       |            |             |             |          |      |
|       | 16         | 402.4.003.1A | Tachometer                                         |          | 1    |       |            |             |             |          |      |
|       | 17         | 0000.43141   | Angle relay unit                                   |          | 2    |       |            |             |             |          |      |
|       | 18         | 0000.43142   | Plate                                              |          | 2    |       |            |             |             |          |      |
|       | 19         | 0010.61.660  | Washer                                             |          | 4    |       |            |             |             |          |      |
|       | 20         | 0404.46.065  | Screw                                              |          | 4    |       |            |             |             |          |      |
|       | 21         | 403.1.004.1A | Speedometer (km) cable                             |          | 1    |       |            |             |             |          |      |
|       | 22         | 0670.38.720  | Tachometer cable                                   |          | 1    |       |            |             |             |          |      |
|       | 23         | 652.4.002.1A | Key-operated switch                                |          | 1    |       |            |             |             |          |      |
|       | 24         | 779.4.004.1A | Screw                                              |          | 2    |       |            |             |             |          |      |
|       | 25         | 406.1.009.1A | Complete instrument panel<br>(speedometer - miles) |          | 1    |       |            |             |             |          |      |
|       | 26         | 734008N01    | Spring washer                                      |          | 2    |       |            |             |             |          |      |
|       | 27         | 391.1.001.1A | Lamp holder                                        |          | 1    |       |            |             |             |          |      |
|       | 28         | 0000.65318   | Bulb                                               |          | 1    |       |            |             |             |          |      |
|       | 29         | 0670.20.005  | Warning lamp symbols plate                         |          | 1    |       |            |             |             |          |      |
|       | 30         | 598.4.011.1A | Wrench                                             |          | 1    |       |            |             |             |          |      |
|       | 31         | 404.4.001.2A | Water thermometer                                  |          | 1    |       |            |             |             |          |      |
|       | 32         | 0000.16132   | Rubber pad                                         |          | 1    |       |            |             |             |          |      |
|       | 33         | 0400.16.560  | Washer                                             |          | 1    |       |            |             |             |          |      |




**DUCATI****HEAD-LIGHT**

DRAWING


**21****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION               | VALIDITY    | Q.TY | NOTES | POS.<br>N. | CODE NO.    | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|---------------------------|-------------|------|-------|------------|-------------|-------------|----------|------|
|       | 1          | 520.4.002.1A  | Complete headlight        |             | 1    |       | 32         | 0675.74.390 | Gasket      |          | 1    |
|       | 2          | 0000.42925    | Headlight assembly        |             | 1    |       |            |             |             |          |      |
|       | 3          | 0796.38.305   | Bulb 55/60W               |             | 1    |       |            |             |             |          |      |
|       | 4          | 0000.42926    | Ring nut                  |             | 1    |       |            |             |             |          |      |
|       | 5          | 0659.38.226   | Bulb 4W                   |             | 1    |       |            |             |             |          |      |
|       | 6          | 0000.36231    | Lamp holder               |             | 1    |       |            |             |             |          |      |
|       | 7          | 0000.42927    | Headlight holder ring nut |             | 1    |       |            |             |             |          |      |
|       | 8          | 0000.42928    | Screw                     |             | 4    |       |            |             |             |          |      |
|       | 9          | 0000.44097    | Screw                     |             | 3    |       |            |             |             |          |      |
|       | 10         | 60N115504     | Washer                    |             | 3    |       |            |             |             |          |      |
|       | 11         | 0000.42932    | Spring                    |             | 3    |       |            |             |             |          |      |
|       | 12         | 0960.91.130   | Nut                       |             | 4    |       |            |             |             |          |      |
|       | 13         | 0000.43790    | Nut                       |             | 3    |       |            |             |             |          |      |
|       | 14         | 0H00.67545    | Screw                     |             | 2    |       |            |             |             |          |      |
|       | 15         | 734006N01     | Spring washer             |             | 2    |       |            |             |             |          |      |
|       | 16         | 0801.37.075   | Vibration damper          |             | 2    |       |            |             |             |          |      |
|       | 17         | 0000.53703    | Turn indicator            |             | 2    |       |            |             |             |          |      |
|       | 18         | 829.1.036.1C  | Headlight holder          | d.m. 021406 | 1    |       |            |             |             |          |      |
|       | —          | 829.1.036.1BA | Headlight holder          | d.m. 012263 | 1    |       |            |             |             |          |      |
|       |            |               |                           | f.m. 021405 |      |       |            |             |             |          |      |
|       | 18         | 829.1.036.1A  | Headlight holder          | f.m. 012262 | 1    |       |            |             |             |          |      |
|       | 19         | 729908FN1     | Nut                       |             | 2    |       |            |             |             |          |      |
|       | 20         | 0000.62733    | Screw                     |             | 2    |       |            |             |             |          |      |
|       | 21         | 0675.74.100   | Tail light                |             | 1    |       |            |             |             |          |      |
|       | 22         | 390.4.003.1A  | Two-light bulb 12V 5/21W  |             | 1    |       |            |             |             |          |      |
|       | 23         | 0675.74.380   | Cup                       |             | 1    |       |            |             |             |          |      |
|       | 24         | 72237.0721    | Screw                     |             | 2    |       |            |             |             |          |      |
|       | 25         | 0370.72.030   | Bush                      |             | 2    |       |            |             |             |          |      |
|       | 26         | 763106N01     | El-stop nut               |             | 2    |       |            |             |             |          |      |
|       | 27         | 0000.62730    | Screw                     |             | 2    |       |            |             |             |          |      |
|       | 28         | 0670.72.010   | Washer                    |             | 2    |       |            |             |             |          |      |
|       | 29         | 0000.36726    | Bulb                      |             | 1    |       |            |             |             |          |      |
|       | 30         | 0000.56464    | Cup                       |             | 1    |       |            |             |             |          |      |
|       | 31         | 0000.34657    | Self-tapping screw        |             | 2    |       |            |             |             |          |      |




| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                 | VALIDITY    | Q.TY |
|-------|------------|--------------|-----------------------------|-------------|------|
|       | 1          | 340.2.020.1A | L.H. fork leg assembly      | f.m. 012262 | 1    |
|       | —          | 340.2.020.2A | L.H. fork leg assembly      | 900 SS SP   | 1    |
|       | 2          | 349.1.053.1A | Complete L.H. slider        | f.m. 012262 | 1    |
|       | —          | 349.1.053.1C | Complete L.H. slider        | 900 SS SP   | 1    |
|       | 3          | 340.2.019.1A | R.H. fork leg assembly      | f.m. 012262 | 1    |
|       | —          | 340.2.019.2A | R.H. fork leg assembly      | 900 SS SP   | 1    |
|       | 4          | 341.1.006.1A | Steering head               |             | 1    |
|       | —          | 341.1.013.1A | Steering head               | 900 SL      | 1    |
|       | 5          | 60N102590    | Screw                       |             | 2    |
|       | 6          | 60N102557    | Screw                       |             | 5    |
|       | 7          | 342.2.005.1A | Steering head base assembly |             | 1    |
|       | 8          | 779.1.099.1A | Special screw               |             | 2    |
|       | 9          | 417.9.030.8A | Nut                         |             | 2    |
|       | 10         | 0795.37.120  | Ring nut                    |             | 1    |
|       | 11         | 873.1.016.2B | Cap                         |             | 1    |
|       | 12         | 856.1.030.1A | Washer                      |             | 1    |
|       | 13         | 60N102558    | Screw                       |             | 4    |
|       | 14         | 711.1.028.1A | Wheel spindle bush          | f.m. 006738 | 1    |
|       | —          | 711.1.033.1A | Wheel spindle bush          | d.m. 006739 | 1    |
|       | 15         | 349.1.052.1A | Complete R.H. slider        | f.m. 012262 | 1    |
|       | —          | 349.1.052.1C | Complete R.H. slider        | 900 SS SP   | 1    |
|       | 16         | 349.1.061.1A | Screw                       |             | 2    |
|       | 17         | 349.1.060.1A | Washer                      |             | 2    |
|       | 18         | 349.1.058.1A | Dust seal                   |             | 2    |
|       | 19         | 884.1.005.1A | Ring                        |             | 2    |
|       | 20         | 930.1.002.1A | Gasket                      |             | 2    |
|       | 21         | 349.1.057.1A | Ring                        |             | 2    |
|       | 22         | 349.1.056.1A | Bush                        | f.m. 012262 | 2    |
|       | —          | 349.1.056.1B | Bush                        | 900 SS SP   | 2    |
|       | 23         | 886.1.010.1A | Gasket                      |             | 2    |
|       | 24         | 884.1.004.1A | Snap ring                   |             | 2    |
|       | 25         | 349.1.054.1A | Stanchion tube              | f.m. 012262 | 2    |
|       | —          | 349.1.054.1B | Stanchion tube              | 900 SS SP   | 2    |
|       | 26         | 349.1.063.1A | Flexible collar             |             | 2    |

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION           | VALIDITY    | Q.TY |
|-------|------------|--------------|-----------------------|-------------|------|
|       | 27         | 349.1.059.1A | Centering ring        |             | 2    |
|       | 28         | 347.1.010.1B | Spring                |             | 2    |
|       | 29         | 349.1.062.1A | Spring coupling       |             | 2    |
|       | 30         | 349.1.066.1A | Seat seal             |             | 2    |
|       | 31         | 349.2.003.1A | Complete cap          | f.m. 012262 | 2    |
|       | —          | 349.2.003.1B | Complete cap          | 900 SS SP   | 2    |
|       | 32         | 349.1.065.1A | Rubber cush drive hub |             | 2    |
|       | 33         | 349.1.064.1A | Slider                |             | 2    |
|       | 34         | 349.1.055.1A | Damper tube           |             | 2    |
|       | 35         | 926.1.001.1A | Sticker               |             | 2    |
|       | 36         | 529.1.001.1A | Cat's eye             |             | 2    |

**Marzocchi**

65





**DUCATI**

FRONT FORK


**CR Version**

f.m. 021405

DRAWING

**22.b****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                 | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|-----------------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 349.1.072.1A | Complete L.H. slider        |          | 1    |       |            |          |             |          |      |
|       | 2          | 340.2.021.1A | R.H. fork leg assembly      |          | 1    |       |            |          |             |          |      |
|       | 3          | 340.2.022.1A | L.H. fork leg assembly      |          | 1    |       |            |          |             |          |      |
|       | 4          | 341.1.006.1A | Steering head               |          | 1    |       |            |          |             |          |      |
|       | 5          | 60N102590    | Screw                       |          | 2    |       |            |          |             |          |      |
|       | 6          | 60N102557    | Screw                       |          | 5    |       |            |          |             |          |      |
|       | 7          | 342.2.005.1A | Steering head base assembly |          | 1    |       |            |          |             |          |      |
|       | 8          | 779.1.039.1A | Special screw               |          | 2    |       |            |          |             |          |      |
|       | 9          | 417.9.030.8A | Nut                         |          | 2    |       |            |          |             |          |      |
|       | 10         | 0795.37.120  | Ring nut                    |          | 1    |       |            |          |             |          |      |
|       | 11         | 873.1.016.1B | Cap                         |          | 1    |       |            |          |             |          |      |
|       | 12         | 856.1.030.1A | Washer                      |          | 1    |       |            |          |             |          |      |
|       | 13         | 60N102558    | Screw                       |          | 4    |       |            |          |             |          |      |
|       | 14         | 711.1.033.1A | Wheel spindle bush          |          | 1    |       |            |          |             |          |      |
|       | 15         | 349.1.071.1A | Complete R.H. slider        |          | 1    |       |            |          |             |          |      |
|       | 16         | 349.1.077.1A | Screw                       |          | 1    |       |            |          |             |          |      |
|       | 17         | 349.1.076.1A | Washer                      |          | 1    |       |            |          |             |          |      |
|       | 18         | 349.1.058.1A | Dust seal                   |          | 1    |       |            |          |             |          |      |
|       | 19         | 884.1.005.1A | Ring                        |          | 1    |       |            |          |             |          |      |
|       | 20         | 930.1.002.1A | Gasket                      |          | 1    |       |            |          |             |          |      |
|       | 21         | 349.1.057.1A | Ring                        |          | 1    |       |            |          |             |          |      |
|       | 22         | 349.1.074.1A | Damper tube                 |          | 1    |       |            |          |             |          |      |
|       | 23         | 349.1.079.1A | Spring seat retainer        |          | 1    |       |            |          |             |          |      |
|       | 24         | 349.2.008.1A | Complete cap                |          | 1    |       |            |          |             |          |      |
|       | 25         | 349.1.073.1A | Stanchion tube              |          | 1    |       |            |          |             |          |      |
|       | 26         | 349.1.078.1A | Flexible collar             |          | 1    |       |            |          |             |          |      |
|       | 27         | 349.1.075.1A | Centering ring              |          | 1    |       |            |          |             |          |      |
|       | 28         | 347.1.011.1A | Spring                      |          | 1    |       |            |          |             |          |      |
|       | 29         | 349.1.062.1A | Spring coupling             |          | 1    |       |            |          |             |          |      |
|       | 30         | 349.1.080.1A | Seat seal                   |          | 1    |       |            |          |             |          |      |
|       | 31         | 926.1.001.1A | Sticker                     |          | 2    |       |            |          |             |          |      |
|       | 32         | 529.1.001.1A | Cat's eye                   |          | 2    |       |            |          |             |          |      |



| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION              | VALIDITY  | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|--------------------------|-----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 501.2.014.1A | Front wheel rim          |           | 1    |       |            |          |             |          |      |
|       | 2          | 0803.77.010  | Valve                    |           | 2    |       |            |          |             |          |      |
|       | 3          | 714.2.004.1A | Bearings spacer          |           | 1    |       |            |          |             |          |      |
|       | 4          | 75161.2054   | Bearing                  |           | 2    |       |            |          |             |          |      |
|       | 5          | 492.4.002.1A | Brake disc               |           | 2    |       |            |          |             |          |      |
|       | —          | 492.4.008.1A | Brake disc (CAST IRON)   | 900 SL    | 2    |       |            |          |             |          |      |
|       | —          | 492.4.008.1A | Brake disc (CAST IRON)   | 900 SS SP | 2    |       |            |          |             |          |      |
|       | 6          | 881.1.022.1A | Relay drive ring         |           | 1    |       |            |          |             |          |      |
|       | 7          | 70700.8320   | Screw                    |           | 18   |       |            |          |             |          |      |
|       | 8          | 819.1.007.1A | Front wheel spindle      |           | 1    |       |            |          |             |          |      |
|       | 9          | 498.1.005.1A | Speedometer transmission |           | 1    |       |            |          |             |          |      |
|       | —          | 498.1.007.1A | Speedometer transmission | 900 SS CR | 1    |       |            |          |             |          |      |
|       | 10         | 0000.64471   | Seal ring                |           | 1    |       |            |          |             |          |      |
|       | 11         | 884.4.001.1A | Snap ring                |           | 1    |       |            |          |             |          |      |
|       | 13         | 502.2.015.2A | Rear wheel rim           |           | 1    |       |            |          |             |          |      |
|       | —          | 502.2.009.2C | Rear rim                 | 900 SS CR | 1    |       |            |          |             |          |      |
|       | 14         | 714.1.038.1A | Inner spacer             |           | 1    |       |            |          |             |          |      |
|       | 15         | 492.4.003.1A | Brake disc               |           | 1    |       |            |          |             |          |      |
|       | 17         | 75163.1747   | Bearing                  |           | 2    |       |            |          |             |          |      |
|       | 18         | 700.1.005.1A | Vibration damper         |           | 6    |       |            |          |             |          |      |
|       | 19         | 821.1.009.1B | Pin                      |           | 6    |       |            |          |             |          |      |
|       | 20         | 748.4.024.1A | Nut                      |           | 6    |       |            |          |             |          |      |
|       | 21         | 160.1.004.1B | Rear sprocket flange     |           | 1    |       |            |          |             |          |      |
|       | 22         | 710.1.006.1A | Bush                     |           | 1    |       |            |          |             |          |      |
|       | 23         | 494.1.002.1A | Ring gear z=37           |           | 1    |       |            |          |             |          |      |
|       | 24         | 75162.2566   | Bearing                  |           | 2    |       |            |          |             |          |      |
|       | 25         | 713.1.032.1A | Spacer                   |           | 1    |       |            |          |             |          |      |
|       | 26         | 714.1.037.1A | Spacer                   |           | 2    |       |            |          |             |          |      |
|       | 27         | 676.4.001.3A | Chain                    |           | 1    |       |            |          |             |          |      |
|       | 28         | 676.2.005.1A | Final drive kit          |           | 1    |       |            |          |             |          |      |




**DUCATI****FRONT AND REAR WHEELS**

f.m. 021405

DRAWING

**23.a****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION              | VALIDITY              | Q.TY | NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION          | VALIDITY    | Q.TY |
|-------|------------|--------------|--------------------------|-----------------------|------|-------|------------|--------------|----------------------|-------------|------|
|       | 1          | 501.2.014.1A | Front wheel rim          | d.m. 012263           | 1    |       | —          | 160.1.004.1B | Rear sprocket flange | d.m. 012263 | 1    |
|       | —          | 501.2.004.1B | Front wheel rim          |                       | 1    |       | 22         | 710.1.006.1A | Bush                 |             | 1    |
|       | —          | 501.2.004.1A | Front wheel rim (WHITE)  |                       | 1    |       | 23         | 494.1.002.1A | Ring gear z=37       |             | 1    |
|       | 2          | 0803.77.010  | Valve                    |                       | 2    |       | 24         | 75162.2566   | Bearing              |             | 2    |
|       | 3          | 714.1.001.1A | Bearings spacer          | f.m. 012262           | 1    |       | 25         | 713.1.032.1A | Spacer               |             | 1    |
|       | —          | 714.2.004.1A | Bearings spacer          | d.m. 012263           | 1    |       | 26         | 676.4.001.3A | Chain                |             | 1    |
|       | 4          | 75163.3268   | Bearing                  | f.m. 012262           | 2    |       | 27         | 676.2.005.1A | Final drive kit      |             | 1    |
|       | —          | 75161.2054   | Bearing                  | d.m. 012263           | 2    |       |            |              |                      |             |      |
|       | 5          | 492.4.002.1A | Brake disc               |                       | 2    |       |            |              |                      |             |      |
|       | —          | 492.4.008.1A | Brake disc (CAST IRON)   | 900 SL                | 2    |       |            |              |                      |             |      |
|       | —          | 492.4.008.1A | Brake disc (CAST IRON)   | 900 SS S <sup>n</sup> | 2    |       |            |              |                      |             |      |
|       | 6          | 881.1.006.1B | Relay drive ring         | f.m. 012262           | 1    |       |            |              |                      |             |      |
|       | —          | 881.1.022.1A | Relay drive ring         | d.m. 012263           | 1    |       |            |              |                      |             |      |
|       | 7          | 70700.8320   | Screw                    |                       | 18   |       |            |              |                      |             |      |
|       | 8          | 819.1.006.1A | Front wheel spindle      | f.m. 012262           | 1    |       |            |              |                      |             |      |
|       | —          | 819.1.007.1A | Front wheel spindle      | d.m. 012263           | 1    |       |            |              |                      |             |      |
|       | 9          | 498.1.001.1A | Speedometer transmission | f.m. 012262           | 1    |       |            |              |                      |             |      |
|       | —          | 498.1.005.1A | Speedometer transmission | d.m. 012263           | 1    |       |            |              |                      |             |      |
|       | —          | 498.1.007.1A | Speedometer transmission | 900 SS CR             | 1    |       |            |              |                      |             |      |
|       | 10         | 930.4.004.1A | Seal ring                | f.m. 012262           | 1    |       |            |              |                      |             |      |
|       | —          | 0000.64471   | Seal ring                | d.m. 012263           | 1    |       |            |              |                      |             |      |
|       | 11         | 884.4.001.1A | Snap ring                |                       | 1    |       |            |              |                      |             |      |
|       | 13         | 502.2.015.1A | Rear wheel rim           |                       | 1    |       |            |              |                      |             |      |
|       | —          | 502.2.009.1C | Rear wheel rim           | 900 SS CR             | 1    |       |            |              |                      |             |      |
|       | —          | 502.2.004.1B | Rear wheel rim           |                       | 1    |       |            |              |                      |             |      |
|       | —          | 502.2.004.1A | Rear wheel rim           |                       | 1    |       |            |              |                      |             |      |
|       | 14         | 714.1.002.1A | Inner spacer             |                       | 1    |       |            |              |                      |             |      |
|       | 15         | 492.4.003.1A | Brake disc               |                       | 1    |       |            |              |                      |             |      |
|       | 17         | 75163.3265   | Bearing                  |                       | 2    |       |            |              |                      |             |      |
|       | 18         | 700.1.005.1A | Vibration damper         |                       | 6    |       |            |              |                      |             |      |
|       | 19         | 821.1.009.1A | Wheel spindle            | f.m. 012262           | 6    |       |            |              |                      |             |      |
|       | —          | 821.1.009.1B | Pin                      | d.m. 012263           | 6    |       |            |              |                      |             |      |
|       | 20         | 748.4.024.1A | Nut                      |                       | 6    |       |            |              |                      |             |      |
|       | 21         | 160.1.004.2A | Rear sprocket flange     | f.m. 012262           | 1    |       |            |              |                      |             |      |




**DUCATI****HANDLEBAR AND CONTROLS**

DRAWING

**24****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION             | VALIDITY      | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|-------------------------|---------------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 0370.54.300  | Clutch drive pump       |               | 1    |       |            |          |             |          |      |
|       | 2          | 626.1.002.1A | Lever with dowel        |               | 1    |       |            |          |             |          |      |
|       | 3          | 361.4.002.1A | Grips pair              |               | 1    |       |            |          |             |          |      |
|       | 4          | 0000.46664   | Spare lever pin         |               | 1    |       |            |          |             |          |      |
|       | 5          | 0000.46665   | Spare cap               |               | 1    |       |            |          |             |          |      |
|       | 6          | 626.4.001.1A | Spare bracket           |               | 1    |       |            |          |             |          |      |
|       | 7          | 0000.49654   | Spare inspection window |               | 1    |       |            |          |             |          |      |
|       | 8          | 752.1.048.1A | Washer                  |               | 1    |       |            |          |             |          |      |
|       | 9          | 656.1.008.2A | Throttle opening cable  |               | 1    |       |            |          |             |          |      |
|       | 10         | 656.1.009.2A | Throttle closing cable  |               | 1    |       |            |          |             |          |      |
|       | 11         | 781.4.001.1A | Filler                  |               | 1    |       |            |          |             |          |      |
|       | 12         | 420.2.001.0A | Copper gasket           |               | 2    |       |            |          |             |          |      |
|       | 13         | 654.4.003.1A | Throttle control        |               | 1    |       |            |          |             |          |      |
|       | 14         | 632.1.004.2A | Clutch control pipe     | f.m.m. 002312 | 1    |       |            |          |             |          |      |
|       | —          | 632.1.004.1B | Clutch control pipe     | d.m.m. 002313 | 1    |       |            |          |             |          |      |
|       | 15         | 360.2.006.1A | Handlebars pair         |               | 1    |       |            |          |             |          |      |
|       | 16         | 60N107330    | Screw                   |               | 4    |       |            |          |             |          |      |
|       | 17         | 650.4.002.1A | R.H. switch             |               | 1    |       |            |          |             |          |      |
|       | 18         | 0361.54.120  | Fast-idle control       |               | 1    |       |            |          |             |          |      |
|       | 19         | 71743.0690   | Screw                   |               | 2    |       |            |          |             |          |      |
|       | 20         | 657.1.004.1A | Fast-idle control wire  |               | 1    |       |            |          |             |          |      |
|       | 21         | 0361.38.454  | L.H. switch             |               | 1    |       |            |          |             |          |      |
|       | 22         | 70620.5040   | Screw                   |               | 2    |       |            |          |             |          |      |
|       | 23         | 71502.1306   | Screw                   |               | 1    |       |            |          |             |          |      |
|       | 24         | 433.1.137.1A | Sticker                 |               | 2    |       |            |          |             |          |      |

**HT Version****SP Version**




**DUCATI****HANDLEBAR AND CONTROLS****HT - SP Version**

DRAWING

**24.SP****SUPERSPORT  
900 U.S.A.**

| POS.<br>N. | CODE NO.     | DESCRIPTION                    | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION      | VALIDITY | Q.TY |
|------------|--------------|--------------------------------|----------|------|-------|------------|--------------|------------------|----------|------|
| 1          | 630.4.002.1B | Clutch drive pump (adjustable) |          | 1    |       | 35         | 626.1.002.1A | Lever with dowel |          | 1    |
| 2          | 626.1.003.1C | Lever with dowel (adjustable)  |          | 1    |       |            |              |                  |          |      |
| 3          | 0000.42345   | Spare union                    |          | 1    |       |            |              |                  |          |      |
| 4          | 0000.46664   | Spare lever pin                |          | 1    |       |            |              |                  |          |      |
| 5          | 0000.61078   | Complete oil tank              |          | 1    |       |            |              |                  |          |      |
| 6          | 626.4.001.1A | Spare bracket                  |          | 1    |       |            |              |                  |          |      |
| 7          | 741.4.043.1A | Clamp                          |          | 2    |       |            |              |                  |          |      |
| 8          | 877.1.037.1A | Tube                           |          | 1    |       |            |              |                  |          |      |
| 9          | 893.4.005.1A | Cap                            |          | 1    |       |            |              |                  |          |      |
| 10         | 763106N01    | El-stop nut                    |          | 1    |       |            |              |                  |          |      |
| 11         | 829.1.061.1B | Holder                         |          | 1    |       |            |              |                  |          |      |
| 12         | 0370.72.020  | Vibration damper pad           |          | 1    |       |            |              |                  |          |      |
| 13         | 0000.55675   | Spacer                         |          | 1    |       |            |              |                  |          |      |
| 14         | 0000.62729   | Screw                          |          | 1    |       |            |              |                  |          |      |
| 15         | 0000.62725   | Screw                          |          | 1    |       |            |              |                  |          |      |
| 16         | 420.2.001.0A | Copper gasket                  |          | 2    |       |            |              |                  |          |      |
| 17         | 781.4.001.1A | Filler                         |          | 1    |       |            |              |                  |          |      |
| 18         | 0361.54.120  | Fast-idle control              |          | 1    |       |            |              |                  |          |      |
| 19         | 71743.0690   | Screw                          |          | 2    |       |            |              |                  |          |      |
| 20         | 657.1.004.1A | Fast-idle control wire         |          | 1    |       |            |              |                  |          |      |
| 21         | 0361.38.454  | L.H. switch                    |          | 1    |       |            |              |                  |          |      |
| 22         | 70620.5040   | Screw                          |          | 2    |       |            |              |                  |          |      |
| 23         | 71502.1306   | Screw                          |          | 1    |       |            |              |                  |          |      |
| 24         | 561.4.002.1A | Grips pair                     |          | 1    |       |            |              |                  |          |      |
| 25         | 632.1.004.1B | Clutch control pipe            |          | 1    |       |            |              |                  |          |      |
| 26         | 360.2.006.1A | Handlebars pair                |          | 1    |       |            |              |                  |          |      |
| 27         | 60N107330    | Screw                          |          | 2    |       |            |              |                  |          |      |
| 28         | 650.4.002.1A | R.H. switch                    |          | 1    |       |            |              |                  |          |      |
| 29         | 654.4.003.1A | Throttle control               |          | 1    |       |            |              |                  |          |      |
| 30         | 852.1.048.1A | Washer                         |          | 1    |       |            |              |                  |          |      |
| 31         | 656.1.009.2A | Throttle closing cable         |          | 1    |       |            |              |                  |          |      |
| 32         | 656.1.003.2A | Throttle opening cable         |          | 1    |       |            |              |                  |          |      |
| 33         | 433.1.137.1A | Sticker                        |          | 2    |       |            |              |                  |          |      |
| 34         | 630.4.002.1A | Clutch drive pump              |          | 1    |       |            |              |                  |          |      |





**DUCAATI****FRONT HYDRAULIC BRAKE**

DRAWING

**25****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION             | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|-------------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 624.4.004.1C | Front brake pump        |          | 1    |       |            |          |             |          |      |
|       | 2          | 626.1.002.1A | Lever with dowel        |          | 1    |       |            |          |             |          |      |
|       | 3          | 72465.0214   | Nut                     |          | 2    |       |            |          |             |          |      |
|       | 4          | 0000.46664   | Spare lever pin         |          | 1    |       |            |          |             |          |      |
|       | 5          | 0000.46665   | Spare cap               |          | 1    |       |            |          |             |          |      |
|       | 6          | 626.4.001.1A | Spare bracket           |          | 1    |       |            |          |             |          |      |
|       | 7          | 0000.49654   | Spare inspection window |          | 1    |       |            |          |             |          |      |
|       | 8          | 776.5.307.2A | Screw                   |          | 2    |       |            |          |             |          |      |
|       | 9          | 539.4.004.1B | Microswitch             |          | 1    |       |            |          |             |          |      |
|       | 10         | 713.1.058.1A | Spacer                  |          | 1    |       |            |          |             |          |      |
|       | 11         | 781.4.001.1A | Filler                  |          | 2    |       |            |          |             |          |      |
|       | 12         | 420.2.001.6A | Copper gasket           |          | 8    |       |            |          |             |          |      |
|       | 13         | 781.4.004.1A | Filler                  |          | 1    |       |            |          |             |          |      |
|       | 14         | 195.4.002.1A | Pad                     |          | 1    |       |            |          |             |          |      |
|       | 15         | 827.1.055.1A | Plate                   |          | 1    |       |            |          |             |          |      |
|       | 16         | 0000.62725   | Screw                   |          | 1    |       |            |          |             |          |      |
|       | 17         | 618.4.025.1A | L.H. caliper pump pipe  |          | 1    |       |            |          |             |          |      |
|       | 18         | 610.4.009.2A | L.H. brake caliper      |          | 1    |       |            |          |             |          |      |
|       | 19         | 610.4.010.2A | R.H. brake caliper      |          | 1    |       |            |          |             |          |      |
|       | 20         | 0823.41.065  | Guide ring              |          | 1    |       |            |          |             |          |      |
|       | 21         | 612.4.005.1A | Dust seal               |          | 2    |       |            |          |             |          |      |
|       | 22         | 0000.80301   | Spare pins              |          | 1    |       |            |          |             |          |      |
|       | 23         | 631.4.004.1A | Spare bleed union       |          | 2    |       |            |          |             |          |      |
|       | 24         | 734010N01    | Spring washer           |          | 4    |       |            |          |             |          |      |
|       | 25         | 60N102585    | Screw                   |          | 4    |       |            |          |             |          |      |
|       | 26         | 613.4.004.2A | Pads pair               |          | 1    |       |            |          |             |          |      |
|       | 27         | 734310N01    | Washer                  |          | 4    |       |            |          |             |          |      |
|       | 28         | 0795.37.096  | Washer                  |          | 1    |       |            |          |             |          |      |
|       | 29         | 0000.77782   | Spring                  |          | 2    |       |            |          |             |          |      |
|       | 30         | 829.1.141.1A | Holder                  |          | 2    |       |            |          |             |          |      |
|       | 31         | 618.4.024.1A | R.H. caliper pump pipe  |          | 1    |       |            |          |             |          |      |




**DUCAATI****FRONT HYDRAULIC BRAKE****HT - SP Version**

DRAWING

**25.SP****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                           | VALIDITY    | Q.TY |
|-------|------------|--------------|---------------------------------------|-------------|------|
|       | 1          | 624.4.008.1B | Front brake pump (adjustable)         |             | 1    |
|       | 2          | 626.1.003.1B | Lever with dowel (adjustable)         |             | 1    |
|       | 3          | 0000.42345   | Spare union                           |             | 1    |
|       | 4          | 0000.46664   | Spare lever pin                       |             | 1    |
|       | 5          | 776.5.307.2A | Screw                                 |             | 2    |
|       | 6          | 195.4.002.1A | Pad                                   |             | 1    |
|       | 7          | 539.4.004.1B | Microswitch                           |             | 1    |
|       | 8          | 72465.0214   | Nut                                   |             | 2    |
|       | 9          | 626.4.001.1A | Spare bracket                         |             | 1    |
|       | 10         | 0000.62725   | Screw                                 |             | 1    |
|       | 11         | 829.1.132.1A | Bracket                               |             | 1    |
|       | 12         | 0000.55675   | Spacer                                |             | 1    |
|       | 13         | 0370.72.020  | Vibration damper pad                  |             | 1    |
|       | 14         | 763106N01    | El-stop nut                           |             | 1    |
|       | 15         | 590.1.052.1A | Tube                                  |             | 1    |
|       | 16         | 741.4.043.1A | Clamp                                 |             | 2    |
|       | 17         | 0000.62729   | Screw                                 |             | 1    |
|       | 18         | 612.4.005.1A | Dust seal                             |             | 1    |
|       | 19         | 0000.80301   | Spare pins                            |             | 1    |
|       | 20         | 613.4.004.2A | Pads pair                             |             | 2    |
|       | 21         | 0000.63490   | Spare cap                             |             | 1    |
|       | 22         | 0000.66181   | Complete oil tank                     |             | 1    |
|       | 23         | 420.2.001.0A | Copper gasket                         |             | 8    |
|       | 24         | 713.1.058.1A | Spacer                                |             | 1    |
|       | 25         | 781.4.004.1A | Filler                                |             | 1    |
|       | 26         | 618.4.024.1B | R.H. caliper pump pipe (METAL PLAIED) | d.m. 024037 | 1    |
|       | —          | 618.4.024.1A | R.H. caliper pump pipe                | f.m. 024036 | 1    |
|       | 27         | 618.4.025.1B | L.H. caliper pump pipe (METAL PLAIED) | d.m. 024037 | 1    |
|       | —          | 618.4.025.1A | L.H. caliper pump pipe                | f.m. 024036 | 1    |
|       | 28         | 827.1.055.1A | Plate                                 |             | 1    |
|       | 29         | 0000.62725   | Screw                                 |             | 1    |
|       | 30         | 781.4.001.1A | Filler                                |             | 2    |
|       | 31         | 610.4.009.2A | L.H. brake caliper                    |             | 1    |
|       | 32         | 0823.41.065  | Guide ring                            |             | 1    |

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION        | VALIDITY | Q.TY |
|-------|------------|--------------|--------------------|----------|------|
|       | 33         | 734310N01    | Washer             |          | 4    |
|       | 34         | 734010N01    | Spring washer      |          | 4    |
|       | 35         | 60N102585    | Screw              |          | 4    |
|       | 36         | 610.4.010.2A | R.H. brake caliper |          | 4    |
|       | 37         | 631.4.004.1A | Spare bleed union  |          | 1    |
|       | 38         | 0795.37.096  | Washer             |          | 1    |
|       | 39         | 0000.77782   | Spring             |          | 1    |
|       | 40         | 829.1.141.1A | Holder             |          | 2    |
|       | 41         | 624.4.002.1B | Front brake pump   |          | 1    |
|       | 42         | 626.1.002.1A | Lever with dowel   |          | 1    |



**DUCATI****REAR HYDRAULIC BRAKE**


d.m. 002306

DRAWING

**26****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                 | VALIDITY    | Q.TY |
|-------|------------|---------------|-----------------------------|-------------|------|
|       | 1          | 457.2.003.1A  | Brake control lever         |             | 1    |
|       | —          | 457.2.003.1AA | Brake control lever (BLACK) |             | 1    |
|       | 2          | 765.1.001.1A  | Rubber pad                  |             | 1    |
|       | 3          | 0370.69.525   | Bush                        |             | 1    |
|       | 4          | 852.1.049.1A  | Washer                      |             | 1    |
|       | 5          | 417.9.030.6A  | Nut                         |             | 2    |
|       | 6          | 779.1.054.1AA | Special screw               |             | 1    |
|       | 7          | 821.1.056.1A  | Pedal pin                   |             | 1    |
|       | 8          | 117.1.021.1A  | Adjuster rod                |             | 1    |
|       | 9          | 0000.44240    | Nut                         |             | 2    |
|       | 10         | 76401.0001    | Ball joint                  |             | 1    |
|       | 11         | 779.5.011.1A  | Screw                       |             | 1    |
|       | 12         | 585.4.001.1A  | Complete oil tank           |             | 1    |
|       | 13         | 763106N01     | El-stop nut                 |             | 1    |
|       | 14         | 893.4.005.1A  | Cap                         |             | 1    |
|       | 15         | 590.1.034.1A  | Flexible pipe               |             | 1    |
|       | 16         | 741.4.043.1A  | Clamp                       |             | 2    |
|       | 17         | 0670.80.010   | Washer                      |             | 2    |
|       | 18         | 734008N01     | Spring washer               |             | 2    |
|       | 19         | 539.4.003.1A  | Switch                      | f.m. 012262 | 1    |
|       | —          | 539.4.003.1B  | Switch                      | d.m. 012263 | 1    |
|       | 20         | 420.2.001.0A  | Copper gasket               |             | 4    |
|       | 21         | 781.4.001.1A  | Filler                      |             | 2    |
|       | 22         | 619.4.009.1A  | Flexible pipe               |             | 1    |
|       | 23         | 625.4.004.1A  | Rear brake pump             |             | 1    |
|       | 24         | 0664.39.727   | Spare union                 |             | 1    |
|       | 25         | 734306N01     | Washer                      |             | 1    |
|       | 26         | 0664.39.741   | Dust cover                  |             | 1    |
|       | 27         | 60N102510     | Screw                       |             | 2    |
|       | 28         | 771.5.724.2B  | Screw                       |             | 2    |
|       | 29         | 825.1.005.1A  | Caliper holder plate        |             | 1    |
|       | 30         | 611.4.002.2A  | Rear brake caliper          |             | 1    |
|       | 31         | 613.4.007.1A  | Pads pair                   |             | 1    |
|       | 32         | 612.4.008.1A  | Dust seal                   |             | 1    |

| NOTE | POS.<br>N. | CODE NO.     | DESCRIPTION           | VALIDITY | Q.TY |
|------|------------|--------------|-----------------------|----------|------|
|      | 33         | 612.4.013.1A | Spare pins and spring |          | 1    |
|      | 34         | 0000.39727   | Spare bleed union     |          | 1    |
|      | 35         | 799.1.044.1A | Spring                |          | 1    |
|      | 36         | 60N102505    | Screw                 |          | 1    |






**DUCATI****REAR HYDRAULIC BRAKE**

f.m. 002305


DRAWING

**26.a****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION           | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO.    | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|-----------------------|----------|------|-------|------------|-------------|-------------|----------|------|
|       | 1          | 0370.69.555  | Brake control lever   |          | 1    |       | 35         | 0670.80.010 | Washer      |          | 2    |
|       | 2          | 765.1.001.1A | Rubber pad            |          | 1    |       |            |             |             |          |      |
|       | 3          | 0370.69.525  | Bush                  |          | 1    |       |            |             |             |          |      |
|       | 4          | 852.1.049.1A | Washer                |          | 1    |       |            |             |             |          |      |
|       | 5          | 417.9.030.6A | Nut                   |          | 2    |       |            |             |             |          |      |
|       | 6          | 778.5.001.1A | Screw                 |          | 1    |       |            |             |             |          |      |
|       | 7          | 0370.69.530  | Pedal pin             |          | 1    |       |            |             |             |          |      |
|       | 8          | 117.1.021.1A | Adjuster rod          |          | 1    |       |            |             |             |          |      |
|       | 9          | 0000.44240   | Nut                   |          | 2    |       |            |             |             |          |      |
|       | 10         | 76401.0001   | Ball joint            |          | 1    |       |            |             |             |          |      |
|       | 11         | 779.5.011.1A | Screw                 |          | 1    |       |            |             |             |          |      |
|       | 12         | 585.4.001.1A | Complete oil tank     |          | 1    |       |            |             |             |          |      |
|       | 13         | 763106N01    | El-stop nut           |          | 1    |       |            |             |             |          |      |
|       | 14         | 893.4.005.1A | Cap                   |          | 1    |       |            |             |             |          |      |
|       | 15         | 590.1.034.1A | Flexible pipe         |          | 1    |       |            |             |             |          |      |
|       | 16         | 741.4.043.1A | Clamp                 |          | 2    |       |            |             |             |          |      |
|       | 17         | 707006N01    | Screw                 |          | 2    |       |            |             |             |          |      |
|       | 18         | 60N102505    | Screw                 |          | 1    |       |            |             |             |          |      |
|       | 19         | 734306i01    | Washer                |          | 1    |       |            |             |             |          |      |
|       | 20         | 420.2.001.0A | Copper gasket         |          | 4    |       |            |             |             |          |      |
|       | 21         | 0796.54.114  | Switch                |          | 1    |       |            |             |             |          |      |
|       | 22         | 619.4.009.1A | Flexible pipe         |          | 1    |       |            |             |             |          |      |
|       | 23         | 625.4.004.1A | Rear brake pump       |          | 1    |       |            |             |             |          |      |
|       | 24         | 0664.39.727  | Spare union           |          | 1    |       |            |             |             |          |      |
|       | 25         | 734008N01    | Spring washer         |          | 2    |       |            |             |             |          |      |
|       | 26         | 0664.39.741  | Dust cover            |          | 1    |       |            |             |             |          |      |
|       | 27         | 781.4.001.1A | Filler                |          | 1    |       |            |             |             |          |      |
|       | 28         | 771.5.724.2B | Screw                 |          | 2    |       |            |             |             |          |      |
|       | 29         | 825.1.005.1A | Caliper holder plate  |          | 1    |       |            |             |             |          |      |
|       | 30         | 611.4.002.2A | Rear brake caliper    |          | 1    |       |            |             |             |          |      |
|       | 31         | 613.4.007.1A | Pads pair             |          | 1    |       |            |             |             |          |      |
|       | 32         | 0000.39727   | Spare bleed union     |          | 1    |       |            |             |             |          |      |
|       | 33         | 612.4.013.1A | Spare pins and spring |          | 1    |       |            |             |             |          |      |
|       | 34         | 612.4.008.1A | Dust seal             |          | 1    |       |            |             |             |          |      |



| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                 | VALIDITY  | Q.TY | NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION           | VALIDITY | Q.TY |
|-------|------------|---------------|-----------------------------|-----------|------|-------|------------|--------------|-----------------------|----------|------|
|       | 1          | 457.2.003.1AA | Brake control lever (BLACK) | 900 SS SP | 1    |       | 33         | 612.4.013.1A | Spare pins and spring |          | 1    |
|       | ---        | 457.2.003.1A  | Brake control lever         | 900 SL    | 1    |       | 34         | 0000.39727   | Spare bleed union     |          | 1    |
|       | 2          | 765.1.001.1A  | Rubber pad                  |           | 1    |       | 35         | 799.1.044.1A | Spring                |          | 1    |
|       | 3          | 0370.69.525   | Bush                        |           | 1    |       | 36         | 60N102505    | Screw                 |          | 1    |
|       | 4          | 852.1.049.1A  | Washer                      |           | 1    |       | 37         | 734306N01    | Washer                |          | 1    |
|       | 5          | 417.9.030.6A  | Nut                         |           | 2    |       | 38         | 711.1.038.1A | Bush                  |          | 1    |
|       | 6          | 779.1.054.1AA | Special screw               |           | 1    |       | 39         | 712.4.005.1A | Bush                  |          | 1    |
|       | 7          | 821.1.056.1A  | Pedal pin                   | 900 SS SP | 1    |       | 40         | 711.1.039.1A | Bush                  |          | 1    |
|       | ---        | 0370.69.530   | Pedal pin                   | 900 SL    | 1    |       | 41         | 76401.0014   | Ball joint            |          | 2    |
|       | 8          | 117.1.021.1A  | Adjuster rod                |           | 1    |       | 42         | 821.1.025.1A | Pin                   |          | 1    |
|       | 9          | 729906FN1     | Nut                         |           | 2    |       | 43         | 763108N01    | Nut                   |          | 2    |
|       | 10         | 76401.0001    | Ball joint                  |           | 1    |       | 44         | 60N115035    | Nut                   |          | 2    |
|       | 11         | 779.5.011.1A  | Screw                       |           | 1    |       | 45         | 877.1.044.1B | Reaction rod          |          | 1    |
|       | 12         | 585.4.001.1A  | Complete oil tank           |           | 1    |       | 46         | 771.5.727.2B | Screw                 |          | 1    |
|       | 13         | 763106N01     | El-stop nut                 |           | 1    |       | 47         | 771.5.754.2B | Screw                 |          | 2    |
|       | 14         | 893.4.005.1A  | Cap                         |           | 1    |       | 48         | 734010N01    | Spring washer         |          | 2    |
|       | 15         | 590.1.034.1A  | Flexible pipe               |           | 1    |       | 49         | 734310N01    | Washer                |          | 4    |
|       | 16         | 741.4.043.1A  | Clamp                       |           | 2    |       | 50         | 827.1.081.1A | Plate                 |          | 1    |
|       | 17         | 0670.80.010   | Washer                      |           | 2    |       | 51         | 827.1.082.1A | Bracket               |          | 1    |
|       | 18         | 734008N01     | Spring washer               |           | 2    |       |            |              |                       |          |      |
|       | 19         | 539.4.003.1B  | Switch                      |           | 1    |       |            |              |                       |          |      |
|       | 20         | 420.2.001.0A  | Copper gasket               |           | 3    |       |            |              |                       |          |      |
|       | 21         | 781.4.001.1A  | Filler                      |           | 1    |       |            |              |                       |          |      |
|       | 22         | 619.4.013.1A  | Tube                        |           | 1    |       |            |              |                       |          |      |
|       | 23         | 625.4.004.1A  | Rear brake pump             |           | 1    |       |            |              |                       |          |      |
|       | 24         | 0664.39.727   | Spare union                 |           | 1    |       |            |              |                       |          |      |
|       | 25         | 60N101206     | Screw                       |           | 1    |       |            |              |                       |          |      |
|       | 26         | 0664.39.741   | Dust cover                  |           | 1    |       |            |              |                       |          |      |
|       | 27         | 60N102510     | Screw                       |           | 2    |       |            |              |                       |          |      |
|       | 28         | 771.5.724.2B  | Screw                       |           | 2    |       |            |              |                       |          |      |
|       | 29         | 825.1.011.1A  | Caliper holder plate        |           | 1    |       |            |              |                       |          |      |
|       | 30         | 611.4.002.2A  | Rear brake caliper          |           | 1    |       |            |              |                       |          |      |
|       | 31         | 613.4.007.1A  | Pads pair                   |           | 1    |       |            |              |                       |          |      |
|       | 32         | 612.4.008.1A  | Dust seal                   |           | 1    |       |            |              |                       |          |      |




| NOTES | POS. N. | CODE NO.      | DESCRIPTION                | VALIDITY  | Q.TY |
|-------|---------|---------------|----------------------------|-----------|------|
|       | 1       | 0691.37.020   | Special washer             |           | 1    |
|       | 2       | 0691.91.010   | Bearing                    |           | 2    |
|       | 3       | 470.1.018.2AB | Frame                      |           | 1    |
|       | 4       | 598.2.015.1B  | Locks kit                  |           | 1    |
|       | 5       | 779.1.001.1A  | Screw                      |           | 1    |
|       | 6       | 729910FF1     | Nut                        |           | 1    |
|       | 7       | 779.1.014.1A  | Screw                      |           | 1    |
|       | 8       | 0000.44240    | Nut                        |           | 2    |
|       | 9       | 830.1.060.1A  | Bracket                    |           | 1    |
|       | 10      | 697.2.006.1A  | Tool bag                   |           | 1    |
|       | 11      | 561.1.007.1A  | Number plate holder        |           | 1    |
|       | 12      | 734006N01     | Spring washer              |           | 4    |
|       | 13      | 771.5.064.2B  | Screw                      |           | 4    |
|       | 14      | 564.1.015.1AA | Front mudguard (RED)       |           | 1    |
| —     |         | 564.3.015.1A  | Front mudguard (unpainted) |           | 1    |
| —     |         | 564.1.014.1AA | Front mudguard (RED)       | 900 SS CR | 1    |
| —     |         | 564.3.014.1A  | Front mudguard (unpainted) | 900 SS CR | 1    |
| —     |         | 564.1.013.1AA | Front mudguard (CARBON)    | 900 SS HT | 1    |
| 15    |         | 0000.56391    | Nylon washer               |           | 4    |
| —     |         | 0950.91.765   | Nylon gasket               | 900 SS HT | 4    |
| 16    |         | 00B0.55703    | Screw                      |           | 4    |
| —     |         | 0000.56525    | Screw                      | 900 SS HT | 4    |
| 17    |         | 806.1.008.1AA | Red handle                 |           | 1    |
| —     |         | 806.1.008.1AC | Yellow handle              | 900 SS HT | 1    |
| 18    |         | 734310N01     | Washer                     |           | 2    |
| 19    |         | 734010N01     | Spring washer              |           | 3    |
| 20    |         | 779.1.044.1A  | Screw                      |           | 2    |
| 21    |         | 0370.14.240   | Washer                     |           | 4    |
| 22    |         | 799.1.046.1A  | Outer spring               |           | 1    |
| 23    |         | 799.1.007.1A  | Spring                     |           | 1    |
| 24    |         | 556.1.008.1A  | Plate                      |           | 1    |
| 25    |         | 779.1.055.1A  | Screw                      |           | 1    |
| 26    |         | 0370.12.510   | Plate                      |           | 1    |
| 27    |         | 556.2.009.1AB | Side stand                 |           | 1    |

| NOTES | POS. N. | CODE NO.     | DESCRIPTION    | VALIDITY    | Q.TY |
|-------|---------|--------------|----------------|-------------|------|
|       | 28      | 832.1.001.1A | Pin            |             | 1    |
|       | 29      | 856.1.029.1A | Shim th. 1     |             | 2    |
|       | 30      | 539.4.003.1B | Switch         |             | 1    |
|       | 31      | 420.2.000.8A | Copper gasket  |             | 1    |
|       | 32      | 0603.07.160  | Spacer         |             | 2    |
|       | 33      | 0000.62728   | Screw          |             | 2    |
|       | 34      | 0000.62700   | Plate          |             | 1    |
|       | 35      | 0000.62726   | Screw          |             | 2    |
|       | 36      | 60N107335    | Screw          |             | 2    |
|       | 37      | 872.1.002.1A | Cap            |             | 3    |
|       | 38      | 872.1.008.1A | Cap            |             | 1    |
|       | 39      | 764.4.004.1A | Fairlead       |             | 1    |
|       | 40      | 60N102504    | Screw          |             | 2    |
|       | 41      | 821.1.040.1A | Pin            |             | 2    |
|       | 42      | 0000.61172   | Rubber         |             | 1    |
|       | 43      | 0000.48971   | Rubber pad     |             | 1    |
|       | 44      | 913.7.017.1E | Owner's manual | d m. 012263 | 1    |
|       |         |              |                | f m. 016055 |      |
|       | 44      | 913.7.017.1F | Owner's manual | f m. 016056 | 1    |
|       |         |              |                | f m. 021405 |      |
|       | 44      | 913.7.017.1G | Owner's manual | d m. 021406 | 1    |
|       |         |              |                | f m. 024036 |      |
|       | 44      | 913.7.017.1H | Owner's manual | d m. 024037 | 1    |
|       | 45      | 433.1.160.1A | Plate          |             | 1    |
|       | 46      | 529.4.001.1A | Cat's eye      |             | 2    |
|       | 47      | 829.1.071.1A | R.H. holder    |             | 1    |
|       | 48      | 829.1.072.1A | L.H. holder    |             | 1    |
|       | 49      | 0370.99.005  | Gasket         |             | 4    |
|       | 50      | 852.1.096.1A | Washer         |             | 1    |




| NOTES | POS. N. | CODE NO.      | DESCRIPTION                | VALIDITY | QTY | NOTES | POS. N. | CODE NO.     | DESCRIPTION         | VALIDITY    | QTY |
|-------|---------|---------------|----------------------------|----------|-----|-------|---------|--------------|---------------------|-------------|-----|
|       | 1       | 0691.37.020   | Special washer             |          | 1   |       | 28      | 561.1.007.1A | Number plate holder |             | 1   |
|       | 2       | 0691.91.010   | Bearing                    |          | 2   |       | 29      | 771.5.064.2B | Screw               |             | 4   |
|       | 3       | 470.1.018.2A  | Frame                      |          | 1   |       | 30      | 0603.07.160  | Spacer              |             | 2   |
|       | —       | 470.1.018.2AB | Frame                      |          | 1   |       | 31      | 0000.62728   | Screw               |             | 2   |
|       | 4       | 598.2.008.1A  | Locks kit                  |          | 1   |       | 32      | 0370.12.590  | Switch              |             | 1   |
|       | 5       | 779.1.001.1A  | Screw                      |          | 1   |       | 33      | 60N115079    | Nut                 |             | 2   |
|       | 6       | 729910FF1     | Nut                        |          | 1   |       | 34      | 0000.62700   | Plate               |             | 1   |
|       | 7       | 779.1.014.1A  | Screw                      |          | 1   |       | 35      | 0000.62726   | Screw               |             | 2   |
|       | 3       | 0000.44240    | Nut                        |          | 2   |       | 36      | 60N107335    | Screw               |             | 2   |
|       | 9       | 830.1.060.1A  | Bracket                    |          | 1   |       | 37      | 872.1.002.1A | Cap                 |             | 3   |
|       | 10      | 697.2.004.1A  | Tool bag                   |          | 1   |       | 38      | 872.1.008.1A | Cap                 |             | 1   |
|       | 11      | 470430        | Screw                      |          | 1   |       | 39      | 764.4.004.1A | Fairlead            |             | 1   |
|       | 12      | 734006N01     | Spring washer              |          | 4   |       | 40      | 60N102504    | Screw               |             | 2   |
|       | 13      | 598.4.005.1A  | Helmet lock                |          | 1   |       | 41      | 821.1.040.1A | Pin                 |             | 2   |
|       | 14      | 564.1.015.1AA | Front mudguard (RED)       |          | 1   |       | 42      | 0000.61172   | Rubber              |             | 1   |
|       | —       | 564.1.015.1AB | Front mudguard (BLACK)     |          | 1   |       | 43      | 0000.48971   | Rubber pad          |             | 1   |
|       | —       | 564.3.015.1A  | Front mudguard (unpainted) |          | 1   |       | 44      | 913.7.017.1B | Owner's manual      | f.m. 002305 | 1   |
|       | —       | 564.1.013.1AA | Front mudguard (CARBON)    | 900 SL   | 1   |       | —       | 913.7.017.1C | Owner's manual      | d.m. 002306 | 1   |
|       | 15      | 0000.56391    | Nylon washer               |          | 4   |       |         |              |                     | f.m. 006738 |     |
|       | —       | 0960.91.765   | Nylon gasket               | 900 SL   | 4   |       | 44      | 913.7.017.1D | Owner's manual      | d.m. 006739 | 1   |
|       | 16      | 00B0.55703    | Screw                      |          | 4   |       | 45      | 772.5.005.1A | Screw               | 900 SL      | 1   |
|       | —       | 0000.56525    | Screw                      | 900 SL   | 4   |       | 46      | 830.1.079.1A | Bracket             | 900 SL      | 1   |
|       | 17      | 806.1.008.1AA | Red handle                 | 900 SS   | 1   |       | 47      | 829.1.071.1A | R.H. holder         |             | 1   |
|       | —       | 806.1.008.1AB | Black handle               | 900 SS   | 1   |       | 48      | 829.1.072.1A | L.H. holder         |             | 1   |
|       | 18      | 734310N01     | Washer                     |          | 2   |       | 49      | 0370.99.005  | Gasket              |             | 4   |
|       | 19      | 734010N01     | Spring washer              |          | 3   |       | 50      | 529.4.001.1A | Cat's eye           |             | 2   |
|       | 20      | 779.1.044.1A  | Screw                      |          | 2   |       |         |              |                     |             |     |
|       | 21      | 0370.14.240   | Washer                     |          | 4   |       |         |              |                     |             |     |
|       | 22      | 799.1.046.1A  | Outer spring               |          | 1   |       |         |              |                     |             |     |
|       | 23      | 799.1.007.1A  | Spring                     |          | 1   |       |         |              |                     |             |     |
|       | 24      | 556.1.003.1B  | Plate                      |          | 1   |       |         |              |                     |             |     |
|       | 25      | 0370.12.523   | Pivot                      |          | 1   |       |         |              |                     |             |     |
|       | 26      | 0370.12.510   | Plate                      |          | 1   |       |         |              |                     |             |     |
|       | 27      | 556.1.007.1A  | Side stand                 |          | 1   |       |         |              |                     |             |     |





| NOTES | POS.<br>N.    | CODE NO.                              | DESCRIPTION                        | VALIDITY | Q.TY |
|-------|---------------|---------------------------------------|------------------------------------|----------|------|
|       | 1             | 0370.69.510                           | Gearchange lever                   |          | 1    |
| —     | 456.2.004.1A  | Gearchange lever (BLACK)              |                                    |          | 1    |
|       | 2             | 765.1.001.1A                          | Rubber pad                         |          | 1    |
|       | 3             | 0370.69.525                           | Bush                               |          | 1    |
|       | 4             | 852.1.049.1A                          | Washer                             |          | 1    |
|       | 5             | 821.1.056.1A                          | Pedal pin                          |          | 1    |
|       | 6             | 779.5.001.1A                          | Screw                              |          | 3    |
|       | 7             | 76401.0002                            | Ball joint                         |          | 1    |
|       | 8             | 763106N01                             | El-stop nut                        |          | 2    |
|       | 9             | 117.1.019.1A                          | Gearbox transmission rod           |          | 1    |
| —     | 117.1.019.1AA | Gearbox transmission rod (BLACK)      |                                    |          | 1    |
|       | 10            | 417.9.030.6A                          | Nut                                |          | 1    |
|       | 11            | 747.5.001.1A                          | L.H. nut                           |          | 1    |
| —     | 824.1.011.1A  | L.H. foot peg holder plate            |                                    |          | 1    |
|       | 12            | 824.1.011.1AA                         | L.H. foot peg holder plate (BLACK) |          | 1    |
|       | 13            | 76401.0003                            | Ball joint                         |          | 1    |
|       | 14            | 60N102555                             | Screw                              |          | 7    |
|       | 15            | 0404.02.390                           | Nut                                |          | 1    |
|       | 16            | 0370.69.850                           | Front L.H. foot peg, complete      |          | 1    |
| —     | 465.2.003.1AA | Front L.H. foot peg, complete (BLACK) |                                    |          | 1    |
|       | 17            | 0370.69.910                           | Spring                             |          | 2    |
|       | 18            | 0370.69.920                           | Pin                                |          | 4    |
|       | 19            | 73500.0827                            | Circlip                            |          | 4    |
|       | 20            | 0370.69.930                           | Plate                              |          | 4    |
|       | 21            | 0370.69.940                           | Foot peg rubber cover              |          | 4    |
|       | 22            | 777.5.002.1A                          | Screw                              |          | 8    |
|       | 23            | 60N102557                             | Screw                              |          | 1    |
|       | 24            | 824.1.010.1B                          | R.H. foot peg holder plate         |          | 1    |
| —     | 824.1.010.1BA | R.H. foot peg holder plate (BLACK)    |                                    |          | 1    |
|       | 25            | 0370.69.855                           | Front R.H. foot peg, complete      |          | 1    |
| —     | 465.2.004.1AA | Front R.H. foot peg, complete (BLACK) |                                    |          | 1    |
|       | 26            | 0370.69.020                           | Gearchange control lever           |          | 1    |
|       | 27            | 847.4.002.1A                          | Ball                               |          | 2    |
|       | 28            | 824.1.004.1A                          | Rear R.H. foot peg holder plate    |          | 1    |

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                             | VALIDITY | Q.TY |
|-------|------------|---------------|-----------------------------------------|----------|------|
|       | —          | 824.1.004.1AA | Rear R.H. foot peg holder plate (BLACK) |          | 1    |
|       | 29         | 824.1.005.1A  | Rear L.H. foot peg holder plate         |          | 1    |
|       | —          | 824.1.005.1AA | Rear L.H. foot peg holder plate (BLACK) |          | 1    |
|       | 30         | 0370.69.865   | Rear R.H. foot peg, complete            |          | 1    |
|       | —          | 465.2.002.1AA | Rear R.H. foot peg, complete (BLACK)    |          | 1    |
|       | 31         | 0370.69.860   | Rear L.H. foot peg, complete            |          | 1    |
|       | —          | 465.2.001.1AA | Rear L.H. foot peg, complete (BLACK)    |          | 1    |
|       | 32         | 0370.69.970   | Plate                                   |          | 2    |
|       | 33         | 827.1.045.1A  | Keep plate                              |          | 2    |
|       | 34         | 799.1.024.1A  | Spring                                  |          | 2    |




**DUCATI****GEARCHANGE LEVER - FOOT REST**

f.m. 002305

DRAWING

**28.a****SUPERSPORT  
900 U.S.A.**

| NOTES | POS<br>N. | CODE NO.     | DESCRIPTION                     | VALIDITY | QTY | NOTES | POS<br>N. | CODE NO.     | DESCRIPTION | VALIDITY | QTY |
|-------|-----------|--------------|---------------------------------|----------|-----|-------|-----------|--------------|-------------|----------|-----|
|       | 1         | 0370.69.510  | Gearchange lever                |          | 1   |       | 35        | 847.4.002.1A | Ball        |          | 2   |
|       | 2         | 765.1.001.1A | Rubber pad                      |          |     |       |           |              |             |          |     |
|       | 3         | 0370.69.525  | Bush                            |          |     |       |           |              |             |          |     |
|       | 4         | 852.1.049.1A | Washer                          |          |     |       |           |              |             |          |     |
|       | 5         | 0370.69.530  | Pedal pin                       |          | 1   |       |           |              |             |          |     |
|       | 6         | 779.5.001.1A | Screw                           |          | 2   |       |           |              |             |          |     |
|       | 7         | 76401.0002   | Ball joint                      |          |     |       |           |              |             |          |     |
|       | 8         | 763106N01    | El-stop nut                     |          | 2   |       |           |              |             |          |     |
|       | 9         | 117.1.019.1A | Gearbox transmission rod        |          |     |       |           |              |             |          |     |
|       | 10        | 417.9.030.6A | Nut                             |          |     |       |           |              |             |          |     |
|       | 11        | 717.5.001.1A | L.H. nut                        |          |     |       |           |              |             |          |     |
|       | 12        | 824.1.011.1A | L.H. foot peg holder plate      |          |     |       |           |              |             |          |     |
|       | 13        | 76401.0003   | Ball joint                      |          | 1   |       |           |              |             |          |     |
|       | 14        | 60N102555    | Screw                           |          | 7   |       |           |              |             |          |     |
|       | 15        | 0404.02.390  | Nut                             |          |     |       |           |              |             |          |     |
|       | 16        | 0370.69.850  | Front L.H. foot peg, complete   |          | 1   |       |           |              |             |          |     |
|       | 17        | 0370.69.910  | Spring                          |          | 2   |       |           |              |             |          |     |
|       | 18        | 0370.69.920  | Pin                             |          | 4   |       |           |              |             |          |     |
|       | 19        | 73500.0827   | Circlip                         |          | 4   |       |           |              |             |          |     |
|       | 20        | 0370.69.930  | Plate                           |          | 4   |       |           |              |             |          |     |
|       | 21        | 0370.69.940  | Foot peg rubber cover           |          | 4   |       |           |              |             |          |     |
|       | 22        | 777.5.002.1A | Screw                           |          | 8   |       |           |              |             |          |     |
|       | 23        | 60N102557    | Screw                           |          |     |       |           |              |             |          |     |
|       | 24        | 824.1.010.1A | R.H. foot peg holder plate      |          |     |       |           |              |             |          |     |
|       | 25        | 0370.69.855  | Front R.H. foot peg, complete   |          |     |       |           |              |             |          |     |
|       | 26        | 0370.69.020  | Gearchange control lever        |          |     |       |           |              |             |          |     |
|       | 27        | 779.5.001.1A | Screw                           |          |     |       |           |              |             |          |     |
|       | 28        | 824.1.005.1A | Rear L.H. foot peg holder plate |          |     |       |           |              |             |          |     |
|       | 29        | 824.1.004.1A | Rear R.H. foot peg holder plate |          |     |       |           |              |             |          |     |
|       | 30        | 0370.69.860  | Rear L.H. foot peg, complete    |          |     |       |           |              |             |          |     |
|       | 31        | 0370.69.865  | Rear R.H. foot peg, complete    |          | 1   |       |           |              |             |          |     |
|       | 32        | 0370.69.970  | Plate                           |          | 2   |       |           |              |             |          |     |
|       | 33        | 827.1.045.1A | Keep plate                      |          | 2   |       |           |              |             |          |     |
|       | 34        | 799.1.024.1A | Spring                          |          | 2   |       |           |              |             |          |     |




**DUCATI****GEARCHANGE LEVER - FOOT REST**

DRAWING

**28.SL****SUPERLIGHT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                   | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|-------------------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 0370.69.51U  | Gearchange lever              |          | 1    |       |            |          |             |          |      |
|       | 2          | 765.1.001.1A | Rubber pad                    |          | 1    |       |            |          |             |          |      |
|       | 3          | 0370.69.525  | Bush                          |          | 1    |       |            |          |             |          |      |
|       | 4          | 852.1.049.1A | Washer                        |          | 1    |       |            |          |             |          |      |
|       | 5          | 0370.69.530  | Pedal pin                     |          | 1    |       |            |          |             |          |      |
|       | 6          | 779.5.001.1A | Screw                         |          | 3    |       |            |          |             |          |      |
|       | 7          | 76401.0002   | Ball joint                    |          | 1    |       |            |          |             |          |      |
|       | 8          | 763106N01    | El-stop nut                   |          | 2    |       |            |          |             |          |      |
|       | 9          | 117.1.019.1A | Gearbox transmission rod      |          | 1    |       |            |          |             |          |      |
|       | 10         | 417.9.030.6A | Nut                           |          | 1    |       |            |          |             |          |      |
|       | 11         | 747.5.001.1A | L.H. nut                      |          | 1    |       |            |          |             |          |      |
|       | 12         | 824.1.011.1A | L.H. foot peg holder plate    |          | 1    |       |            |          |             |          |      |
|       | 13         | 76401.0003   | Ball joint                    |          | 1    |       |            |          |             |          |      |
|       | 14         | 60N102555    | Screw                         |          | 3    |       |            |          |             |          |      |
|       | 15         | 0404.02.390  | Nut                           |          | 1    |       |            |          |             |          |      |
|       | 16         | 0370.69.850  | Front L.H. foot peg, complete |          | 1    |       |            |          |             |          |      |
|       | 17         | 0370.69.910  | Spring                        |          | 2    |       |            |          |             |          |      |
|       | 18         | 0370.69.920  | Pin                           |          | 2    |       |            |          |             |          |      |
|       | 19         | 73500.0827   | Circlip                       |          | 2    |       |            |          |             |          |      |
|       | 20         | 0370.69.930  | Plate                         |          | 2    |       |            |          |             |          |      |
|       | 21         | 0370.69.940  | Foot peg rubber cover         |          | 2    |       |            |          |             |          |      |
|       | 22         | 60N102557    | Screw                         |          | 1    |       |            |          |             |          |      |
|       | 23         | 777.5.002.1A | Screw                         |          | 4    |       |            |          |             |          |      |
|       | 24         | 824.1.010.1B | R.H. foot peg holder plate    |          | 1    |       |            |          |             |          |      |
|       | 25         | 0370.69.855  | Front R.H. foot peg, complete |          | 1    |       |            |          |             |          |      |
|       | 26         | 0370.69.020  | Gearchange control lever      |          | 1    |       |            |          |             |          |      |
|       | 27         | 0000.61777   | Screw                         |          | 4    |       |            |          |             |          |      |
|       | 28         | 829.1.088.1A | L.H. bracket                  |          | 1    |       |            |          |             |          |      |
|       | 29         | 829.1.089.1A | R.H. bracket                  |          | 1    |       |            |          |             |          |      |




**DUCATI****REAR SUSPENSION - CHAIN - CHAIN COVER**

DRAWING

**29****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION               | VALIDITY    | Q.TY | NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION            | VALIDITY     | Q.TY |
|-------|------------|---------------|---------------------------|-------------|------|-------|------------|--------------|------------------------|--------------|------|
|       | 1          | 370.1.009.1B  | Swingarm                  | f.m. 012262 | 1    |       | —          | 565.1.013.1B | Rear mudguard (CARBON) | 900 SS SP    | 1    |
|       | —          | 370.1.009.2C  | Swingarm                  | 900 SS SP   | 1    |       | 29         | 0364.99.015  | Screw                  |              | 4    |
|       | 2          | 369.1.001.1A  | Swingarm pivot            | f.m. 016055 | 1    |       | 30         | 884.4.007.1A | Snap ring              | d m. 016056  | 2    |
|       | —          | 369.1.004.1A  | Swingarm pivot            | d.m. 016056 | 1    |       | 31         | 0000.56443   | Nut                    | 900 SL/SS SP | 1    |
|       | 3          | 852.1.001.1A  | Shim th. 1.8              |             | 2    |       | 32         | 819.1.009.1A | Rear wheel spindle     |              | 1    |
|       | —          | 852.1.002.1A  | Shim th. 0.2              |             | 1    |       | 33         | 740.1.008.1A | Nut                    |              | 2    |
|       | —          | 852.1.003.1A  | Shim th. 0.1              |             | 1    |       |            |              |                        |              |      |
|       | 4          | 60N102585     | Screw                     |             | 4    |       |            |              |                        |              |      |
|       | 6          | 0000.73456    | Clip                      |             | 1    |       |            |              |                        |              |      |
|       | 7          | 821.1.033.1B  | Locating pin              | 900 SS      | 1    |       |            |              |                        |              |      |
|       | 8          | 373.1.012.1A  | Sliding shoe              |             | 2    |       |            |              |                        |              |      |
|       | 9          | 446.1.001.1B  | Chain guard               |             | 1    |       |            |              |                        |              |      |
|       | 10         | 779.1.057.1B  | Screw                     |             | 2    |       |            |              |                        |              |      |
|       | 11         | 0670.92.190   | Shim th. 2                |             | 2    |       |            |              |                        |              |      |
|       | 12         | 417.9.030.8A  | Nut                       |             | 2    |       |            |              |                        |              |      |
|       | 13         | 60N102589     | Screw                     |             | 1    |       |            |              |                        |              |      |
|       | 14         | 0670.59.010   | Shim                      |             | 3    |       |            |              |                        |              |      |
|       | 15         | 763110N01     | El-stop nut               |             | 1    |       |            |              |                        |              |      |
|       | 16         | 734010N01     | Spring washer             |             | 1    |       |            |              |                        |              |      |
|       | 17         | 60N102587     | Screw                     |             | 1    |       |            |              |                        |              |      |
|       | 18         | 779.1.050.1A  | Screw                     |             | 1    |       |            |              |                        |              |      |
|       | 19         | 447.1.005.1BB | Chain sliding shoe (GREY) |             | 1    |       |            |              |                        |              |      |
|       | —          | 447.1.005.1B  | Chain sliding shoe        |             | 1    |       |            |              |                        |              |      |
|       | 20         | 93823.0128    | O-ring                    |             | 2    |       |            |              |                        |              |      |
|       | 21         | 0364.99.710   | Nylon gasket              |             | 4    |       |            |              |                        |              |      |
|       | 22         | 0364.99.015   | Screw                     |             | 2    |       |            |              |                        |              |      |
|       | 23         | 0000.69282    | Spacer                    |             | 1    |       |            |              |                        |              |      |
|       | 24         | 772.5.005.1A  | Screw                     |             | 1    |       |            |              |                        |              |      |
|       | 25         | 872.1.001.1A  | Cap                       | f.m. 016055 | 2    |       |            |              |                        |              |      |
|       | —          | 872.1.019.1A  | Cap                       | d.m. 016056 | 2    |       |            |              |                        |              |      |
|       | 26         | 779.1.009.1A  | Screw                     |             | 1    |       |            |              |                        |              |      |
|       | 27         | 433.1.108.1A  | Plate                     |             | 1    |       |            |              |                        |              |      |
|       | 28         | 565.1.011.1A  | Rear mudguard             |             | 1    |       |            |              |                        |              |      |
|       | —          | 565.1.013.1A  | Rear mudguard (CARBON)    | 900 SL      | 1    |       |            |              |                        |              |      |

**CR Version**



**DUCATI**


PEAR SUSPENSION - CHAIN - CHAIN COVER

**CR Version**

DRAWING

**29.a****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION        | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO.    | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|--------------------|----------|------|-------|------------|-------------|-------------|----------|------|
|       | 1          | 370.1.015.1A  | Swingarm           |          | 1    |       | 34         | 0670.77.320 | Washer      |          | 1    |
|       | 2          | 369.1.004.1A  | Swingarm pivot     |          | 1    |       |            |             |             |          |      |
|       | 3          | 852.1.001.1A  | Shim th. 1.8       |          | 2    |       |            |             |             |          |      |
| —     |            | 852.1.002.1A  | Shim th. 0.2       |          | 1    |       |            |             |             |          |      |
| —     |            | 852.1.003.1A  | Shim th. 0.1       |          | 1    |       |            |             |             |          |      |
|       | 4          | 60N102585     | Screw              |          | 2    |       |            |             |             |          |      |
|       | 6          | 0000.73456    | Clip               |          | 1    |       |            |             |             |          |      |
|       | 7          | 884.4.007.1A  | Snap ring          |          | 2    |       |            |             |             |          |      |
|       | 8          | 373.1.009.1A  | Sliding shoe       |          | 2    |       |            |             |             |          |      |
|       | 9          | 446.1.001.1A  | Chain guard        |          | 1    |       |            |             |             |          |      |
|       | 10         | 779.1.037.1A  | Screw              |          | 2    |       |            |             |             |          |      |
|       | 11         | 0670.92.190   | Shim th. 2         |          | 2    |       |            |             |             |          |      |
|       | 12         | 373.1.008.1A  | Cover              |          | 2    |       |            |             |             |          |      |
|       | 14         | 0670.59.010   | Shim               |          | 2    |       |            |             |             |          |      |
|       | 15         | 772.5.005.1A  | Screw              |          | 1    |       |            |             |             |          |      |
|       | 16         | 734010N01     | Spring washer      |          | 1    |       |            |             |             |          |      |
|       | 17         | 60N102587     | Screw              |          | 2    |       |            |             |             |          |      |
|       | 18         | 779.1.050.1A  | Screw              |          | 1    |       |            |             |             |          |      |
|       | 19         | 447.1.018.1B  | Chain sliding shoe |          | 1    |       |            |             |             |          |      |
| —     |            | 447.1.018.1BB | Chain sliding shoe |          | 1    |       |            |             |             |          |      |
|       | 20         | 93823.0128    | O-ring             | Showa    | 2    |       |            |             |             |          |      |
|       | 21         | 0364.99.710   | Nylon gasket       |          | 4    |       |            |             |             |          |      |
|       | 22         | 0364.99.015   | Screw              |          | 2    |       |            |             |             |          |      |
|       | 23         | 373.1.019.1A  | Plate              |          | 2    |       |            |             |             |          |      |
|       | 24         | 771.5.004.2B  | Screw              |          | 2    |       |            |             |             |          |      |
|       | 25         | 872.1.019.1A  | Cap                |          | 2    |       |            |             |             |          |      |
|       | 26         | 779.1.009.1A  | Screw              |          | 1    |       |            |             |             |          |      |
|       | 27         | 433.1.108.1A  | Plate              |          | 1    |       |            |             |             |          |      |
|       | 28         | 565.1.011.1A  | Rear mudguard      |          | 1    |       |            |             |             |          |      |
|       | 29         | 0364.99.015   | Screw              |          | 4    |       |            |             |             |          |      |
|       | 30         | 852.1.079.1A  | Washer             |          | 2    |       |            |             |             |          |      |
|       | 31         | 0000.69282    | Spacer             |          | 1    |       |            |             |             |          |      |
|       | 32         | 748.1.008.1A  | Nut                |          | 1    |       |            |             |             |          |      |
|       | 33         | 819.1.021.1A  | Rear wheel spindle |          | 1    |       |            |             |             |          |      |

**Showa**


**DUCATI****"SHOWA" REAR SUSPENSION**

DRAWING

**29.1****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION          | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|----------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 365.2.015.1A | Shock absorber       |          | 1    |       |            |          |             |          |      |
|       | 2          | 366.1.004.1A | Spring adjusting nut |          | 1    |       |            |          |             |          |      |
|       | 3          | 366.1.005.1A | Spring adjuster      |          | 1    |       |            |          |             |          |      |
|       | 4          | 366.1.003.1A | Spring               |          | 1    |       |            |          |             |          |      |
|       | 5          | 366.1.006.1A | Spring seat          |          | 1    |       |            |          |             |          |      |
|       | 6          | 366.1.007.1A | Spring seat retainer |          | 2    |       |            |          |             |          |      |

**BOGE**



|               |                        |                   |             |         |              |                                  |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|
| <b>DUCATI</b> | "BOGE" REAR SUSPENSION | <b>CR Version</b> | d.m. 021406 | DRAWING | <b>29.1a</b> | <b>SUPERSPORT<br/>900 U.S.A.</b> |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|

|               |                        |                   |             |         |              |                                  |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|
| <b>DUCATI</b> | "BOGE" REAR SUSPENSION | <b>CR Version</b> | d.m. 021406 | DRAWING | <b>29.1a</b> | <b>SUPERSPORT<br/>900 U.S.A.</b> |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|

|               |                        |                   |             |         |              |                                  |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|
| <b>DUCATI</b> | "BOGE" REAR SUSPENSION | <b>CR Version</b> | d.m. 021406 | DRAWING | <b>29.1a</b> | <b>SUPERSPORT<br/>900 U.S.A.</b> |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|

|               |                        |                   |             |         |              |                                  |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|
| <b>DUCATI</b> | "BOGE" REAR SUSPENSION | <b>CR Version</b> | d.m. 021406 | DRAWING | <b>29.1a</b> | <b>SUPERSPORT<br/>900 U.S.A.</b> |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|


|               |                        |                   |             |         |              |                                  |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|
| <b>DUCATI</b> | "BOGE" REAR SUSPENSION | <b>CR Version</b> | d.m. 021406 | DRAWING | <b>29.1a</b> | <b>SUPERSPORT<br/>900 U.S.A.</b> |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|

|               |                        |                   |             |         |              |                                  |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|
| <b>DUCATI</b> | "BOGE" REAR SUSPENSION | <b>CR Version</b> | d.m. 021406 | DRAWING | <b>29.1a</b> | <b>SUPERSPORT<br/>900 U.S.A.</b> |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|

|               |                        |                   |             |         |              |                                  |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|
| <b>DUCATI</b> | "BOGE" REAR SUSPENSION | <b>CR Version</b> | d.m. 021406 | DRAWING | <b>29.1a</b> | <b>SUPERSPORT<br/>900 U.S.A.</b> |
|---------------|------------------------|-------------------|-------------|---------|--------------|----------------------------------|

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION    | VALIDITY | Q.TY |
|-------|------------|--------------|----------------|----------|------|
|       | 1          | 366.1.020.1A | Ball joint     |          | 2    |
|       | 2          | 366.1.016.1A | Ring nut       |          | 1    |
|       | 3          | 366.1.017.1A | Ring nut       |          | 1    |
|       | 4          | 366.1.022.1A | Spring         |          | 1    |
|       | 5          | 366.1.019.1A | Spring seat    |          | 1    |
|       | 6          | 365.2.020.1A | Shock absorber |          | 1    |

| NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|----------|-------------|----------|------|
|       |            |          |             |          |      |



# DUCA TI

**AIR INDUCTION - OIL VENT**


DRAWING

30

**SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br># | CODE NO.     | DESCRIPTION          | VALIDITY    | Q.TY |
|-------|-----------|--------------|----------------------|-------------|------|
|       | 1         | 442.2.007.1A | Air box casing       |             | 1    |
|       | 2         | 0000.48971   | Rubber pad           |             | 1    |
|       | 3         | 246.1.046.1A | Filter case cover    |             | 1    |
|       | 4         | 760.1.003.1A | Hook                 |             | 4    |
|       | 5         | 74223.1045   | Spring pin           |             | 4    |
|       | 6         | 0370.98.610  | Filter element       |             | 1    |
|       | 7         | 135.1.008.1A | Air funnel           |             | 2    |
|       | 8         | 801.1.009.1A | Hose                 |             | 2    |
|       | 9         | 741.4.022.1A | Clamp                |             | 2    |
|       | 10        | 876.1.045.1A | Breather pipe        |             | 1    |
|       | 11        | 0000.62728   | Screw                | f.m. 017805 | 4    |
|       | —         | 0000.62728   | Screw                | d.m. 017806 | 3    |
|       | 12        | 0000.18153   | Spacer               |             | 4    |
|       | 13        | 0361.98.690  | Vibration damper pad |             | 4    |
|       | 14        | 585.1.008.2A | Oil breather tank    |             | 1    |
|       | 15        | 741.4.002.1A | Clamp                |             | 3    |
|       | 16        | 876.1.046.1B | Breather pipe        |             | 1    |
|       | 17        | 774.5 002.1A | Self-tapping screw   |             | 12   |
|       | 18        | 442.1.007.1A | Upper half-case      |             | 1    |
|       | 19        | 788.1.027.1A | Gasket               |             | 1    |
|       | 20        | 442.1.009.1A | Lower half-case      |             | 1    |
|       | 21        | 60N101079    | Screw                |             | 2    |
|       | 22        | 734006N01    | Spring washer        |             | 2    |
|       | 23        | 0670.72.010  | Washer               |             | 4    |
|       | 24        | 0000.62729   | Screw                | d.m. 017806 | 1    |
|       | 25        | 0370.38.850  | Plate                |             | 1    |

| NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|----------|-------------|----------|------|
|       |            |          |             |          |      |






**DUCATI**

OIL RADIATOR

DRAWING


**31****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION       | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|-------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 548.4.004.1A | Oil cooler        |          | 1    |       |            |          |             |          |      |
|       | 2          | 700.1.011.1A | Vibration damper  |          | 2    |       |            |          |             |          |      |
|       | 3          | 60N102504    | Screw             |          | 2    |       |            |          |             |          |      |
|       | 4          | 734406N01    | Washer            |          | 2    |       |            |          |             |          |      |
|       | 5          | 734006N01    | Spring washer     |          | 2    |       |            |          |             |          |      |
|       | 6          | 875.1.016.1A | Oil delivery pipe |          | 1    |       |            |          |             |          |      |
|       | 7          | 875.1.014.1A | Oil return pipe   |          | 1    |       |            |          |             |          |      |
|       | 8          | 815.1.005.1A | Nipple            |          | 4    |       |            |          |             |          |      |
|       | 9          | 220.2.017.6A | Aluminium gasket  |          | 2    |       |            |          |             |          |      |
|       | 10         | 779.1.021.1A | Screw             |          | 1    |       |            |          |             |          |      |
|       | 11         | 0150.92.280  | Gasket            |          | 1    |       |            |          |             |          |      |
|       | 12         | 420.2.006.4A | Aluminium gasket  |          | 2    |       |            |          |             |          |      |



| NOTES | POS. N.      | CODE NO.         | DESCRIPTION           | VALIDITY    | Q.TY |
|-------|--------------|------------------|-----------------------|-------------|------|
|       | 1            | 586.1.008.3AA    | Fuel tank (RED)       | f.m. 006738 | 1    |
| —     | —            | 586.1.008.3AB    | Fuel tank (BLACK)     | f.m. 006738 | 1    |
| —     | —            | 586.1.008.3AC    | Fuel tank (YELLOW)    | f.m. 006738 | 1    |
| —     | —            | 586.1.008.3BA    | Fuel tank (RED)       | d.m. 006739 | 1    |
| —     | —            | 586.1.008.3CA    | Fuel tank (YELLOW)    | d.m. 006739 | 1    |
| —     | —            | 586.1.008.0C     | Fuel tank (unpainted) |             | 1    |
| 2     | 779.5.007.1A | Screw            |                       |             | 8    |
| 3     | 895.4.002.1A | Tank cap         |                       |             | 1    |
| 4     | 160.1.016.1A | Cap ring nut     |                       |             | 1    |
| 5     | 741.4.037.1A | Clamp            |                       |             | 4    |
| 6     | 0370.99.850  | Sticker "DUCATI" | f.m. 006738           |             | 2    |
| —     | 435.1.010.1A | Sticker "DUCATI" | d.m. 006739           |             | 2    |
| 7     | 866.1.011.1A | Pad              |                       |             | 2    |
| 8     | 771.5.045.7E | Screw            |                       |             | 3    |
| 9     | 770.5.118.2B | Screw            |                       |             | 1    |
| 10    | 0150.92.28J  | Gasket           |                       |             | 1    |
| 11    | 760.4.001.2A | Hook             |                       |             | 1    |
| 12    | 70740.4808   | Screw            |                       |             | 2    |
| 13    | 712.1.013.1A | Bush             |                       |             | 2    |
| 14    | 00A0.62672   | Bracket          |                       |             | 1    |
| 15    | 425.4.003.1A | Fuel filter      |                       |             | 1    |
| 16    | 430.4.002.1A | Fuel pump        |                       |             | 1    |
| 17    | 829.1.021.2A | Holder           |                       |             | 1    |
| 18    | 00C0.05893   | Shim             |                       |             | 2    |
| 19    | 590.1.045.1A | Filter/pump pipe |                       |             | 1    |
| 20    | 425.4.002.1A | Fuel filter      |                       |             | 1    |
| 21    | 853.4.001.1A | Spring washer    |                       |             | 2    |
| 22    | 750.4.001.1A | Nut              |                       |             | 2    |
| 23    | 592.1.005.1A | Fuel level gauge |                       |             | 1    |
| 24    | 789.1.001.1A | Gasket           |                       |             | 1    |
| 25    | 590.1.046.1A | Breather pipe    |                       |             | 1    |
| 26    | 821.1.028.1B | Pin              |                       |             | 1    |
| 27    | 0000.62705   | Split pin        |                       |             | 1    |
| 28    | 0000.62725   | Screw            |                       |             | 3    |

| NOTES | POS. N. | CODE NO.     | DESCRIPTION                  | VALIDITY | Q.TY |
|-------|---------|--------------|------------------------------|----------|------|
|       | 29      | 588.4.005.1A | Fuel cock                    |          | 1    |
|       | 30      | 590.2.011.1A | Fuel pipe                    |          | 1    |
|       | 31      | 0000.67454   | Sticker "agip formula moto"  |          | 1    |
|       | 32      | 132.1.006.1B | Jet                          |          | 1    |
|       | 33      | 0361.83.060  | Union                        |          | 1    |
|       | 34      | 741.4.001.1A | Clamp                        |          | 4    |
|       | 35      | 886.4.011.1A | O-Ring                       |          | 1    |
|       | 36      | 433.1.044.1B | Label                        |          | 1    |
|       | 37      | 590.1.033.1A | Filter/fuel tank outlet pipe |          | 1    |
|       | 38      | 741.4.008.1A | Clamp                        |          | 2    |
|       | 39      | 60N102505    | Screw                        |          | 4    |
|       | 40      | 590.1.043.1A | Tube                         |          | 1    |
|       | 41      | 593.2.004.1A | Breather valve               |          | 1    |
|       | 42      | 590.1.044.1A | Breather pipe                |          | 1    |
|       | 43      | 590.1.027.1A | Tube                         |          | 1    |
|       | 44      | 764.1.010.1A | Rubber pad                   |          | 1    |
|       | 45      | 117.1.017.1A | Rod                          |          | 1    |
|       | 46      | 712.1.009.1A | Bush                         |          | 1    |
|       | 47      | 850.4.012.1A | Quick fastening              |          | 1    |
|       | 48      | 791.1.015.1A | Gasket                       |          | 1    |
|       | 49      | 764.1.009.1A | Valve seal                   |          | 1    |
|       | 50      | 435.1.009.1A | Sticker "made in italy"      |          | 1    |
|       | 51      | 741.4.040.1A | Clamp "M"                    |          | 1    |
|       | 52      | 741.4.041.1A | Clamp "R"                    |          | 2    |
|       | 53      | 741.4.004.1A | Clamp                        |          | 1    |
|       | 54      | 486.1.031.1A | L.H. side panel              |          | 1    |
|       | 55      | 486.1.029.1A | Panel                        |          | 1    |
|       | 56      | 486.1.030.1A | R.H. side panel              |          | 1    |




**DUCAATI****SEAT**

d.m. 012263

DRAWING

**33****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                              | VALIDITY  | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|---------------|------------------------------------------|-----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 595.1.013.1C  | Black seat padding                       |           | 1    |       |            |          |             |          |      |
|       | 2          | 247.1.091.1AA | Red cover                                |           | 1    |       |            |          |             |          |      |
|       | —          | 247.1.091.1AB | Yellow cover                             | 900 SS SP | 1    |       |            |          |             |          |      |
|       | —          | 247.3.091.1A  | Cover (unpainted)                        |           | 1    |       |            |          |             |          |      |
|       | 3          | 598.4.012.1A  | Seat lock                                |           | 1    |       |            |          |             |          |      |
|       | 4          | 852.5.001.1A  | Washer                                   |           | 4    |       |            |          |             |          |      |
|       | 5          | 770.5.017.2B  | Screw                                    |           | 4    |       |            |          |             |          |      |
|       | 6          | 850.4.013.1A  | Threaded insert                          |           | 4    |       |            |          |             |          |      |
|       | 7          | 0670.72.010   | Washer                                   |           | 2    |       |            |          |             |          |      |
|       | 8          | 771.5.064.2B  | Screw                                    |           | 2    |       |            |          |             |          |      |
|       | 9          | 482.1.009.2BA | R.H. body panel (RED)                    |           | 1    |       |            |          |             |          |      |
|       | —          | 482.1.009.2BB | R.H. body panel (YELLOW)                 | 900 SS SP | 1    |       |            |          |             |          |      |
|       | 10         | 436.1.011.1A  | Sticker                                  |           | 2    |       |            |          |             |          |      |
|       | 11         | 770.0182      | Rubber pad                               |           | 2    |       |            |          |             |          |      |
|       | 12         | 482.1.010.2BA | L.H. body panel (RED)                    |           | 1    |       |            |          |             |          |      |
|       | —          | 482.1.010.2BB | L.H. body panel (YELLOW)                 | 900 SS SP | 1    |       |            |          |             |          |      |
|       | 13         | 777.5.036.2B  | Screw                                    |           | 2    |       |            |          |             |          |      |
|       | 14         | 779.5.001.1A  | Screw                                    |           | 4    |       |            |          |             |          |      |
|       | 15         | 841.1.001.1C  | Retainer                                 |           | 4    |       |            |          |             |          |      |
|       | 16         | 0364.99.020   | Bush                                     |           | 4    |       |            |          |             |          |      |
|       | 17         | 734006N01     | Spring washer                            |           | 2    |       |            |          |             |          |      |
|       | 18         | 829.1.131.1A  | Holder                                   |           | 1    |       |            |          |             |          |      |
|       | 19         | 830.1.114.1A  | Hook                                     |           | 1    |       |            |          |             |          |      |
|       | 20         | 732.2.003.1A  | Lock latch                               |           | 1    |       |            |          |             |          |      |
|       | 21         | 70780.6516    | Screw                                    |           | 2    |       |            |          |             |          |      |
|       | 22         | 866.1.010.1A  | Rubber pad                               |           | 1    |       |            |          |             |          |      |
|       | 23         | 595.1.018.1AA | Cover for pillion rider seat (RED)       |           | 1    |       |            |          |             |          |      |
|       | —          | 595.1.018.1AC | Cover for pillion rider seat (YELLOW)    | 900 SS SP | 1    |       |            |          |             |          |      |
|       | —          | 595.3.018.1A  | Cover for pillion rider seat (unpainted) |           | 1    |       |            |          |             |          |      |
|       | 24         | 438.1.028.1A  | Plate                                    |           | 1    |       |            |          |             |          |      |
|       | 25         | 482.3.010.1A  | L.H. body panel (unpainted)              |           | 1    |       |            |          |             |          |      |
|       | 26         | 482.3.009.1A  | R.H. body panel (unpainted)              |           | 1    |       |            |          |             |          |      |



**DUCATI**

SEAT


f.m. 012262

DRAWING

**33.a****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION             | VALIDITY    | Q.TY |
|-------|------------|---------------|-------------------------|-------------|------|
|       | 1          | 595.1.013.1B  | Black seat padding      |             | 1    |
|       | 2          | 247.1.060.1AA | Red cover               |             | 1    |
|       | —          | 247.1.060.1AB | Black cover             |             | 1    |
|       | —          | 247.3.060.1A  | Cover (unpainted)       |             | 1    |
|       | 3          | 598.4.006.1A  | Seat lock               |             | 1    |
|       | 4          | 852.5.001.1A  | Washer                  |             | 2    |
|       | 5          | 770.5.017.2B  | Screw                   |             | 2    |
|       | 6          | 850.4.013.1A  | Threaded insert         |             | 2    |
|       | 7          | 0670.72.010   | Washer                  |             | 2    |
|       | 8          | 60N102504     | Screw                   |             | 2    |
|       | 9          | 482.1.009.2BA | R.H. body panel (RED)   | d.m. 006739 | 1    |
|       | 10         | 436.1.011.1A  | Sticker                 | d.m. 006739 | 2    |
|       | 11         | 300182        | Rubber pad              |             | 2    |
|       | 12         | 482.1.010.2BA | L.H. body panel (RED)   | d.m. 006739 | 1    |
|       | 13         | 60N101077     | Screw                   |             | 2    |
|       | 14         | 779.5.001.1A  | Screw                   |             | 4    |
|       | 15         | 841.1.001.1B  | Retainer                | f.m. 006738 | 4    |
|       | —          | 841.1.001.1C  | Retainer                | d.m. 006739 | 4    |
|       | 16         | 0364.99.020   | Bush                    |             | 4    |
|       | 17         | 734006N01     | Spring washer           |             | 2    |
|       | 18         | 599.2.004.1A  | Lock latch              |             | 1    |
|       | 19         | 830.1.064.1A  | Bracket                 |             | 1    |
|       | 20         | 734306N01     | Washer                  |             | 2    |
|       | 21         | 482.1.009.1AA | R.H. body panel (RED)   | f.m. 006738 | 1    |
|       | —          | 482.1.009.1AB | R.H. body panel (BLACK) | f.m. 006738 | 1    |
|       | 22         | 438.1.011.1B  | Sticker "900SS"         | f.m. 006738 | 2    |
|       | 23         | 482.1.010.1AA | L.H. body panel (RED)   | f.m. 006738 | 1    |
|       | —          | 482.1.010.1AB | L.H. body panel (BLACK) | f.m. 006738 | 1    |
|       | 24         | 482.1.009.1BA | R.H. body panel (RED)   | f.m. 006738 | 1    |
|       | —          | 482.1.009.1BB | R.H. body panel (BLACK) | f.m. 006738 | 1    |
|       | 25         | 438.1.030.1A  | Sticker "Supersport"    | f.m. 006738 | 2    |
|       | 26         | 482.1.010.1BA | L.H. body panel (RED)   | f.m. 006738 | 1    |
|       | —          | 482.1.010.1BB | L.H. body panel (BLACK) | f.m. 006738 | 1    |
|       | 27         | 866.1.010.1A  | Rubber pad              |             | 1    |

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                              | VALIDITY | Q.TY |
|-------|------------|---------------|------------------------------------------|----------|------|
|       | 28         | 595.1.018.1AA | Cover for pillion rider seat (RED)       |          | 1    |
|       | —          | 595.1.018.1AB | Cover for pillion rider seat (BLACK)     |          | 1    |
|       | —          | 595.3.018.1A  | Cover for pillion rider seat (unpainted) |          | 1    |
|       | 29         | 438.1.028.1A  | Plate                                    |          | 1    |
|       | 30         | 482.3.010.1A  | L.H. body panel (unpainted)              |          | 1    |
|       | 31         | 482.3.009.1A  | R.H. body panel (unpainted)              |          | 1    |





# **DUCATI**

**SINGLE - SEAT**


DRAWING

**33.SL**

**SUPERLIGHT**  
**900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION           | VALIDITY | Q.TY |
|-------|------------|---------------|-----------------------|----------|------|
|       | 1          | 483.1.018.1AB | Seat (YELLOW)         |          | 1    |
|       | —          | 483.1.018.1AA | Seat (RED)            |          | 1    |
|       | 2          | 437.1.040.1B  | R.H. number holder    |          | 1    |
|       | 3          | 437.1.041.1B  | L.H. number holder    |          | 1    |
|       | 4          | 437.1.042.1A  | R.H. sticker          |          | 1    |
|       | 5          | 437.1.043.1A  | L.H. sticker          |          | 1    |
|       | 6          | 595.2.022.1B  | Complete seat padding |          | 1    |
|       | 7          | 830.1.076.1A  | Bracket               |          | 2    |
|       | 8          | 866.1.013.1A  | Rubber pad            |          | 2    |
|       | 9          | 0000.62725    | Screw                 |          | 4    |
|       | 10         | 779.5.001.1A  | Screw                 |          | 4    |
|       | 11         | 841.1.001.1B  | Retainer              |          | 4    |
|       | 12         | 0364.99.020   | Bush                  |          | 4    |
|       | 13         | 852.5.003.1A  | Washer                |          | 6    |
|       | 14         | 0000.62726    | Screw                 |          | 6    |
|       | 15         | 830.1.126.1A  | Bracket               |          | 2    |
|       | 16         | 866.1.011.1A  | Pad                   |          | 2    |
|       | 17         | 60N102505     | Screw                 |          | 4    |
|       | 18         | 483.3.018.1A  | Seat (unpainted)      |          | 1    |

| NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|----------|-------------|----------|------|
|       |            |          |             |          |      |




**DUCATI****HALF-FAIRING**

DRAWING

**34****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                   | VALIDITY    | Q.TY |
|-------|------------|---------------|-------------------------------|-------------|------|
|       | 1          | 481.1.004.1AA | Headlight fairing (RED)       | f.m. 006738 | 1    |
| —     |            | 481.1.004.1AB | Headlight fairing (BLACK)     | f.m. 006738 | 1    |
| —     |            | 481.1.004.1BA | Headlight fairing (RED)       | d.m. 006739 | 1    |
| —     |            | 481.3.004.1A  | Headlight fairing (unpainted) |             | 1    |
| 2     |            | 0370.85.510   | Sticker "DUCATI"              | f.m. 006738 | 1    |
| —     |            | 434.1.001.1A  | Sticker "DUCATI"              | d.m. 006739 | 1    |
| 3     |            | 779.1.089.1A  | Screw                         |             | 4    |
| 4     |            | 856.1.040.1A  | Gasket                        |             | 4    |
| 5     |            | 0364.99.020   | Bush                          |             | 8    |
| 6     |            | 460.1.023.1A  | Protection                    |             | 1    |
| 7     |            | 72237.1120    | Screw                         |             | 2    |
| 8     |            | 487.1.003.1A  | Windshield                    | f.m. 016055 | 1    |
| —     |            | 487.1.012.1A  | Windshield                    | d.m. 016056 | 1    |
| 9     |            | 779.1.050.1A  | Screw                         | f.m. 006738 | 6    |
| —     |            | 779.1.088.1A  | Screw                         | d.m. 006739 | 6    |
| 10    |            | 0000.63161    | Washer                        |             | 10   |
| 11    |            | 0000.63150    | Insert                        |             | 10   |
| 12    |            | 523.4.001.1A  | Rear-view mirror (RED)        |             | 2    |
| —     |            | 523.4.001.1AB | Rear-view mirror (BLACK)      |             | 2    |
| 13    |            | 72276.1316    | Screw                         |             | 4    |
| 14    |            | 480.1.068.1AA | R.H. half-fairing (RED)       | d.m. 006739 | 1    |
| 15    |            | 850.4.009.1A  | Quick fastening               |             | 2    |
| 16    |            | 530.4.002.1A  | L.H. turn indicator           |             | 1    |
| 17    |            | 530.4.001.1A  | R.H. turn indicator           |             | 1    |
| 18    |            | 72276.1031    | Screw                         | f.m. 006738 | 2    |
| —     |            | 775.1.003.1A  | Screw                         | d.m. 006739 | 2    |
| 19    |            | 841.1.001.1B  | Retainer                      | f.m. 006738 | 4    |
| —     |            | 841.1.001.1C  | Retainer                      | d.m. 006739 | 4    |
| 20    |            | 779.5.001.1A  | Screw                         |             | 4    |
| 21    |            | 827.1.061.1A  | Plate                         |             | 2    |
| 22    |            | 480.1.067.1AA | L.H. half-fairing (RED)       | d.m. 006739 | 1    |
| 23    |            | 830.1.063.1A  | Bracket                       |             | 2    |
| 24    |            | 60N101077     | Screw                         |             | 2    |
| 25    |            | 0795.03.420   | Bulb                          |             | 2    |

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                     | VALIDITY    | Q.TY |
|-------|------------|---------------|---------------------------------|-------------|------|
|       | 26         | 437.1.076.1A  | L.H. sticker "Supersport"       | d.m. 006739 | 1    |
|       | 27         | 484.1.011.1A  | Panel                           |             | 1    |
|       | 28         | 791.1.011.1B  | Headlight gasket                |             | 1    |
|       | 29         | 707006N01     | Screw                           |             | 4    |
|       | 30         | 734006N01     | Spring washer                   |             | 2    |
|       | 31         | 734406N01     | Washer                          |             | 2    |
|       | 32         | 852.4.005.1A  | Washer                          |             | 4    |
|       | 33         | 0675.91.080   | Cap                             |             | 1    |
|       | 34         | 437.1.075.1A  | R.H. Sticker "Supersport"       | d.m. 006739 | 1    |
|       | 35         | 437.1.051.1B  | Sticker "900"                   | d.m. 006739 | 2    |
|       | 36         | 480.1.005.1AA | L.H. half-fairing (RED)         | f.m. 006738 | 1    |
| —     |            | 480.1.005.1AB | L.H. half-fairing (BLACK)       | f.m. 006738 | 1    |
|       | 37         | 0670.85.796   | Sticker "DESMO"                 | f.m. 006738 | 2    |
|       | 38         | 480.1.006.1AA | R.H. half-fairing (RED)         | f.m. 006738 | 1    |
| —     |            | 480.1.006.1AB | R.H. half-fairing (BLACK)       | f.m. 006738 | 1    |
|       | 39         | 433.1.126.1A  | Sticker "Campione del mondo"    | f.m. 006738 | 1    |
|       | 40         | 480.1.005.0DA | L.H. half-fairing (not painted) |             | 1    |
|       | 41         | 480.1.006.0DA | R.H. half-fairing (not painted) |             | 1    |



**DUCATI**

FAIRING


d.m. 024037

DRAWING

**34.1****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                   | VALIDITY | Q.TY |
|-------|------------|---------------|-------------------------------|----------|------|
|       | 1          | 481.1.004.1BA | Headlight fairing (RED)       |          | 1    |
|       | —          | 481.3.004.1A  | Headlight fairing (unpainted) |          | 1    |
|       | 2          | 434.1.001.1A  | Sticker "DUCATI"              |          | 1    |
|       | 3          | 779.1.089.1A  | Screw                         |          | 4    |
|       | 4          | 856.1.040.1A  | Gasket                        |          | 4    |
|       | 5          | 0364.99.020   | Bush                          |          | 12   |
|       | 6          | 460.1.023.1A  | Protection                    |          | 1    |
|       | 7          | 72237.1120    | Screw                         |          | 2    |
|       | 8          | 487.1.003.1A  | Windshield                    |          | 1    |
|       | 9          | 779.1.088.1A  | Screw                         |          | 10   |
|       | 10         | 0000.63161    | Washer                        |          | 10   |
|       | 11         | 0000.63150    | Insert                        |          | 6    |
|       | 12         | 523.4.001.1AB | Rear-view mirror (BLACK)      |          | 2    |
|       | 13         | 779.5.003.1A  | Screw                         |          | 2    |
|       | 14         | 480.1.066.1AA | R.H. fairing (RED)            |          | 1    |
|       | 15         | 850.4.009.1A  | Quick fastening               |          | 2    |
|       | 16         | 530.4.002.1A  | Turn indicator                |          | 1    |
|       | 17         | 530.4.001.1A  | Turn indicator                |          | 1    |
|       | 18         | 775.1.003.1A  | Screw                         |          | 2    |
|       | 19         | 841.1.001.1C  | Retainer                      |          | 4    |
|       | 20         | 779.5.001.1A  | Screw                         |          | 8    |
|       | 21         | 827.1.061.1A  | Plate                         |          | 4    |
|       | 22         | 480.1.065.1AA | R.H. fairing (RED)            |          | 1    |
|       | 23         | 827.1.058.1A  | Holder                        |          | 2    |
|       | 24         | 771.5.064.2B  | Screw                         |          | 2    |
|       | 25         | 0795.03.420   | Bulb                          |          | 1    |
|       | 26         | 437.1.083.1A  | L.H. sticker "DUCATI"         |          | 1    |
|       | 27         | 684.1.003.2A  | R.H. Stud bolt                |          | 1    |
|       | 28         | 684.1.004.2A  | L.H. Stud bolt                |          | 1    |
|       | 29         | 437.1.084.1A  | R.H. sticker "DUCATI"         |          | 1    |
|       | 30         | 713.1.065.1A  | Spacer                        |          | 2    |
|       | 31         | 827.1.012.1A  | Bent plate                    |          | 2    |
|       | 32         | 0675.91.080   | Cap                           |          | 1    |
|       | 33         | 791.1.011.1B  | Headlight gasket              |          | 1    |

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                | VALIDITY | Q.TY |
|-------|------------|---------------|----------------------------|----------|------|
|       | 34         | 0000.17847    | Rubber hose                |          | 2    |
|       | 35         | 0364.99.710   | Nylon gasket               |          | 4    |
|       | 36         | 480.1.018.0AA | L.H. fairing (not painted) |          | 1    |
|       | 37         | 437.1.091.1A  | L.H. sticker "Supersport"  |          | 1    |
|       | 38         | 437.1.092.1A  | R.H. Sticker "Supersport"  |          | 1    |
|       | 39         | 480.1.019.0AA | R.H. fairing (not painted) |          | 1    |
|       | 40         | 484.1.028.1A  | R.H. air manifold          |          | 1    |
|       | 41         | 850.4.020.1A  | Threaded insert            |          | 4    |
|       | 42         | 484.1.027.1A  | L.H. air manifold          |          | 1    |



**DUCATI****FAIRING**


f.m. 024036

DRAWING

**34.1a****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                   | VALIDITY    | Q.TY |
|-------|------------|---------------|-------------------------------|-------------|------|
|       | 1          | 481.1.004.1AA | Headlight fairing (RED)       | f.m. 006738 | 1    |
| —     |            | 481.1.004.1AB | Headlight fairing (BLACK)     | f.m. 006738 | 1    |
| —     |            | 481.1.004.1BA | Headlight fairing (RED)       | d.m. 006739 | 1    |
| —     |            | 481.1.004.1CA | Headlight fairing (YELLOW)    | 900 SS SP   | 1    |
| —     |            | 481.3.004.1A  | Headlight fairing (unpainted) |             | 1    |
| 2     |            | 0370.85.510   | Sticker "DUCATI"              | f.m. 006738 | 1    |
| —     |            | 434.1.001.1A  | Sticker "DUCATI"              | d.m. 006739 | 1    |
| 3     |            | 0370.99.013   | Screw                         | f.m. 006738 | 8    |
| —     |            | 779.1.089.1A  | Screw                         | d.m. 006739 | 8    |
| 4     |            | 0364.99.710   | Nylon gasket                  | f.m. 006738 | 8    |
| —     |            | 856.1.040.1A  | Gasket                        | d.m. 006739 | 8    |
| 5     |            | 0364.99.020   | Bush                          |             | 12   |
| 6     |            | 460.1.023.1A  | Protection                    |             | 1    |
| 7     |            | 72237.1120    | Screw                         |             | 2    |
| 8     |            | 487.1.003.1A  | Windshield                    | f.m. 016055 | 1    |
| —     |            | 487.1.012.1A  | Windshield                    | d.m. 016056 | 1    |
| 9     |            | 779.1.050.1A  | Screw                         | f.m. 006738 | 6    |
| —     |            | 779.1.088.1A  | Screw                         | d.m. 006739 | 6    |
| 10    |            | 0000.63161    | Washer                        |             | 10   |
| 11    |            | 0000.63150    | Insert                        |             | 10   |
| 12    |            | 523.4.001.1A  | Rear-view mirror (RED)        |             | 2    |
| —     |            | 523.4.001.1AB | Rear-view mirror (BLACK)      |             | 2    |
| 13    |            | 779.5.003.1A  | Screw                         |             | 2    |
| 14    |            | 480.1.017.1BA | R.H. fairing (RED)            | d.m. 006739 | 1    |
| —     |            | 480.1.032.1BB | R.H. fairing (YELLOW)         | 900 SS SP   | 1    |
| 15    |            | 850.4.009.1A  | Quick fastening               |             | 2    |
| 16    |            | 530.4.002.1A  | Turn indicator                |             | 1    |
| 17    |            | 530.4.001.1A  | Turn indicator                |             | 1    |
| 18    |            | 72276.1031    | Screw                         | f.m. 006738 | 2    |
| —     |            | 775.1.003.1A  | Screw                         | d.m. 006739 | 2    |
| 19    |            | 841.1.001.1B  | Retainer                      | f.m. 006738 | 4    |
| —     |            | 841.1.001.1C  | Retainer                      | d.m. 006739 | 4    |
| 20    |            | 779.5.001.1A  | Screw                         |             | 4    |
| 21    |            | 827.1.061.1A  | Plate                         |             | 2    |
| 22    |            | 480.1.016.1BA | R.H. fairing (RED)            | d.m. 006739 | 1    |
| —     |            | 480.1.031.1BB | L.H. fairing (YELLOW)         | 900 SS SP   | 1    |

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                  | VALIDITY    | Q.TY |
|-------|------------|---------------|------------------------------|-------------|------|
|       | 23         | 827.1.058.1A  | Holder                       |             | 2    |
|       | 24         | 771.5.064.2B  | Screw                        |             | 2    |
|       | 25         | 0795.03.420   | Bulb                         |             | 2    |
|       | 26         | 437.1.074.1A  | L.H. stickc. "Supersport"    | d.m. 006739 | 1    |
|       | 27         | 734006N01     | Spring washer                |             | 2    |
|       | 28         | 734406N01     | Washer                       |             | 2    |
|       | 29         | 437.1.073.1A  | Sticker "Supersport"         | d.m. 006739 | 1    |
|       | 30         | 713.1.065.1A  | Spacer                       |             | 2    |
|       | 31         | 827.1.012.1A  | Bent plate                   |             | 2    |
|       | 32         | 0675.91.080   | Cap                          |             | 1    |
|       | 33         | 791.1.011.1B  | Headlight gasket             |             | 1    |
|       | 34         | 0000.17847    | Rubber hose                  |             | 2    |
|       | 35         | 684.1.003.1A  | R.H. spacer                  |             | 1    |
|       | 36         | 684.1.004.1A  | L.H. spacer                  |             | 1    |
|       | 37         | 437.1.045.1B  | Sticker "900"                | d.m. 006739 | 2    |
|       | 38         | 480.1.016.1AA | R.H. fairing (RED)           | f.m. 002305 | 1    |
|       | 39         | 480.1.017.1AA | R.H. fairing (RED)           | f.m. 002305 | 1    |
|       | 40         | 438.1.010.1A  | Sticker "DUCATI"             | f.m. 006738 | 2    |
|       | 41         | 0670.85.796   | Sticker "DESMO"              | f.m. 006738 | 2    |
|       | 42         | 438.1.024.1A  | L.H. sticker                 | d.m. 002306 | 1    |
|       |            |               |                              | f.m. 006738 |      |
|       | 43         | 438.1.023.1A  | R.H. sticker                 | d.m. 002306 | 1    |
|       |            |               |                              | f.m. 006738 |      |
|       | 44         | 480.1.016.1AB | R.H. fairing (RED)           | d.m. 002306 | 1    |
|       |            |               |                              | f.m. 006738 |      |
|       | 44         | 480.1.016.1AC | L.H. fairing (BLACK)         | d.m. 002306 | 1    |
|       |            |               |                              | f.m. 006738 |      |
|       | 45         | 480.1.017.1AB | R.H. fairing (RED)           | d.m. 002306 | 1    |
|       |            |               |                              | f.m. 006738 |      |
|       | 45         | 480.1.017.1AC | R.H. fairing (BLACK)         | d.m. 002306 | 1    |
|       |            |               |                              | f.m. 006738 |      |
|       | 46         | 433.1.126.1A  | Sticker "Campione del mondo" | f.m. 006738 | 1    |
|       | 47         | 486.1.027.1A  | R.H. side panel              |             | 1    |
|       | 48         | 486.1.028.1A  | L.H. side panel              |             | 1    |
|       | 49         | 480.3.016.1B  | L.H. fairing (not painted)   |             | 1    |
|       | 50         | 480.3.017.1A  | R.H. fairing (not painted)   |             | 1    |






**DUCATI****FAIRING**

DRAWING

**34.SL****SUPERLIGHT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.      | DESCRIPTION                   | VALIDITY | Q.TY |
|-------|------------|---------------|-------------------------------|----------|------|
|       | 1          | 481.1.004.1AA | Headlight fairing (RED)       |          | 1    |
|       | —          | 481.1.004.1AC | Headlight fairing (YELLOW)    |          | 1    |
|       | —          | 481.3.004.1A  | Headlight fairing (unpainted) |          | 1    |
|       | 2          | 0370.85.510   | Sticker "DUCATI"              |          | 1    |
|       | 3          | 0370.99.013   | Screw                         |          | 8    |
|       | 4          | 0364.99.710   | Nylon gasket                  |          | 8    |
|       | 5          | 0364.99.020   | Bush                          |          | 12   |
|       | 6          | 460.1.023.1A  | Protection                    |          | 1    |
|       | 7          | 72237.1120    | Screw                         |          | 2    |
|       | 8          | 487.1.003.1A  | Windshield                    |          | 1    |
|       | 9          | 779.1.050.1A  | Screw                         |          | 6    |
|       | 10         | 0000.63161    | Washer                        |          | 6    |
|       | 11         | 0000.63150    | Insert                        |          | 6    |
|       | 12         | 523.4.001.1A  | Rear-view mirror (RED)        |          | 2    |
|       | —          | 523.4.001.1AB | Rear-view mirror (BLACK)      |          | 2    |
|       | 13         | 433.1.126.1A  | Sticker "Campione del mondo"  |          | 1    |
|       | 14         | 480.1.028.1AA | R.H. fairing (RED)            |          | 1    |
|       | —          | 480.1.028.1AC | R.H. fairing (YELLOW)         |          | 1    |
|       | 15         | 850.4.009.1A  | Quick fastening               |          | 2    |
|       | 16         | 530.4.002.1A  | Turn indicator                |          | 1    |
|       | 17         | 530.4.001.1A  | Turn indicator                |          | 1    |
|       | 18         | 72276.1031    | Screw                         |          | 2    |
|       | 19         | 841.1.001.1B  | Retainer                      |          | 4    |
|       | 20         | 779.5.001.1A  | Screw                         |          | 4    |
|       | 21         | 827.1.061.1A  | Plate                         |          | 2    |
|       | 22         | 480.1.027.1AA | R.H. fairing (RED)            |          | 1    |
|       | —          | 480.1.027.1AC | L.H. fairing (YELLOW)         |          | 1    |
|       | 23         | 827.1.058.1A  | Holder                        |          | 2    |
|       | 24         | 771.5.064.2B  | Screw                         |          | 2    |
|       | 25         | 0795.03.420   | Bulb                          |          | 2    |
|       | 26         | 438.1.032.1A  | L.H. sticker                  |          | 1    |
|       | 27         | 438.1.033.1A  | R.H. sticker                  |          | 1    |
|       | 28         | 734306N01     | Washer                        |          | 2    |
|       | 29         | 734006N01     | Spring washer                 |          | 2    |

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                | VALIDITY | Q.TY |
|-------|------------|--------------|----------------------------|----------|------|
|       | 30         | 713.1.065.1A | Spacer                     |          | 2    |
|       | 31         | 827.1.012.1A | Bent plate                 |          | 2    |
|       | 32         | 0675.91.080  | Cap                        |          | 1    |
|       | 33         | 791.1.011.1B | Headlight gasket           |          | 1    |
|       | 34         | 0000.17847   | Rubber hose                |          | 2    |
|       | 35         | 684.1.003.1A | R.H. spacer                |          | 1    |
|       | 36         | 684.1.004.1A | L.H. spacer                |          | 1    |
|       | 37         | 438.1.010.1A | Sticker "DUCATI"           |          | 2    |
|       | 38         | 486.1.027.1A | R.H. side panel            |          | 1    |
|       | 43         | 486.1.028.1A | L.H. side panel            |          | 1    |
|       | 44         | 480.3.016.1B | L.H. fairing (not painted) |          | 1    |
|       | 45         | 480.3.017.1A | R.H. fairing (not painted) |          | 1    |

**California Version**

**DUCATI**






FUEL FEED

California version

DRAWING

**35****SUPERSPORT  
900 U.S.A.**

| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION      | VALIDITY | Q.TY | NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | Q.TY |
|-------|------------|--------------|------------------|----------|------|-------|------------|----------|-------------|----------|------|
|       | 1          | 741.4.001.1A | Clamp            |          | 3    |       |            |          |             |          |      |
|       | 2          | 590.1.043.1A | Tube             |          | 1    |       |            |          |             |          |      |
|       | 3          | 0361.83.075  | Clamp            |          | 6    |       |            |          |             |          |      |
|       | 4          | 593.2.004.1A | Breather valve   |          | 1    |       |            |          |             |          |      |
|       | 5          | 590.1.044.1A | Breather pipe    |          | 1    |       |            |          |             |          |      |
|       | 6          | 741.4.037.1A | Clamp            |          | 4    |       |            |          |             |          |      |
|       | 7          | 0361.98.720  | FISPA valve      |          | 1    |       |            |          |             |          |      |
|       | 8          | 590.1.040.1A | Tube             |          | 1    |       |            |          |             |          |      |
|       | 9          | 0374.98.810  | CANISTER filter  |          | 1    |       |            |          |             |          |      |
|       | 10         | 590.1.004.1A | Tube             |          | 1    |       |            |          |             |          |      |
|       | 11         | 0615.27.143  | Idling jet 50    |          | 2    |       |            |          |             |          |      |
|       | 12         | 0370.98.880  | Union            |          | 2    |       |            |          |             |          |      |
|       | 13         | 0250.70.223  | Aluminium gasket |          | 2    |       |            |          |             |          |      |
|       | 14         | 0361.98.850  | Shunt valve      |          | 1    |       |            |          |             |          |      |
|       | 15         | 60N102504    | Screw            |          | 4    |       |            |          |             |          |      |
|       | 16         | 734006N01    | Spring washer    |          | 4    |       |            |          |             |          |      |
|       | 17         | 830.1.066.1A | Bracket          |          | 1    |       |            |          |             |          |      |



# DUCATI

## MARKING PLATES

DRAWING

36

**SUPERSPORT  
900 U.S.A.**


| NOTES | POS.<br>N. | CODE NO.     | DESCRIPTION                    | VALIDITY | Q.TY |
|-------|------------|--------------|--------------------------------|----------|------|
|       | 1          | 433.1.166.1A | 'Driving mirror' warning label |          | 2    |
|       | 2          | 433.1.170.1A | 'Helmet holder' sticker        |          | 1    |
|       | 3          | 433.1.165.1A | 'Windshield' sticker           |          | 1    |
|       | 4          | 439.1.001.1B | 'Handle' sticker               |          | 1    |
|       | 5          | 0000.46956   | 'Shock-adsorber' sticker       |          | 1    |
|       | 6          | 439.1.002.1B | 'Side stand' sticker           |          | 1    |
|       | 7          | 433.1.071.1A | 'Revolution counter' sticker   |          | 1    |
|       | 8          | 0370.98.940  | 'Fuel tank' sticker            |          | 1    |

| NOTES | POS.<br>N. | CODE NO. | DESCRIPTION | VALIDITY | QTY |
|-------|------------|----------|-------------|----------|-----|
|       |            |          |             |          |     |

## Faints

## Supersport 900 Semicarenato

### Fairing



**A** Front fender

**B** Half-fairing and headlight fairing

**C** Fuel tank

**D** Rear fairing

Colore  
Paint

Codice  
Code **SALCHI**

Codice  
Code **PPG**

**"Rosso Anniversary DUCATI"**

539.5013

487.111


**DUCATI**

## Paints

## Supersport 900 Carenato

### Carenature:

- A** Front fender
- B** Fairing and headlight fairing
- C** Fuel tank
- D** Rear fairing



Colore  
Paint

Codice  
Code **SALCHI**

Codice  
Code **PPG**

**"Rosso Anniversary DUCATI"**

539.5013

487.111

**DUCAATI**